SYSD/JFT® Job and File Tailoring

REFERENCE MANUAL





SYSD/JFT®

Job and File Tailoring for CPMS*/SYSD*

Release 6.4.1

Trade Secrets

The materials contained in this manual are the **TRADE SECRETS** of H&W Computer Systems, Inc., Boise, Idaho.

No part of this publication may be reproduced or transmitted in any form or by any means electronic or mechanical, including photocopying, recording, or any information storage and retrieval system, without written permission from H&W Computer Systems, Inc.

Copyright

© 1997. H&W Computer Systems, Inc. All rights reserved.

Published

December 1997

This edition, CUR-JFT0641, applies to release 6.4.1 of H&W Computer System's SYSD/JFT (Job and File Tailoring) option for CPMS/SYSD and to all subsequent releases and modifications until otherwise indicated in new editions or technical manual updates.

Trademarks

SYSD/JFT, SYSD, and CPMS are registered trademarks of H&W Computer Systems, Inc.

IBM is a registered trademark and CICS is a trademark of International Business Machines Corporation.

Other brands or products are service marks, trademarks, or registered trademarks of their respective holders and should be treated as such.

Order No.

CUR-JFT0641

Comments

A reader's comment form is provided at the back of this manual. If the form has been removed, send comments to H&W Computer Systems, Inc. at:

:	

P.O. Box 46019 Boise, ID 83711 12438 W. Bridger Street, Suite 100 Boise, ID 83713



Main: (208) 377-0336

Customer Support: (208) 377-8436



Fax:

(208) 377-0069



World Wide Web: http://www.hwcs.com

E-mail: support@hwcs.com

Contents

	About this Manual
	Manual Organization vii Conventions it Text and Keyboard Conventions it Symbol Conventions it
	Related Publications
Chapter 1	Introduction
	Components of SYSD/JFT
	Panels
	Skeletons
	Messages Storing Panels, Skeletons, and Messages
	JFT Variables
	Executing JFT Panels
Chapter 2	Panel Sections
)ATTR Section
	Default Attribute Characters
	Overriding the Default Attribute Characters
)BODY Section 10
)PROC Section
)END Section
Chapter 3	Variables
•	System Variables
	&Z
	&ZCMD
	&ZCSR
	&ZDATE

	&ZDAY	20
	&ZJDATE	20
	&ZMONTH	20
	&ZSEL	21
	&ZTIME	21
	&ZYEAR	21
	Profile Variables	22
	&\$DEPART	22
	&\$DESTID	22
	&\$NAME	22
	&\$TITLE	22
	&\$USER	22
	Control Variables	23
	.CURSOR	23
	CURSORF	23
	MSG	23
	MSGF	24
	SYSDTTL	
	TRAIL	24
	User Variables	24
	- OSCI VALIABLES , , a a rata rata rata rata rata rata r	25
Chantan 1	La Charles and a set a	
Chapter 4		<i>27</i>
Chapter 4	Syntax Rules	28
Chapter 4	Syntax Rules	28 29
Chapter 4	Syntax Rules Assignment Statement Concatenation Rules	28 29 29
Chapter 4	Syntax Rules Assignment Statement Concatenation Rules Examples	28 29 29 30
Chapter 4	Syntax Rules Assignment Statement Concatenation Rules Examples FILESKEL Statement	28 29 29 30 32
Chapter 4	Syntax Rules Assignment Statement Concatenation Rules Examples FILESKEL Statement IF Statement	28 29 29 30 32 34
Chapter 4	Syntax Rules Assignment Statement Concatenation Rules Examples FILESKEL Statement IF Statement LINK Statement	28 29 29 30 32 34 36
Chapter 4	Syntax Rules Assignment Statement Concatenation Rules Examples FILESKEL Statement IF Statement LINK Statement SUBSKEL Statement	28 29 29 30 32 34 36 37
Chapter 4	Syntax Rules Assignment Statement Concatenation Rules Examples FILESKEL Statement IF Statement LINK Statement SUBSKEL Statement TRANS Statement	28 29 29 30 32 34 36 37 38
Chapter 4	Syntax Rules Assignment Statement Concatenation Rules Examples FILESKEL Statement IF Statement LINK Statement SUBSKEL Statement TRANS Statement TRUNC Statement	28 29 29 30 32 34 36 37
Chapter 4	Syntax Rules Assignment Statement Concatenation Rules Examples FILESKEL Statement IF Statement LINK Statement SUBSKEL Statement TRANS Statement TRUNC Statement VER Statement	28 29 29 30 32 34 36 37 38
Chapter 4	Syntax Rules Assignment Statement Concatenation Rules Examples FILESKEL Statement IF Statement LINK Statement SUBSKEL Statement TRANS Statement TRUNC Statement VER Statement VER ALPHA	28 29 29 30 32 34 36 37 38 40
Chapter 4	Syntax Rules Assignment Statement Concatenation Rules Examples FILESKEL Statement IF Statement LINK Statement SUBSKEL Statement TRANS Statement TRUNC Statement VER Statement VER ALPHA VER BIT	28 29 29 30 32 34 36 37 38 40 42
Chapter 4	Syntax Rules Assignment Statement Concatenation Rules Examples FILESKEL Statement IF Statement LINK Statement SUBSKEL Statement TRANS Statement TRUNC Statement VER Statement VER Statement VER Statement VER ALPHA VER BIT VER DSNAME	28 29 29 30 32 34 36 37 38 40 42 42
Chapter 4	Syntax Rules Assignment Statement Concatenation Rules Examples FILESKEL Statement IF Statement LINK Statement SUBSKEL Statement TRANS Statement TRUNC Statement VER Statement VER Statement VER ALPHA VER BIT VER DSNAME VER HEX	28 29 29 30 32 34 36 37 38 40 42 42 43
Chapter 4	Syntax Rules Assignment Statement Concatenation Rules Examples FILESKEL Statement IF Statement LINK Statement SUBSKEL Statement TRANS Statement TRUNC Statement VER Statement VER ALPHA VER BIT VER DSNAME VER HEX VER LIST	28 29 29 30 32 34 36 37 38 40 42 42 43 43
Chapter 4	Syntax Rules Assignment Statement Concatenation Rules Examples FILESKEL Statement IF Statement LINK Statement SUBSKEL Statement TRANS Statement TRUNC Statement VER Statement VER Statement VER ALPHA VER BIT VER DSNAME VER HEX VER LIST VER NAME	28 29 29 30 32 34 36 37 38 40 42 42 43 43 43
Chapter 4	Syntax Rules Assignment Statement Concatenation Rules Examples FILESKEL Statement IF Statement LINK Statement SUBSKEL Statement TRANS Statement TRUNC Statement VER Statement VER ALPHA VER BIT VER DSNAME VER HEX VER LIST VER NAME VER NAME	28 29 29 30 32 34 36 37 38 40 42 42 43 43 43
Chapter 4	Syntax Rules Assignment Statement Concatenation Rules Examples FILESKEL Statement IF Statement LINK Statement SUBSKEL Statement TRANS Statement TRUNC Statement VER Statement VER Statement VER ALPHA VER BIT VER DSNAME VER HEX VER LIST VER NAME VER NB VER NUM	28 29 29 30 32 34 36 37 38 40 42 43 43 43 43 43 44 44
Chapter 4	Syntax Rules Assignment Statement Concatenation Rules Examples FILESKEL Statement IF Statement LINK Statement SUBSKEL Statement TRANS Statement TRUNC Statement VER Statement VER ALPHA VER BIT VER DSNAME VER HEX VER LIST VER NAME VER NAME	28 29 29 30 32 34 36 37 38 40 42 42 43 43 43 43 44 44 44

Chapter 5	Skeleton and Message Files	47
	Skeleton Files Control Statements	48 48
)BLANK	
)CM	
)DEFAULT	
)IM:	49
)TB	49 52
Chapter 6	Calling CICS Programs	53
*	Communicating Between Panels and CICS Programs	
	\$CMVGET	
	\$CMVPUT	
	Calling CICS Programs from SYSD/JFT	
	Calling the JFTADD Program	
	SYSD-like Programs	
	Storing Data in JFT-like Programs	
	Constant Data	58
	Local Variables	
	Global Variables	
	,	,
Appendix A	CPMS/SYSD Menu System Variables	61
Appendix B	Sample Panels	69
	Primary Menu	70
	System Utilities Panel	
	Submit IEBCOPY Panel	73
Appendix C	IETADD Program	
<i>пррения</i> . С.	JFTADD Program	II II
	Inday	04

About this Manual

The SYSD/JFT Reference Manual explains how to create panels users can access through SYSD or CPMS. This manual is used by the programmer responsible for creating and maintaining the JFT panels.

Manual Organization

The SYSD/JFT Reference Manual is organized as follows.

Chapter 1, Introduction

Briefly describes SYSD/JFT, including JFT's components; storing panels, skeletons, and messages; JFT's variables; and executing JFT panels.

Chapter 2, Panel Sections

Describes the sections a panel can have and the parameters for each one.

Chapter 3, Variables

Describes the system, profile, control, and user variables you can use in the)INIT,)PROC, and)BODY sections.

Chapter 4, Logic Statements

Describes the statements you can use in the)INIT and)PROC sections.

Chapter 5, Skeleton and Message Files

Explains how to use skeleton and message files.

Chapter 6, Calling CICS Programs

Explains some of the logic behind the design of the JFT panels, including communicating between panels and CICS programs.

Appendix A, CPMS/SYSD Menu System Variables

Lists the variables available to JFT from the CPMS/SYSD menu system.

Appendix B, Sample Panels

Provides samples of some SYSD/JFT panels and the code that generates them.

Appendix C, JFTADD Program

Provides the complete code for the JFTADD program.

Conventions

The SYSD/JFT Reference Manual uses the following conventions.

Text and Keyboard Conventions

This kind of text	Identifies
BOLD bold	Commands and text you type. Uppercase bold text represents information you must type exactly as it appears. Lowercase text represents information you must substitute with the appropriate text. For example, when you see variable_name in the syntax of a logic statement, type the appropriate variable name.
italic	Field names, manual titles, and system messages. It is also used to introduce new words.
Enter	Special keys on the keyboard you press. The example here represents the Enter key.

Symbol Conventions

This symbol	Identifies
>	Instructions for performing special functions.
Note	Additional information that may be of value.
Tip	Tips or suggestions about using a particular feature.
Caution	Important information you need to know about a feature or procedure.

Related Publications

For more information, see the following publications:

H&W manuals

- CPMS/SYSD Installation Manual
- CPMS/SYSD Reference Manual

IBM manuals

- Interactive System Productivity Facility Dialog Developer's Guide and Reference, Version 4
 Release 2 for MVS (GC34-4486)
- Interactive System Productivity Facility Dialog Management Services (GC34-4021)
- Interactive System Productivity Facility ISPF Dialog Management Guide, Version 3 for MVS (GC34-4213)
- Interactive System Productivity Facility ISPF Dialog Management Guide and Reference, Version 3 Release 5 for MVS (GC34-4266)

Chapter 1

Introduction

SYSD/JFT (Job and File Tailoring) is an option available for both SYSD and CPMS. JFT is based on IBM's ISPF Dialog Manager Panel Display capability. Wherever possible, the same syntax has been applied to JFT. If you are familiar with ISPF, you will see many similarities. JFT lets you:

- Build panel images.
- Prompt and validate user input.
- Process information from the user by applying it to a skeleton file.
- Submit JCL to the internal reader or save it to an output file.

This chapter describes:

- JFT's components
- Storing panels, skeletons, and messages
- JFT's variables
- Executing JFT panels

Components of SYSD/JFT

JFT applications are built using three different components: panels, skeletons, and messages. This section describes each component.

Panels

Panels drive all processing in JFT. Typically panels are either menus that lead to other JFT panels or input/output panels that let the user submit jobs (JCL) or update files. Each JFT user has a default panel that is executed when he or she selects Option 8, Job/File Tailoring, from CPMS/SYSD's main menu. The default panel is defined on Option 0.3, Job/File Tailoring Parameters. This means you can build custom JFT panels for different groups and have them go directly to the panel for their specific use. For example, you can have payroll users go directly to the payroll JFT panel and developers go directly to a system utilities JFT panel.

The panel defines and assigns all variables, defines the panel layout, accepts and edits input from the panel, and performs any output. When developing panels, you control the panel's display attributes by defining fields as input, output, or text and by defining the fields as highlighted or normal. The panel's)ATTR section defines these attributes. The panel's)BODY section defines the way the panel looks when a user accesses it. The panel's)INIT section defines and initializes variables. The panel's)PROC section does all the processing each time the user presses **Enter** or a **PFn** key. The panel's)PROC section also defines all editing for data entered and controls other processing like displaying another panel, writing to a file, or submitting a job to the system.

Skeletons

Skeleton libraries contain members that define the JCL for submitting a job or the record and file layout for updating a file. You use the FILESKEL and SUBSKEL commands in the)PROC section to access skeleton libraries. JFT processes these two commands by scanning the JFT skeleton file concatenation for the member name you specify on the command. JFT uses the first library that has a member name that matches. Your SYSD administrator defines the library concatenation.

JFT automatically passes variables from the panel to the skeleton member. JFT substitutes the data the user enters on the panel in the skeleton before it writes the skeleton to a file or the internal reader. For example, you may have a batch job that uses a date parameter to extract data from a master file. You can set up the JFT panel to ask the user to enter the date, pass that date to the skeleton member for substitution in the PARM parameter of the EXEC JCL statement, and submit the job.

Messages

Message libraries contain members that define the customized messages JFT uses to override the generic default messages provided. For example, if the user enters an invalid date, you can have JFT display a customized message that gives the user more specific information about what is wrong with the date. You define these messages and then issue them from the JFT panel.

You can also put JFT variables in your customized messages. JFT replaces the variable name with the variable's assigned value before displaying the message on the user's terminal.

Storing Panels, Skeletons, and Messages

Panels, skeletons, and messages are stored in partitioned datasets (PDSs). You must store each panel and skeleton in a separate PDS member. You can store several messages in a single PDS member.

Your SYSD administrator can concatenate panel, skeleton, and message PDSs and have JFT search them using a top down approach. JFT searches the first file specified in the concatenation, followed by the second file, and so on until it either reaches the end of the concatenation list or finds a matching member name. Your CPMS/SYSD administrator determines the order JFT searches the libraries.

Your SYSD administrator may have set up the system so users can specify the panel, skeleton, and message concatenations. This is done by defining the user profile dataset variables in the JFT dataset concatenations. If the variables are defined, the user can specify the dataset names JFT uses to search for panels, messages, and skeletons on Option 0.3, Job/File Tailoring Parameters. This lets the user or programmer dynamically change the dataset names.

JFT Variables

JFT lets you define your own variables in the panel's)BODY,)INIT, and)PROC sections. You can also use the system, user profile, and control variables described in Chapter 3, Variables. You can use any of these variables in the panels, skeletons, or messages. You can also pass JFT variables to CICS programs.

Executing JFT Panels

Once you have saved a panel in a PDS member, JFT can try to execute it. You do not have to compile it first. JFT reports any errors back to you when you execute the panel. You can edit the PDS member, correct the errors, and test the panel again.

To execute a JFT panel, the user must select Option 8, Job/File Tailoring, from the CPMS/SYSD main menu. Once in JFT, the user can execute JFT panels in one of three ways:

- Specify the panel as the default panel name on Option 0.3, Job/File Tailoring Parameters. This panel is automatically displayed when the user selects Option 8.
- Use the PANEL statement in one panel to call another panel. See the &ZSEL system variable on page 21 for more information about calling a panel.
- Type **EXEC panel_name** in the *Input* field in JFT and press **Enter**. To use this option, the *Execute Any Panel* field on Option 0.3, Job/File Tailoring Parameters, must be set to **Y** (Yes).



The EXEC command is very helpful because you do not have to update the default panel or test menus before you execute the new panels as you are developing them.

Chapter 2

Panel Sections

A SYSD/JFT panel can have up to five different sections. They are:

-)ATTR Defines the attribute characters used in the)BODY section. These attribute characters define if fields are input, output, or text. They also define the intensity of the characters when JFT displays the panel: bright, normal, or dark.
-)BODY Defines the panel's appearance.
-)INIT Contains the logic statements JFT executes the first time a user accesses the panel.
-)PROC Contains the logic statements JFT executes each time a user accesses the panel *except* the first time.
-)END Marks the end of the panel.

Option 0.3, Job/File Tailoring Parameters, on the CPMS/SYSD main menu lets you specify which panel is displayed when the user first accesses the JFT option. The default is the SYSDO8 panel.

This chapter describes each panel section and its parameters.

)ATTR Section

The)ATTR section defines the characters that represent attribute bytes. You use these attribute characters in the)BODY section to define the panel's appearance. If you are only going to use the default attribute characters, you can omit the)ATTR statement altogether. The format of the attribute statement is:

char TYPE(TEXT INPUT OUTPUT) INTENS(LOW HIGH NON)



You cannot continue statements in the)ATTR section.

This parameter	Specifies	
dhar	The 1-byte character that represents the attribute byte. This is a special character that is <i>not</i> displayed on the panel when the user accesses it. However, the attribute character does take up a physical space on the panel when JFT displays it.	
ТҮРЕ	The type of field this attribute byte generates.	
	Specify	To define
	ТЕХТ	A protected text field where JFT displays static information like menu options or field descriptions. This type of field cannot contain variables.
	INPUT	An unprotected field where users can type data.
	OUTPUT	A protected field where JFT displays the values of variables from within JFT.
INTENS	The intensity of the field when JFT displays the panel.	
	Specify	To define
	LOW	A normal intensity field.
	HIGH	A high intensity field.

Specify

To define

NON.

A field that is not displayed on the panel. For example, you may want to define a field where the user types a password and not have the characters displayed as the user types them.

For example, if you specify:

)ATTR.
 TYPE(INPUT): INTENS(LOW):
a TYPE(OUTPUT): INTENS(HIGH):

A field defined in the)BODY section with a not sign (¬) is an input field the user can type data in. JFT displays the field at normal intensity. A field defined in the)BODY section with an ampersand (@) is an output field JFT displays variables in. JFT displays the contents of the field as highlighted text.

Default Attribute Characters

The following are the predefined attribute character defaults:

% TYPE(TEXT): INTENS(HIGH):
+ TYPE(TEXT): INTENS(LOW):
_ TYPE(INPUT): INTENS(HIGH)

Overriding the Default Attribute Characters

To override the default attribute characters, specify the **DEFAULT**(characters) keyword, where characters are the new attribute characters, on the)ATTR statement.

To only override one default attribute character, you must specify all three attribute characters even though only one changes. For example, to change the default percent sign (%) to a pound sign (#), specify:

)ATTR DEFAULT(#+_)

If you do not need to change the default attribute characters, do not specify the DEFAULT keyword on the)ATTR statement.

)BODY Section

The)BODY section defines how a panel looks when JFT displays it. The following syntax rules apply to the)BODY section:

- The first three lines of the panel are fixed. The first line contains the panel title, time, and partition ID. The second line contains the *Input* field where the user enters commands and the *Scroll* field where the user defines the type of scrolling performed. The third line is where JFT displays the long system messages.
- The)BODY section defines lines 4 through 24 on the panel. A panel cannot have more than 21 lines. (MOD2 support only)
- If there is a blank line in the)BODY section, JFT displays a blank line on the panel. If you do not use all 21 lines, you do not have to add blank lines at the end of the)BODY section.
- Each line must begin with an attribute character, but the attribute character does not have to be in column 1.
- The attribute character defines the beginning of a field on the panel. The next attribute character or the end of the line defines the end of the field. The length of the field is the number of bytes between the attribute characters or between the beginning attribute character and the end of the line.
- If the field is defined as TYPE(TEXT), JFT displays all the characters in the field on the panel.
- If the field is defined as either TYPE(INPUT) or TYPE(OUTPUT), you must specify a
 variable name following the attribute character. A variable name that follows a
 TYPE(INPUT) or TYPE(OUTPUT) attribute must not include the ampersand (&); an
 ampersand is implied.
- Comments are not allowed in the)BODY section.

Example

```
)ATTR
- TYPE(OUTPUT) INTENS(HIGH)
)BODY

%Enter Values to SUBMIT a Job:%

%Jobname:_JOBN %

%Your Job Name will be:-JOBN
)END
```

This example generates the following panel:

9:04:58 INPUT ===>	panel title	(1/1) SCROLL: CSR
Enter Values to SUBMIT a Job:	·	
Jobname:		
Your Job Name will be:		
		•

This panel has:

- A protected text field beginning in column 2 of row 5 that displays *Enter Values to SUBMIT a Job:* in highlighted characters.
- A protected text field beginning in column 10 of row 7 that displays Jobname: in highlighted text.
- An 8-byte input field beginning in column 19 of row 7. The user types the job name in this field. JFT assigns the value the user types in this input field to the JOBN variable.
- A protected text field beginning in column 2 of row 9 that displays *Your Job Name will be:* in highlighted text.
- A 55-byte output field beginning in column 25 of row 9. There is no ending attribute character so the end of the output field is the end of the line. JFT displays the value of the JOBN variable in this field.

)INIT Section

The)INIT section is optional. It defines the logic JFT *only* executes the first time a user accesses the panel. When returning to a previous panel, JFT executes the)INIT section for the previous panel because JFT considers it a first-time access. There are no parameters on the)INIT statement.

The most common use of the)INIT section is to declare and initialize variables. This is useful when you set default values for the user. You can also include logic statements in the)INIT section to conditionally set variable values. See Chapter 4, Logic Statements, for more information about the statements you can use in the)INIT section.

Example

This example generates the following panel:

```
9:04:58 ---- JFT Example ----- (1/1)
INPUT === SCROLL: CSR

Enter Values to SUBMIT a Job::

Jobname:: JFTJOB

Your Job Name will be:: JFTJOB.
```

Note what the)INIT section has done:

- The .SYSDTTL control variable defines the panel title as *JFT Example*. JFT centers the title on the first line of the panel.
- The *Jobname*: field now contains the default value assigned to the &JOBN variable in the)INIT section.
- JFT also displays the value of the &JOBN variable in the Your Job Name will be: field.

The user can change the &JOBN variable by typing a new job name in the *Jobname* field. When the user presses **Enter**, JFT changes the value displayed in the *Your Job Name will be:* field to the value the user typed.

)PROC Section

The)PROC section is optional. It defines the logic JFT executes every time a user accesses the panel *except* the first time. There are no parameters on the)PROC statement.

The)PROC section is where you do most of the programming in JFT. You can assign values to variables, test conditions, execute other panels, submit JCL to the operating system, or write records to files. An advance feature of JFT lets you link to a CICS program and perform additional processing. This is done using the LINK statement.

See Chapter 4, Logic Statements, for more information about the statements you can use in the)PROC section.

Example

```
)ATTR
 - TYPE (OUTPUT) INTENS (HIGH)
) BODY
%Enter Values to SUBMIT a Job:%
        %Jobname: JOBN
%Your Job Name will be:-VALJOBN
DINIT
 .SYSDITL = 'JFT EXAMPLE'
 &JOBN = JFTJOB
)PROC
 &VALJOBN = '*ERROR*'
                           /*Assume Job Name invalid*/
 VER (&JOBN, NAME)
                           /*Check that Job Name is a valid member name*/
 IF (.MSG = \&Z)
                           /*If no Error messages*/
     &VALJOBN = &JOBN
                           /*Move Job Name to a valid field*/
     SUBSKEL (&JOBN)
)END
```

Note what the)PROC section does:

- The)PROC section starts with an assignment statement that assigns the value
 ERROR to the &VALJOBN variable.
- The)PROC section shows how you can add comments that explain what each statement is doing. All text following the /* is a comment.
- The VER (&JOBN,NAME) statement checks to make sure the job name the user enters is a valid member name. The VER statement lets you easily validate common field formats, including:
 - non-blank (must be entered)

- alphabetic
- numeric
- hexadecimal
- PICTURE
- member name
- dataset name
- range
- list
- The next statement is an IF structure. JFT checks the .MSG control variable to see if an error was found. The &Z system variable tests the .MSG variable to see if it is empty or contains null values. So the IF statement says that if the .MSG control variable is empty, no errors were found.

If the IF statement is false, which means the member name is invalid, JFT executes the statement beginning in the column that is less than or equal to the IF statement column. In this case, JFT executes the)END statement.

If the IF statement is true, which means the member name is valid, JFT executes the line right after the IF statement. In this case, JFT executes the assignment statement, which assigns the value of the &JOBN variable to the &VALJOBN variable.

• If the member name is valid, the SUBSKEL statement tells JFT to submit the skeleton identified by the JOBN variable, which is JFTEXMPL. JFT does this by looking for a member in the JFT skeleton library concatenation called JFTEXMPL. If JFT finds a matching member, it submits the JCL to the operating system. The following is an example of what the panel looks like after a user enters a valid job name:

9:04:58 --- JFT EXAMPLE (1/1)
INPUT ===> SCROLL: CSR
Job(s) have been submitted.
Enter Values to SUBMIT a JOB:

Jobname: JFTEXMPL

Your Job Name will be: JFTEXMPL

If JFT does not find a matching member in any skeleton library, it displays the following error message:

9:04:58 JFT EXAMPLE INPUT ===> SKELETON member name Invalid or does not exist. Enter Values to SUBMIT a JOB:	((1/1) SCROLL: CSR
Jobname: JFTJOB	
Your Job Name will be: JFTJOB	
-	
·	
-	

If the user entered an invalid job name, like *******, JFT displays the following panel:

)END Section

The)END section defines the end of the panel. JFT ignores anything following the)END statement. There are no parameters on the)END statement.

Chapter 3

Variables

This chapter describes the variables you can use in the)INIT,)PROC, and)BODY sections. There are four types of variables:

- System variables provide information from the system, like the date, time, and data entered in the *Input* field.
- Profile variables provide access to the information stored in the CPMS/SYSD user file. You can get information from the file, like the user ID or default printer, and use it in JFT processing.
- Control variables let you change the message and cursor position during processing. You typically use these variables to override the defaults for these functions. You can also use a control variable to define the panel title.
- User variables store values during JFT execution. You define these variables and can change them during processing.

System Variables

System variables provide information from the system, like the date, time, and data entered in the *Input* field. System variables begin with the letter Z. You can also update the &ZSEL variable to control JFT processing.

&Z

The &Z system variable contains a null or blank string. You can use the &Z variable to initialize another variable or use it in an IF statement to do a comparison.

&ZCMD

The &ZCMD system variable contains the characters the user typed in the *Input* field.

&ZCSR

The &ZCSR system variable contains the cursor position of the *Input* field in **rrccc** format, where **rr** is the row and **ccc** is the column.

&ZDATE

The &ZDATE system variable contains the 8-character date in yy/mm/dd format.

&ZDAY

The &ZDAY system variable contains the 2-digit day of the month in dd format.

&ZJDATE

The &ZJDATE system variable contains the Julian date in yy.ddd format.

&ZMONTH

The &ZMONTH system variable contains the 2-digit month in mm format.

&ZSEL

You can use the assignment statement to set the &ZSEL system variable. If you set &ZSEL in the)PROC section, SYSD/JFT invokes a new panel when it is done processing the)PROC section. The syntax of the &ZSEL variable is:

&ZSEL = PANEL(panel_name)

For example:

&ZSEL = TRANS(TRUNC(&ZCMD,1),1, PANEL(TESTP1),2,PANEL(TESTP2))

This example shows how you can use logic statements on the right side of an assignment statement. If the user selects Option 1, JFT assigns **PANEL(TESTP1)** to &ZSEL. JFT sends the user to another panel from a menu panel that contains two options.

&ZTIME

The &ZTIME system variable contains the 5-character time in hh:mm format.

&ZYEAR

The &ZYEAR system variable contains the 2-digit year in yy format.

Profile Variables

Profile variables let you access the information stored in the CPMS/SYSD user file. You can get information, like the user ID and default printer, and use it in JFT processing. Profile variables begin with a dollar sign (\$). The following are some of the most commonly used profile variables. See Appendix A, CPMS/SYSD Menu System Variables, for a list of additional profile variables.

&\$DEPART

The &\$DEPART profile variable contains the user's 1- to 29-character department name.

&\$DESTID

The &\$DESTID profile variable contains the output destination ID from Option 0.1, JES/List Parameter Destinations. The length of this variable is 10. You can use the &\$DESTID profile variable to substitute a destination ID in the JCL output parameter.

&\$NAME

The &\$NAME profile variable contains the user's 1- to 29-character name.

&\$TITLE

The &\$TITLE profile variable contains the user's 1- to 29-character title.

&\$USER

The &\$USER profile variable contains the user's 1- to 11-character user ID.

Control Variables

Control variables let you change the message and cursor position during processing. You typically use these variables to override the defaults for these functions. You can also use control variables to define the panel title and set the .TRAIL variable with the remainder of a TRUNC function. Control variables begin with a period (.).

.CURSOR

You can set the .CURSOR control variable to a variable_name without the ampersand (&). This positions the cursor in the field associated with variable_name. You can also use .CURSOR to set the cursor to the field on a VER statement that fails its test.



If the cursor position has been previously set, .CURSOR does not set the cursor position. To reset the cursor position, you must use the .CURSORF control variable.

For example, if you specify:

.CURSOR = FNAME

JFT positions the cursor in the *FNAME* field when it displays the panel. The default position is the *Input* field.

.CURSORF

The .CURSORF control variable provides the same functions as the .CURSOR control variable except .CURSORF overrides any previous positioning of the cursor. Be careful when you use .CURSORF to set the cursor position so you do not accidentally override a cursor position.

.CURSORF = FNAME

.MSG

You can set the .MSG control variable to any message ID. JFT displays the long message associated with the message ID. You can also use .MSG to display a specific message ID when a VER statement fails its test.



If the message ID has been previously set, .MSG does not reset the message ID. To reset the message ID, you must use the .MSGF control variable.

For example, if you specify:

```
.MSG = MSG001
```

JFT displays the text associated with MSG001.

.MSGF

The MSGF control variable provides the same functions as the MSG control variable except MSGF overrides any previous setting of the message ID. Be careful when you use MSGF to set the message ID so you do not accidentally override a message.

```
.MSGF = MSG001
```

.SYSDTTL

The .SYSDTTL control variable defines the panel title. You use the assignment statement to set the .SYSDTTL control variable. For example, if you specify:

```
.SYSDITL = JFT Main Menu
```

JFT centers JFT Main Menu on the first line of the panel.

.TRAIL

JFT sets the value of the .TRAIL control variable as a result of a TRUNC statement. The .TRAIL variable contains the characters left over from the last TRUNC statement performed.

For example, if you specify:

```
&TEMP = ABCDEF
&TEMP1 = TRUNC(&TEMP, 1)
```

JFT assigns the value **A** to the &TEMP1 variable and assigns the value **BCDEF** to the .TRAIL variable. See the TRUNC statement on page 40 for more information.

User Variables

User variables are variables you define. You can assign values to them and change the values during JFT execution. In the)INIT and)PROC sections, user variables must begin with an ampersand (&). In the)BODY section, user variables must not begin with an ampersand; the ampersand is implied. User variable names must be between 1 and 8 characters long.



Do not begin a user variable name with a dollar sign (\$), the letter Z, or a period (.) because these characters identify system, profile, or control variables.

Chapter 4

Logic Statements

Logic statements control the processing that occurs when a user accesses a panel. You can specify logic statements in both the)INIT and)PROC sections. This chapter describes the syntax rules for all the logic statements and the syntax for each one.

Syntax Rules

Logic statements must follow these syntax rules:

- A/* means the rest of the line is a comment. You can specify an */ at the end of the comment, but it is not required.
- You can continue parameters on the next line if they follow the end of a parameter. For example:

```
VER (&TEST, NB, LIST, item1, item2)
```

• You can continue quoted strings by specifying a plus sign (+) as the last character of the line. The continuation line starts at the first non-blank character. For example, if you specify:

```
&TEST = 'THIS IS LINE1 +
AND THIS IS LINE2'
```

JFT assigns the value of THIS IS LINE1 AND THIS IS LINE2 to the &TEST variable.

Assignment Statement

The assignment statement evaluates an expression and assigns the value of the expression to a variable. The syntax of the assignment statement is:

- 1	variable1 = variable2 literal literal function	
1	variable: m variable: literal literal function	
- 1	vai labie: " vai labiez il ile al lile al luncilon	
- 1		

This parameter	Specifies
variable1	A variable name preceded by an ampersand (&). The equal sign (=) <i>must</i> follow the variable name. JFT assigns the value of the expression on the right side of the equal sign to this variable.
variable2	A variable name preceded by an ampersand (&). JFT assigns the value of this variable to variable 1.
literal	A literal you want to assign to variable 1.
(literal(A literal containing substitutable variables. JFT assigns this literal to variable1. See "Concatenation Rules" for more information about specifying variables in a literal.
function	A TRANS or TRUNC logic statement. See the TRANS statement on page 38 and the TRUNC statement on page 40 for more information about their parameters.

Concatenation Rules

The following concatenation rules apply to assignment statements:

- A double ampersand (&&) represents a single ampersand (&). A single ampersand (&) followed by a blank also represents a single ampersand (&).
- User variable names must begin with an ampersand (&). Variable names are delimited by any non-alphanumeric character.
- JFT ignores trailing blanks when doing a substitution.
- For an apostrophe or a quote within a quote, use two apostrophes ("") or quotes (""") to represent a single apostrophe (") or quote (").

A single period (.) following a variable name on the right side of an equal sign
concatenates the character string following the variable name with the variable. Two
periods (..) following a variable name represent a single period (.). For example, if
you specify:

```
&CITY = BOISE
&ADDR = '&CITY. ID'
```

JFT assigns **BOISE ID** to the &ADDR variable.



If you specify a period as part of a literal string, you only have to specify one period to represent a single period.

Examples

The following are several examples of the assignment statement.

Example 1

&FNAME = JODY

JFT assigns the value JODY to the &FNAME variable.

Example 2

&LNAME = LANTZ

JFT assigns the value LANTZ to the &LNAME variable.

Example 3

&LNAME2 = &LNAME

JFT assigns the value of the &LNAME variable to the &LNAME2 variable. If JFT executed the assignment statement from Example 2 before this statement, JFT assigns the value LANTZ to the &LNAME2 variable.

Example 4

```
&MNAME = 'M'
```

JFT assigns the value ${\bf M}$ to the &MNAME variable. The apostrophes are optional.

Example 5

```
&LNAME = LANTZ
&FNAME = JODY
&MNAME = M
&FULLNAME = '&LNAME, &FNAME &MNAME...'
```

JFT assigns the value LANTZ, JODY M. to the &FULLNAME variable.



The two periods at the end of the last assignment statement result in only one period after the middle initial. If a period follows a variable name, JFT requires two periods to represent one period.

Example 6

```
&LNAME = LANTZ
&LNAMEF3B = TRUNC(&LNAME,3)
```

JFT assigns the value **LAN** to the &LNAMEF3B variable. JFT assigns the rest of the characters, which are **TZ**, to the .TRAIL control variable.

FILESKEL Statement

The FILESKEL statement saves a member in a dataset using a skeleton member as a model. The syntax of the FILESKEL statement is:

FILESKEL(DSN(variable_name|literal),NAME(variable_name|literal),
SKEL(variable_name|literal),VOL(variable_name|literal),
RPL|NOREPL|MOD)

This parameter	Specifies
DSN	The name of the dataset you want to save the member in. You can specify either a literal or a variable name preceded by an ampersand (&).
NAME	The member name if the value of the DSN parameter is a PDS. You can specify either a literal or a variable name preceded by an ampersand (&). For a sequential dataset, the member name is optional.
SKEL	The member name of the skeleton file you want to use as a model. You can specify either a literal or a variable name preceded by an ampersand (&).
VOL	The volume serial number where the dataset resides. This parameter is optional. You can specify either a literal or a variable name preceded by an ampersand (&).
REPL	Replace the member in the dataset if it already exists. This is the default.
NOREPL	Terminate the save if the member already exists in the dataset.
MOD	Add the data specified by the FILESKEL parameters to the end of the dataset JFT writes. This parameter only supports sequential datasets.

33

Example 1

FILESKEL(DSN(&HOLDDSN), NAME(MEMBER1), SKEL(&SKELMEM)

JFT saves the member called MEMBER1 in the dataset specified by the &HOLDDSN variable using the skeleton member specified by the &SKELMEM variable.

Example 2

FILESKEL(DSN(XYZ.ABC), NAME(MEMBER2), SKEL(MEM10), NOREPL)

If MEMBER2 does not already exist, JFT saves the member called MEMBER2 in the dataset called XYZ.ABC using the skeleton member called MEM10.

Example 3

FILESKEL (DSN(JFT.TXN.FILE), SKEL(EMPREC), MOD)

The skeleton member EMPREC defines the record layout. JFT adds records to the end of the file called JFT.TXN.FILE using the layout defined in EMPREC.

IF Statement

The IF statement evaluates an expression and, depending on if the expression is true or false, executes a statement or group of statements. The syntax of the IF statement is:

IF(operand1	operator	operand2)			

The parameter	Specifies
operand1	A user variable name preceded by an ampersand (&) or a control, system, or profile variable.
operator	The operator JFT uses to compare the values of operand1 and operand2. Valid operators are:
	= GT GE LT LE
operand2	A user, control, system, or profile variable name or a list of literals.

When used with IF statements, logic statements are sensitive to their column position. If the condition of an IF statement is true, JFT executes the next statement after the IF statement. If the IF statement is false, JFT executes the next statement that has a column position less than or equal to the column position of the IF statement.

Example 1

```
IF(&COND1 = &COND2)
STM1
STM2
STM3
```

If the condition in the IF(&COND1 = &COND2) statement is true, JFT executes STM1, STM2, and STM3. If the condition is false, JFT only executes STM3 because it has a column position (column 1) that is less than or equal to the IF(&COND1 = &COND2) statement (column 1).

Example 2

```
IF(&COND1 = &COND2):
   IF(&COND3 = YES,NO):
   STM1
   STM2
   STM3:
   STM4
```

If the condition in the IF(&COND1 = &COND2) statement is true, JFT executes the next IF statement. If the condition is false, JFT only executes STM4 because it has a column position (column 1) that is less than or equal to the column position of the IF(&COND1 = &COND2) statement (column 1).

If the IF(&COND3 = YES,NO) statement is true, which also means the IF(&COND1 = &COND2) statement was true, JFT executes STM1, STM2, STM3, and STM4. If the condition is false, JFT only executes STM2, STM3, and STM4 because STM2 has a column position (column 3) that is less than or equal to the column position of the IF(COND3 = YES,NO) statement (column 3).

LINK Statement

The LINK statement links from the JFT panel to a CICS program. The syntax of the LINK statement is:

LINK(PGM(variable_name|literal))

This parameter

Specifies

variable_name

A variable name preceded by an ampersand (&). The value of the variable must be the name of the CICS program you want

JFT to link to.

literal

The name of the CICS program you want JFT to link to.



A COMMAREA is not passed. If you need to communicate between the JFT panel and the CICS program, use the \$CMVGET and \$CMVPUT macros. See "Communicating Between Panels and CICS Programs" on page 54 for more information.

Example 1

LINK(PGM(&PGMLINK))

JFT links to the CICS program name specified as the value of the &PGMLINK variable.

Example 2

LINK(PGM(CICSPGM))

JFT links to the CICS program called CICSPGM.

SUBSKEL Statement

The SUBSKEL statement submits a skeleton member to the internal reader. The syntax of the SUBSKEL statement is:

SUBSKEL(variable_name|literal)

This parameter

Specifies

variable_name

A variable name preceded by an ampersand (&). The value of

the variable must be the name of the skeleton member you

want JFT to submit to the internal reader.

literal

The name of the skeleton member you want JFT to submit to

the internal reader.



JFT uses the SYSD DCT entry to submit the JCL to the internal reader.

Example 1

SUBSKEL (&SKELNM)

JFT submits the skeleton member specified as the value of the &SKELNM variable.

Example 2

SUBSKEL (MEMBER1)

JFT submits the skeleton member called MEMBER1.

37

TRANS Statement

The TRANS statement compares a variable to a value and assigns a corresponding value to another variable. The TRANS statement is used in an assignment statement. The syntax of the TRANS statement is:

TRANS(variable_name,value,new_value,...,value,new_value)

This parameter

Specifies

variable_name

A variable name preceded by an ampersand (&). This

parameter must be specified first.

value

The value you want to compare variable_name to.

new_value

The value you want to assign to the new variable.

The parameters that follow variable_name must be paired values. If you specify value, you must also specify new_value.

JFT compares variable_name to value. If the two values are equal, JFT assigns new_value to variable_name.

An "anything else" condition occurs if variable_name does not match any of the value values. You can define an "anything else" condition by specifying an asterisk ('*') for value in the last set of paired values. If you also specify '*' for new_value, JFT stores the variable being assigned untranslated. If you do not specify '*' for new_value, JFT stores the value as specified.

Example 1

&ABC = TRANS(&DEF, 1, ONE, 2, TWO, 3, THREE, 1 1, 1 1, 1 * 1, NONE)

If &DEF contains 2, &ABC contains TWO. If &DEF contains a blank, &ABC contains a blank. If &DEF contains 5, &ABC contains NONE.

Example 2

&ABC = TRANS(&DEF,1,0NE,2,TWO,3,THREE,1 \cdot \cdot ,1 \cdot \cdot ,1 \star \cdot ,1 \star \cdot)

Everything in Example 1 is also true for this example, except if &DEF contains 5, &ABC contains 5.

TRUNC Statement

The TRUNC statement truncates a variable at a specific position or character. The syntax of the TRUNC statement is:

TRUNC(variable_name column character)

 This parameter
 Specifies

 variable_name
 A variable name preceded by an ampersand (&). This parameter must be specified first.

 column
 The column position where you want to truncate the variable.

 character
 The character where you want the variable truncated. The truncation occurs where this character appears first in the variable.

After JFT truncates variable_name, it assigns any remaining characters to the .TRAIL control variable. If you truncate variable_name based on column position, JFT assigns the rest of the characters to .TRAIL. If you truncate variable_name based on a character, JFT assigns all the characters after the truncation character to .TRAIL and drops the truncate character.

Example 1

&ABC = TRUNC(&DEF,8)

Assume &DEF contains ABCDE:GHIJ. After JFT executes the assignment statement, &ABC contains ABCDE:GH, &DEF does not change, and .TRAIL contains IJ.

Example 2

&ABC = TRUNC(&DEF, T: 1)

Assume &DEF contains ABCDE:GHIJ. After JFT executes the assignment statement, &ABC contains ABCDE, &DEF does not change, and .TRAIL contains GHIJ. JFT drops the character you specified as the truncate character, which in this example is a colon (:).

Example 3

The TRUNC command can be used to parse a string. For example:

```
&FULLNAME = JODY M. LANTZ
&FNAME = TRUNC(&FULLNAME, ''')
&TEMP = .TRAIL
&INITIAL = TRUNC(&TEMP, ''');
&LNAME = .TRAIL
```

The first assignment statement assigns JODY M. LANTZ to the &FULLNAME variable. The second statement assigns JODY to the &FNAME variable and assigns M. LANTZ to the .TRAIL control variable. The third statement assigns the value of the .TRAIL control variable, which is now M. LANTZ, to the &TEMP variable. The fourth statement assigns M. to the &INITIAL variable. The last statement assigns LANTZ to the &LNAME variable.

VER Statement

The VER statement verifies the value of a variable. The syntax of the VER statement is:

VER(variable_name, NB, function, parameters, MSG=message_id)

This parameter	Specifies
variable_name	The variable name you want to verify.
NB	The value of the variable name cannot be blank. If specified, NB must follow variable_name . You can use this parameter with all the functions of the VER statement.
function	The type of information variable_name can contain.
parameters	One or more values JFT uses to verify variable_name.
message_id	The ID of the message you want to display if the VER statement fails its test. This parameter must be the last item on the list.

The following sections describe the syntax for the functions of the VER statement.



The NB parameter has the highest priority in a VER statement. If the NB parameter is not specified, the variable can have a blank or empty value regardless of the type of verification being done.

VER ALPHA

VER(variable_name ALPHA)

The variable_name must be alphabetic.

VER BIT

VER(variable_name BIT)

The variable_name must only contain 0s or 1s.

VER DSNAME

VER(variable_name DSNAME)

The variable_name must be a valid dataset name. All dataset qualifiers must begin with an alphabetic character and must be between 1 and 8 characters long.

VER HEX

VER(variable_name HEX)

The variable_name must contain hexadecimal numbers (0-9, A-F).

VER LIST

VER(variable_name LIST value1, value2, value3 ...)

The variable_name must be equal to one of the listed values.

VER NAME

VER(variable_name NAME)

The variable_name must be a valid member name. You can specify numeric characters, but the first character must be alphabetic. The length of the name must be at least 1 character and not more than 8 characters.

VER NB

VER(variable_name NB)

The variable_name must not be blank.



You can use **NB** with all the functions of the VER statement. If **NB** is specified, it must follow the **variable_name**.

VER NUM

VER(variable_name NUM)

The variable_name must be numeric (0-9).

VER PICT

VER(variable_name PICT *picture string*)

The variable_name must match the corresponding type of character in 'picture string'. Valid 'picture string' characters are:

This character	Specifies
C	Any character.
A .	Any alphabetic character (A-Z, #, \$, @).
N	Any numeric character (0-9).
9	Any numeric character (0-9).
X	Any hex character (0-9, A-F).

Any other character represents itself.

VER RANGE

VER(variable_name RANGE n n)

The variable_name must be within the range of the two numbers specified.

Chapter 5

Skeleton and Message Files

JFT panels can access skeleton and message files to perform additional tasks. Skeleton files contain models or skeleton JCL members JFT can submit. Skeleton files can also contain model or skeleton record layouts JFT can use to update sequential files or PDS members. Message files contain messages of up to 80 characters JFT can display on the panel.

Skeleton Files

Skeleton files contain skeleton members or skeletons. A skeleton can contain variables JFT substitutes whenever it invokes the SUBSKEL or FILESKEL function. If the generated record is blank after the substitution, JFT does not write the record.

You can add control statements in a skeleton to help control the file-tailoring process. A control statement consists of a control character followed by a keyword. The control character must be in column 1 followed immediately by the keyword. If JFT does not recognize the keyword, it considers the line to be a comment. If the control character is followed by a blank, JFT considers the line to be a control statement.

Control Statements

)BLANK

The)BLANK statement inserts a specific number of blank lines in the output skeleton file. The syntax of the BLANK statement is:

)BLANK nn &variable_name

This parameter	Specifies
inn	The number of blank lines you want to insert. The default is 1. If you specify a number greater than 99, the default is 99.
&variable_name	A variable name. The value of the variable must be the number of blank lines you want to insert.

)CM

The)CM statement is treated as a comment and ignored. The syntax of the CM statement is:

CM .		-		

DEFAULT

The)DEFAULT statement changes the default control character, which is a right parenthesis, to a different character. For example, if you specify:

)DEFAULT #

JFT changes the default control character to a pound sign (#). All control statements that follow the)DEFAULT statement must start in column 1 and begin with a pound sign (#)

)IM

The)IM statement copies in the contents of a member from the skeleton library concatenation. If you specify a variable name, the contents of the variable must be a member name. The syntax of the)IM statement is:

)IM member_name &variable_name OPT NT

This parameter	Specifies
member_name	The name of the member you want JFT to copy.
&variable_name	The name of a variable. The value of the variable must be the name of the member you want JFT to copy.
OPT	Ignore the error and continue processing if JFT does not find the member. This parameter is optional.
NT	Copy the member. This parameter is optional. If this parameter is specified, JFT does not perform any file tailoring.

)TB

The)TB statement sets tabs for the output in a skeleton file. This statement is useful for positioning data in a certain column of a record. The syntax of the)TB statement is:

)TB: column[A] column[A]

This parameter	Specifies
column	The position in the record where you want to set the tab.
A	The tab is absolute. This option must immediately follow the column number.

Example 1

Assume the following)TB statement is in the skeleton file:

```
)TB 16A 57
&FNAME! &LNAME! &MI
```

The exclamation point (!) is the tab character. It tells JFT to tab before inserting the field. As JFT moves data into the output area during file tailoring, it keeps track of where the data is to be positioned.


Assume the following input values:

```
&FNAME = DON
&LNAME = DAHL
&MI = J
```

If you had not specified tabs in the skeleton file, the result would be:

```
----+----1-----2------3------4------5------6-----7--
DONDAHLJ
```

Since you did specify tabs in the skeleton file, the result would be:



The word *Don* starts in column 1, the word *Dahl* starts in column 16, and the initial *J* starts in column 57.

Example 2

Each time JFT finds an exclamation point (!), it advances to the next tab marker from the current output marker. If the current output marker is pointing at a tab, JFT jumps to the next tab unless the absolute (A) option is placed on the tab the output marker is pointing to.

Assume the following)TB statement is in the skeleton file:

```
)TB 10A 57A
&FNAME! &LNAME! &MI
```

Assume the following input values:

```
&FNAME = ELIZABETH
&LNAME = HARTE
&MI = A
```

JFT puts the value of the &FNAME variable beginning in column 1.

```
----+----1----2-----3-----4-----5-----6-----7--
ELIZABETH
```

The output marker is now at position 10. The next instruction to JFT is to tab. Since the example has an absolute tab in column 10, JFT puts the value of the &LNAME variable beginning in column 10. The next instruction to JFT is to tab. JFT puts the value of the &MI variable in column 57. The result would be:

```
----+----1-----2-----3-----4-----5------6----+----7--
ELIZABETHHARTE
```

If you had not specified the A option for the column 10 tab in the skeleton file, the result would be:

Since no additional tabs were defined in the skeleton, JFT puts the value of the &MI variable immediately after the value of the &LNAME variable.

Message Files

Message files contain message members. Message members contain messages of up to 80 characters. You can have JFT display these messages on the panel.

The member name consists of the message ID through the second digit. For example, if you specify a message ID of XYZ001A, JFT searches for a message member name of XYZ00.

A message ID can be 4 to 8 characters long. The first 1 to 5 characters must be a valid member name. The rest of the characters, up to the maximum of 8, can be alphanumeric. For example, AB00, AB001A, and ABCDE002 are valid message IDs.

Every message member contains at least two lines. The first line is the message ID beginning in column 1. The second line is the long message. You can enclose the message with apostrophes, but the apostrophes are not required. The message can contain variables. JFT replaces any variables in the message with their values. The following are examples of messages in the PDS member called XYZ00:

```
XYZ001A
'User must specify the correct value.'
XYZ002
The number '&NUM' is not valid.
```

To have JFT display these messages on the panel, use the following panel statements:

```
..MSG = message_id
..MSGF = message_id
VER (&FIELD, NB, MSG=message_id)
```

See the MSG control variable on page 23, the MSGF control variable on page 24, and the VER statement on page 42 for more information.

Chapter 6

Calling CICS Programs

This chapter explains how to call CICS programs from JFT panels. It also discusses how to access and update JFT variables from a CICS program.

Communicating Between Panels and CICS Programs

After the JFT LINK statement performs an EXEC CICS LINK command, the variables the JFT panel uses may need to be read and updated. JFT variables are managed by the CPMS/SYSD conversational manager and can only be updated using the \$CMVGET and \$CMVPUT macros. The \$CMVGET macro reads the JFT variables into storage and the \$CMVPUT macro updates the JFT variables. You must use the \$CMVGET and \$CMVPUT macros with Assembler in a SYSD-type program.

\$CMVGET

The \$CMVGET macro reads the JFT variables the program needs into storage. The syntax of the \$CMVGET macro is:

\$CMVGET (variable_name,length,location)

This parameter	Specifies
variable_name	The 8-byte variable name you want the \$CMVGET macro to read. The variable name cannot include an ampersand (&). If the variable name is less than 8 bytes, it must be padded with blanks.
·	You can specify either a data name that points to a variable name or the variable name itself enclosed with apostrophes.
length	The length of the variable. You can specify either a literal number or a number contained in a register.
location	Where you want the \$CMVGET macro to put the contents of the variable. You can specify either the data name of a location in memory or an actual address specified in a register.

Examples

\$CMVGET ('NAME ',21,SAVENAME) \$CMVGET (SAMPKYWD,(R2),(R4))

\$CMVPUT

The \$CMVPUT macro updates JFT variables. The syntax of the \$CMVPUT macro is:

\$CMVPUT (variable_name,length,location, F!)

This parameter

Specifies

variable_name

The 8-byte variable name you want the \$CMVPUT macro to update. The variable name must not include an ampersand (&). If the variable name is less than 8 bytes, it must be padded with

blanks.

You can specify either a data name that points to a variable name or the variable name itself enclosed with apostrophes.

length:

The length of the variable. You can specify either a number or a

number contained in a register.

location

Where you want the \$CMVPUT macro to get the variable from. You can specify either the data name of a location in memory or

an actual address specified in a register.

'F'

The conversational manager defines variable_name as a functional variable. All JFT variables are functional variables.

This parameter is required.

Examples

\$CMVPUT ('NAME ',21,SAVENAME,'F')
\$CMVPUT (SAMPKYWD,(R2),(R4),'F')

Calling CICS Programs from SYSD/JFT

This section provides an example of a JFT application called JFTADD that gets two numbers from a JFT panel. JFTADD shows how to get JFT variables in your CICS program, call subroutines in your CICS program, and return values to JFT from your CICS program. The panel validates the input to make sure it is numeric. The JFT panel validates the numbers and calls a CICS program to add them. The CICS program then returns the sum back to JFT. JFT displays the sum on the panel for the user.



Appendix C, JFTADD Program, provides the complete code for JFTADD. The source is also in the JFT sample library. When you install SYSD/JFT, this program is copied to your SYSD.SOURCE library and is called JFTADD.

You can copy JFTADD and change it to create your own CICS programs to perform other functions. For example, you could have your CICS program read a VSAM file and return values back to JFT for display. You can also pass the JFT variables back to your CICS program and then update the VSAM file.

Calling the JFTADD Program

The following is the code for a panel that accepts and edits the input and then displays the result:

```
DATTR
 - TYPE (OUTPUT) INTENS (HIGH)
)BODY
%ENTER Number 1
                        NUM1
%ENTER Number 2
                        NUM2
%
               %TOTAL
                     -SUM
DINIT
 SYSDITL = 'JFT Addition Link Program'
VER (&NUM1, NB, NUM)
VER (&NUM2, NB, NUM)
IF (.MSG = &Z)
  LINK(PGM(JFTADD))
)END
```

JFT variables are stored in character (EBCDIC) format. As a result, JFTADD must convert the data entered into the required format for processing. In this example, JFTADD is adding two numbers so the input must be converted to numeric values. To accomplish this, the VER statements verify that the fields are not blank (NB option) and that the characters entered in them are numeric (NUM option).

Then JFT checks the .MSG system variable to see if an error was found. JFT only calls JFTADD when NUM1 and NUM2 are both numeric, which means an error was not found.

The LINK command tells JFT to call JFTADD.



The program JFT calls must be a CICS program and have a PPT table entry defined. If you change the program being called, you must issue a Newcopy command to CICS.

SYSD-like Programs

SYSD-like programs use the \$PROC macro to mark the beginning of the program and subroutines. JFT calls these subroutines using assembly language call standards; that is, JFT passes the parameters using Register 1. The \$PROC macro takes care of saving register information from the calling program. The \$END macro marks the end of a program or subroutine and restores the registers for the calling program.

You can use the \$RETURN macro in subroutines to set a return code. The format of the \$RETURN macro is:

\$RETURN RC=0

The calling program or routine can then check Register 15 to find out what the return code is. The panel cannot check the return code of the program it linked to. To accomplish this, you must define a JFT variable in your panel and use the \$CMVPUT macro to set that variable in your CICS program.

Storing Data in JFT-like Programs

You can define user storage areas in one of three areas depending on how you will use the data.

Constant Data

You can define constant data, like tables, after the \$END macro. For example:

\$END RC=0 PI DC PL3'3.14'

Local Variables

Local variables are only addressable within the routine being processed. They are defined and addressable between the \$PROC and \$END macros. You can use the \$DCL macro to define local variables.

The \$DCL macro lets you allocate data areas in two ways. First, you can define data areas with individual \$DCL macros for each variable. For example:

```
VALNUM $PROC

$DCL NUMBEGN, FUL POINTER TO PASSED VALUE

$DCL NUMLEN, FUL LENGTH OF THE FIELD PASSED

$DCL PADLEN, FUL LENGTH OF THE FIELD PASSED

$DCL WORKNUM, CHAR(10) WORK FIELD
```

Second, you can define them in a group with the \$DCL ON and \$DCL OFF macro-parameters. For example:

```
&PGMNAME $PROC OPTIONS=(MAIN,COMMAND,GEN)

$DCL ON

WPFLD1 DS PL5 PACKED WORK AREA FOR NUMBER 1

WPFLD2 DS PL5 PACKED WORK AREA FOR NUMBER 2

WPSUM DS PL6 PACKED WORK AREA FOR NUMBER SUM

$DCL OFF
```

Global Variables

Global variables can be used anywhere in the program. You can define them in the program's Dynamic Storage Area. The following example shows three variables used in the JFTADD example:

```
ATITLE '** COMMAND LEVEL DYNAMIC STORAGE
                            COMMAND LEVEL DYNAMIC STORAGE
      AREA HEADER INFORMATION.
DFHEISTG DSECT
         DFHEISTG ,
COMMBEGN EQU
*** PLACE DYNAMIC STORAGE AREAS HERE.
EBACNUM1 DS
             CL9
                             FIRST NUMBER TO ADD
NUM1LEN EQU L'EBACNUM1
                             LENGTH OF NUMBER 1
EBACNUM2 DS
             CL9
                             SECOND NUMBER TO ADD
NUM2LEN EQU
             L'EBACNUM2
                             LENGTH OF NUMBER 2
EBACSUM DS
             CL11
                             RETURN THE NUMBER BACK.
```

JFTADD Program

When JFT calls JFTADD, the first thing JFTADD does is get the JFT variables it will process. This is done using the \$CMVGET macro. For example:

```
* GET THE NUMBERS TO ADD

* 
$CMVGET ('NUM1 ',9,EBACNUM1): FIRST NUMBER
$CMVGET ('NUM2 ',9,EBACNUM2): SECOND NUMBER
```

The \$CMVGET macro copies the data from the NUM1 and NUM2 JFT variables into JFTADD's memory. The EBACNUM1 and EBACNUM2 variables are global variables in the program since they are stored in the Dynamic Storage Area, which means any routine in JFTADD can access them.

JFTADD then converts the data in EBACNUM1 and EBACNUM2 from character (EBCDIC) format to packed-numeric format, left justifying the data in the field. To convert the number, JFTADD calls the VALNUM routine to right justify and zero fill the field. The \$CALL macro builds a parameter list and points Register 1 to that list before calling the VALNUM routine. After the VALNUM routine completes successfully, JFTADD adds the two numbers and converts EBACNUM1, EBACNUM2, and EBACSUM back to character (EBCDIC) format.

To display the result back to the user, JFTADD uses the \$CMVPUT macro to update the JFT variables. For example:

```
$CMVPUT ('NUM1 ',9,EBACNUM1,'F') PASS NUMBER1 TO JFT PANEL
$CMVPUT ('NUM2 ',9,EBACNUM2,'F') PASS NUMBER2 TO JFT PANEL
$CMVPUT ('SUM ',11,EBACSUM,'F') PASS SUM TO JFT PANEL
```



You may want to try commenting out the \$CMVPUT lines for the NUM1 and NUM2 variables. These two lines cause JFT to display the zero-filled, right-justified values to the user. If you comment them out, JFT displays the NUM1 and NUM2 variables as entered.

The \$END macro indicates the end of the program and returns control to JFT. In this example, JFT ends processing and displays the results to the user. You can also continue with JFT processing logic based on the results returned from the CICS program.

Appendix A

CPMS/SYSD Menu System Variables

This appendix provides a list of the variables JFT can access from the CPMS/SYSD menu system.

Option 0.0, General Parameter Definitions

Variable name	Length	Description
\$ADDR1	29	Address line 1
\$ADDR2	29	Address line 2
\$ADDR3	29	Address line 3
\$ADDR4	29	Address line 4
\$DEPART	29	User's department name
\$NAME	29	User's name
\$PSWD	9.	User's password
\$TITLE	29	User's title
\$USER	11	User ID

Option 0.1, JES/List Parameter Definitions

Variable name	Length	Description
\$CLASS	1	Job class selected for display
\$DESTID	10	Destination
\$DSPSTCS	1	Display TSO/STC
\$JOBCRD1	72	JOB card 1

Variable name	Length	Description
\$JOBCRD2	72	JOB card 2
\$JOBCRD3	72	JOB card 3
\$JOBCRD4	72	JOB card 4
\$PREFIX	:8	Job prefix selected for display
\$PRINTER	4	Printer ID
\$PRTPRTD	1	Printer display preference (CPMS or JES2)
\$SYSINOK	1	View SYSIN JES datasets

Option 0.2, Program Function Key Definition

Variable name	Length	Description	
\$CLEAR	:8	Clear key value	
\$PA1	:8	PA1 key value	
\$PA2	8	PA2 key value	
\$PA3	18	PA3 key value	
\$PF01	¹ 8	PF1 key value	
\$PF02	8	PF2 key value	
\$PF03	:8	PF3 key value	
\$PF04	8	PF4 key value	
\$PF05	:8	PF5 key value	
\$PF06	:8	PF6 key value	
\$PF07	:8	PF7 key value	
\$PF08	:8	PF8 key value	
\$PF09	8	PF9 key value	
\$PF10	8	PF10 key value	
\$PF11	8	PF11 key value	

Variable name	Length	Description
\$PF12	8	PF12 key value
\$PF13	8	PF13 key value
\$PF14	8	PF14 key value
\$PF15	8	PF15 key value
\$PF16	8:	PF16 key value
\$PF17	8.	PF17 key value
\$PF18	8	PF18 key value
\$PF19	8-	PF19 key value
\$PF20	8	PF20 key value
\$PF21	8:	PF21 key value
\$PF22	8	PF22 key value
\$PF23	8	PF23 key value
\$PF24	8	PF24 key value

Option 0.3, Job/File Tailoring Parameters

Varial	ble name	Length	Description
\$JFTJI	ESN	8	Initial JES JFT panel name
\$JFTN	ISG1	44	JFT message library concatenation - dataset 1
\$JFTN	ISG2	44	JFT message library concatenation - dataset 2
\$JFTN	ISG3	44	JFT message library concatenation - dataset 3
\$JFTN	1SG4	44	JFT message library concatenation - dataset 4
\$JFTN	ISG5	44	JFT message library concatenation - dataset 5
\$JFTP	AN1	44	JFT panel library concatenation - dataset 1
\$JFTP	AN2	44	JFT panel library concatenation - dataset 2
\$JFTP	AN3	44	JFT panel library concatenation - dataset 3

Variable name	Length	Description
\$JFTPAN4	44	JFT panel library concatenation - dataset 4
\$JFTPAN5	44	JFT panel library concatenation - dataset 5
\$JFTPEXE	1	Execute any panel authorization flag
\$JFTPNME	:8	Initial JFT panel name
\$JFTSKL1	44	JFT skeleton library concatenation - dataset 1
\$JFTSKL2	44	JFT skeleton library concatenation - dataset 2
\$JFTSKL3	44	JFT skeleton library concatenation - dataset 3
\$JFTSKL4	44	JFT skeleton library concatenation - dataset 4
\$JFTSKL5	44	JFT skeleton library concatenation - dataset 5

Option 0.4, GET/PUT TS Queue Identifiers

Variable name	Length	Description
\$TSQSYOV	1	Queue and SYSID override retention
\$TSQUEID	:8	GET/PUT queue ID save area
\$TSSYSID	4	GET/PUT system ID save area

Option 0.5, Utility Parameters

Variable name	Length	Description
\$PRTCLAS	1	Print class
\$PRTJCD1	.72	Print JOB card 1
\$PRTJCD2	.72	Print JOB card 2
\$PRTJCD3	72	Print JOB card 3
\$PRTJCD4	72	Print JOB card 4
\$PRTLPGE	3	Print lines per page

Option U, User File Maintenance

Variable name	Length	Description .
\$ADDR1	29	Address line 1
\$ADDR2	29	Address line 2
\$ADDR3	29	Address line 3
\$ADDR4	29	Address line 4
\$ADMIN	11 .	Admin authority
\$CONTROL	11 .	Control authority
\$DEPART	29	Department
\$JESJSCA	4	List of classes the user is authorized to view (4, 1-byte fields)
\$JESJSCB:	4	Second list of classes the user is authorized to view (4, 1-byte fields)
\$JESJSDA	40	List of destinations the user is authorized to view (4, 10-byte fields)
\$JESJSDB	4 0	Second list of destinations the user is authorized to view (4, 10-byte fields)
\$JESJSJA	32	List of jobs the user is authorized to view (4, 8-byte fields)
\$JESJSMA	4	Miscellaneous field available for user definition and use
\$JESJSVA	1	JES2 queue view authority
\$NAME	29	User's name
\$PRTCLMK	8.	CPMS printer selection mask (8, 1-byte fields)
\$PRTPRMK	10	CPMS destination selection mask
\$PRTPRTA	64	List of printers the user is authorized to view (8, 8-byte fields)
\$PRTPRTS	1	If the user can change the criteria the hot writers/JOE writers use to select jobs
\$PRTPRTV	1	Printer view authorization

Variable name	Length	Description
\$PSWD	9	User's password
\$RECEIVE	11	Receive authority
\$TITLE	29	User's title
\$USER	11	User ID

Options 1, 2, and 3 (Edit, Browse, and Utility)

Name	Length	Description
\$BRWBOTH	56	Edit other dataset name
\$BRWSLB1	8	Browse library 1
\$BRWSLB2	:8	Browse library 2
\$BRWSLB3	:8	Browse library 3
\$BRWSLB4	8	Browse library 4
\$BRWSPRJ	8	Browse project
\$BRWSTYP	:8	Browse library type
\$EDITLB1	8	Edit library 1
\$EDITLB2	8	Edit library 2
\$EDITLB3	:8	Edit library 3
\$EDITLB4	:8	Edit library 4
\$EDITOTH	56	Edit other dataset name
\$EDITPRJ	8	Edit project
\$EDITTYP	:8	Edit library type
\$UTILLB1	:8	Utility library 1
\$UTILLB2	:8	Utility library 2
\$UTILLB3	8	Utility library 3
\$UTILLB4	8	Utility library 4

Name	Length	Description
\$UTILPRJ	8	Utility project
\$UTILTYP	8	Utility library type

Appendix B

Sample Panels

This appendix provides samples of some JFT panels and the code that generates them.



H&W is interested in seeing any additional examples you develop. Please submit your samples to H&W for possible inclusion in our reference files.

Primary Menu

The following panel shows an example of a primary menu for system utility functions:

```
17:08:31 ----- Example Job/File Tailoring ------ (1/1)
INPUT ===> Enter Selection in Input Field Above: Panel Name = SYSDO8

1 = SYSTEM Utilities
X = EXIT

SYSD Option 0.3 sets the Default Panel to Execute upon entry to JFT.
If you desire your own Main Menu...Update 0.3 with the Name of the Panel you wish to execute.
```

The following code generates this panel:

System Utilities Panel

To view a menu listing the available system utilities, select Option 1 on the primary menu shown on page 70. The following is an example of the System Utilities panel:

The following code generates this panel:

```
)ATTR DEFAULT(%+_)
       - TYPE(TEXT) INTEN(LOW)
  )BODY
  -===> ENTER SELECTION IN INPUT FIELD ABOVE:%
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   -PANEL NAME=SYSUTIL
                                                                                                                                                      %1-= Submit%IEBCOPY-to copy member(s) of a PDS%
                                                                                                                                                      %2-= Submit%IEBGENER-to copy a sequential file%
                                                                                                                                                      %3-= Submit%IEBUPDTE-to rename a member(s) of a PDS%
                                                                                                                                                     %X¬= Exit%
)PROC
                           &ZSEL=TRANS(TRUNC(&ZCMD, 1),
                                                                              1, 'PANEL (IEBCOPY)
                                                                              2, 'PANEL (IEBGENER)'
                                                                              3, PANEL (IEBUPDTE),
                                                                              X, EXIT,
                                                                              \frac{1}{2} \frac{1}
                                                                                *,121)
)END
```

Submit IEBCOPY Panel

To execute the IEBCOPY utility, select option 1 on the System Utilities panel shown on page 72. The following is an example of the Submit IEBCOPY panel:

```
17:17:53 ----- Submit IEBCOPY ----- (1/1)
INPUT ===>
                                                            SCROLL: CSR
            Jobname: COPY
          Job Class: A
                              (Must be an 'A! or '8!):
           Msgclass: A
                              (Must be an 'A! or '8!)
             Typrun: HOLD
                             (Must be 'RUN', 'HOLD', or 'SCAN')
       Input Dataset:
              Disp: SHR
      Output Dataset:
              Disp: SHR
     Members to Copy:
   Replace Member(s): N
                          (Enter 'Y' to Replace Members)
                              (Enter 'Y' to SUBMIT Job)
             Submit: N
```

The user enters the data on the panel. The subroutine verifies the fields, reads a skeleton file, substitutes the variables from the panel, and submits the job to the internal reader. The following code generates this panel:

```
)ATTR DEFAULT(%+_)
 - TYPE(TEXT): INTEN(LOW)
* TYPE(INPUT): INTEN(LOW)
 TYPE(OUTPUT): INTEN(LOW)
)BODY
              -Jobname: *JOBNAM-
            -Job Class:*C-
                                    (Must be an 'A' or '8!)%
                                    (Must be an 'A' or '8')%
             -Msgclass:*M-
                                   (Must be 'RUN', 'HOLD', or 'SCAN')%
               ¬Typrun:*TYPR¬
        -Input Dataset:*IDSN
                                                                      %
                 -Disp:*IDSP%
       -Output Dataset:*ODSN
                                                                      %
                 -Disp:*ODSP%
      -Members to Copy: *M01
                                 *M02
                                          *M03%
                                                   *M04
                                                             *M05
                      ¬:*M06
                                 *M07
                                          *M08
    -Replace Member(s):*R-
                                   (Enter 'Y' to Replace Members)%
               -Submit:*S-
                                   (Enter 'Y' to SUBMIT Job)%
```

(continued)

```
) INIT
 .SYSDITL = 'Submit IEBCOPY'
                                     /* set title line */
 &JOBNAM = COPY
                                     /* set defaults for variables */
&C = A
A = A
 &TYPR = HOLD
 &IDSP = SHR
&ODSP = SHR
&R = N
\&s = N
)PROC
 &0M01 = &Z
                                     /* initialize to nulls */
 &0M02 = &Z
 &0003 = &Z
 &0004 = &Z
 &0005 = &Z
 &OM06 = &Z
 &0007 = &2
 &0008 = &Z
 &OM09 = &Z
 &om10 = &z
 VER(&JOBNAM, NB)
                                     /* jobname must be entered */
                                     /* class must be an 'A' or '8' */
 VER(&C,NB,LIST,A,8)
                                     /* msgclass must be an 'A' or '8' */
 VER(&M, NB, LIST, A, 8)
 VER(&TYPR, LIST, 'RUN ', HOLD, SCAN)
                                     /* typrun must be run, hold, or scan
 VER(&IDSN, NB, DSN)
                                     /* verify i/o dataset names
 VER (&ODSN, NB, DSN)
                                     /* are valid */
  IF (&IDSN = ^{1}J^{1})
                                     /* create short dataset names
  &IDSN = '&$USER..JCL.SOURCE'
                                     /* like DSN003 */
  IF (&ODSN = J^{(1)})
  &ODSN = '&$USER..JCL.SOURCE'
  IF (&IDSN = 'DAS')
   &IDSN = 'SYSD.PTFA.SOURCE'
  IF (&ODSN = 'DAS')
   &ODSN = 'SYSD.PTFA.SOURCE'
  IF (&IDSN = 'DBS')
  &IDSN = 'SYSD.PTFB.SOURCE'
  IF (&ODSN = 'DBS')
   &ODSN = "SYSD.PTFB.SOURCE"
  IF (&IDSN = 'DBL')
   &IDSN = 'SYSD.PTFBMVS.LOADLIB'
  IF (\&ODSN = 'DBL')
  &ODSN = 'SYSD.PTFBMVS.LOADLIB'
  VER(&MO1, NAME)
                                      /* verify all member names
  VER(&MO2, NAME)
                                      /* are valid */
  VER(&MO3, NAME)
  VER(&MO4, NAME)
  VER(&MO5, NAME)
  VER(&MO6, NAME)
  VER(&MO7, NAME)
  VER(&MO8, NAME)
  VER(&MO9, NAME)
  VER(&M10, NAME)
  VER(&R,NB,LIST,Y,N)
                                      /* replace option must be Y or N */
```

75

```
IF(\&M01 \rightarrow= &Z) &OM01 = 'S M=&M01' /* attach 's m=' to the front
  IF(\&M02 = \&Z) \&OM02 = 'S M=\&M02' /* of each member */
  IF(&M03 -= &Z) &OM03 = 'S M=&M031
  IF(&M04 = &Z) &OM04 = 'S M=&M04'
  IF(&M05 -= &Z) &OM05 = 'S M=&M05"
  IF(&MO6 = &Z) &OMO6 = 'S M=&MO6!
  IF(&MO7 -= &Z) &OMO7 = 'S M=&MO7'
  IF(&MO8 -= &Z) &OMO8 = 'S M=&MO8!
  IF(&MO9 = &Z) &OMO9 = 'S M=&MO9"
  IF(&M10 = &Z) &OM10 = 'S M=&M10''
  IF(&R = N)
                                    /* build NO REPLACE control stm */
   &CONTROL = 'COPY INDD=IN01,OUTDD=OUT01'
  IF(&R = Y)
                                    /* build REPLACE control stm */
   &CONTROL = 'COPY INDD=(((INO1,R))),OUTDD=OUT01'
 IF(\&S = Y)
                                    /* submit the job when ready
  IF ( .MSG = &Z)
                                    /* don't submit if errors
   SUBSKEL (IEBCOPY)
                                    /* using the skeleton member
  &S=N
                                    /* IEBCOPY and turn submit flag off*/
)END
```

The following is an example of the skeleton file used for the IEBCOPY panel:

```
//&$USER&JOBNAM JOB '&$NAME',
               MSGCLASS=&M, CLASS=&C, TYPRUN=&TYPR
/*ROUTE PRINT &$DESTID
//IEBCOPY EXEC PGM=IEBCOPY
//SYSPRINT DD SYSOUT=*
//INO1 DD DISP=&IDSP,DSN=&IDSN
//OUT01 DD DISP=&ODSP,DSN=&ODSN
//SYSIN DD *
 &CONTROL
 &OM01
 &OM02
 &OM03
 &OM04
 &OM05
 &0M06
 &OM07
 &0M08
&OM09
&OM10
11
```

Appendix C

JFTADD Program

This appendix provides the complete code for the JFTADD program.

```
*ASM CICS(NOPROLOG NOEPILOG)
                                       COMMAND LEVEL TRANSLATOR
         COPY SYSDGBLS
         SETSSI
         LINKCTL COMMAND
&PGMNAME SETC 'JFTADD'
         ATITLE 'JFTADD' - EXEC CICS LINK JFT EXAMPLE',
               TYPE=TOPIC
*PROGRAM
               JFTADD - EXEC CICS LINK JFT EXAMPLE
*COPYRIGHT
               (C)COPYRIGHT 1997, H & W COMPUTER SYSTEMS, INC.
*PROGRAMMER
               PETER J. PAPE
*DATE WRITTEN
               AUGUST 21, 1997
*PURPOSE
               THIS PROGRAM ADDS TWO NUMBERS ENTERED FROM A JFT
               PANEL. THE PANEL ASSIGN AND VERIFY JFT VARIABLE
               NAMES NUM1 AND NUM2. NUM1 AND NUM2 MUST BE NUMERIC.
               THE $PROC AND $END ARE REQUIRED. THE FIRST $PROC MUST
               HAVE OPTIONS OF MAIN AND COMMAND. BY SPECIFYING GEN,
               ALL MACROS WILL BE EXPANDED. ADDITIONAL $PROC AND $END
               MACROS MAY BE USED AND INVOKED WITH A $CALL MACRO.
               EACH $PROC AND $END ARE THE BEGINNING AND ENDING OF A
               CSECT. THE $PROC THAT HAS THE OPTIONS OF MAIN IS THE
               CSECT THAT GETS CONTROL WHEN LINKED TO.
               FOR FURTHER EXAMPLES, REFER TO SYSD SOURCE. IF THE
               MACRO EXPANSIONS ARE NECESSARY, OPTION 'LIST' MUST
               BE USED WHEN ASSEMBLING.
*MAINTENANCE LOG
         MODID
               PJ 08/21/97 CREATED.
*INPUT
               VARIABLES FROM THE FUNCTION POOL.
```

```
*OUTPUT
             UPDATED VARIABLES FROM THE FUNCTION POOL.
*OS/VS MACROS USED
        PRINT OFF
        COPY DFHCSADS
        COPY DEHTCADS
        DFHBFTCA OPTION=BASIC
        PRINT ON
        SYSDTWA
TWAEND
        EQU
                               END OF TWA
TWALGHT EQU
            TWAEND-TWASTART
                               LENGTH OF TWA
        ATITLE *** COMMAND LEVEL DYNAMIC STORAGE ***
   ************
                COMMAND LEVEL DYNAMIC STORAGE
*****************
               AREA HEADER INFORMATION.
DFHEISTG DSECT
        DFHEISTG ,
COMMBEGN EQU
*** PLACE DYNAMIC STORAGE AREAS HERE.
EBACNUM1 DS
             CL9
                               FIRST NUMBER TO ADD
NUM1LEN EQU
            L'EBACNUM1
                               LENGTH OF NUMBER 1
EBACNUM2 DS
             CL9
                               SECOND NUMBER TO ADD
NUM2LEN EQU
            L'EBACNUM2
                               LENGTH OF NUMBER 2
EBACSUM DS
             CL11
                               RETURN THE NUMBER BACK.
             AREA TRAILER INFORMATION.
COMMLGTH EQU
             *-COMMBEGN
                               LENGTH OF AREA
        ATITLE '** EQUATES **!
        REGEQU
SAVER
        EQU
            R8
                               REGISTER SAVE AREA POINTER
BASER
        EQU
             R9
                               PROGRAM BASE REGISTER
        ATITLE 1 ** PROGRAM MAIN PROCEDURE **!
                    PROGRAM MAIN PROCEDURE
&PGMNAME $PROC OPTIONS=(MAIN, COMMAND, GEN)
        $DCL ON
WPFLD1
        DS
             PL5
                               PACKED WORK AREA FOR NUMBER 1
WPFLD2
        DS
             PL5
                               PACKED WORK AREA FOR NUMBER 2
WPSUM
        DS
             PL6
                               PACKED WORK AREA FOR NUMBER SUM
        $DCL OFF
               GET THE NUMBERS TO ADD
        $CMVGET ( NUM1
                        1,9,EBACNUM1)
                                        FIRST NUMBER
        $CMVGET ('NUM2.
                        1,9,EBACNUM2)
                                        SECOND NUMBER
               CONVERT THE DATA TO PACK NUMBERS
        $CALL V(VALNUM), (EBACNUM1, NUM1LEN)
        PACK WPFLD1, EBACNUM1
                                   PACK THE FIRST NUMBER
        $CALL V(VALNUM), (EBACNUM2, NUM2LEN)
        PACK WPFLD2, EBACNUM2
                                   PACK THE SECOND NUMBER
             . NOW WE ADD THEM
             WPSUM, WPFLD1
                                   MOVE FIRST NUMBER TO THE SUM FLD
        ZAP
        AP
             WPSUM, WPFLD2
                                   ADD SECOND NUMBER TO THE FIRST
```

```
CONVERT TO DISPLAY
        UNPK: EBACNUM1, WPFLD1
                                      UNPACK: THE NUMBER
              EBACNUM1+(L'EBACNUM1-1),X'FO
        OI.
        UNPK: EBACNUM2, WPFLD2
                                      UNPACK THE NUMBER
        OT:
              EBACNUM2+(L'EBACNUM2-1),X'FO
        UNPK: EBACSUM, WPSUM:
                                      UNPACK: THE NUMBER
              EBACSUM+(L'EBACSUM-1),X'FO"
                PASS THE NUMBERS BACK TO JFT
        $CMVPUT ("NUM1
                          ',9,EBACNUM1, 'F') PASS NUMBER1 TO JFT PANEL
        $CMVPUT ( NUM2
                          1,9,EBACNUM2, F1) PASS NUMBER2 TO JFT PANEL
        $CMVPUT ('SUM'
                          1,11,EBACSUM, FT) PASS SUM TO JET PANEL
        $END RC=0
        ATITLE ' VALIDATE NUMERIC FIELD '
   - VALNUM - VALIDATE NUMERIC FIELD
        THIS ROUTINE TAKES THE INPUT NUMBER AND LENGTH FIELD AND
        RIGHT JUSTIFIES THE NUMBER AND FILLS ZEROS TO THE LEFT
        TO MAKE THE NUMBER VALID FOR PACK INSTRUCTION.
    INPUT
        CHARACTER FIELD TO BE CONVERTED TO NUMERIC DATA
        LENGTH OF THE FIELD TO BE CONVERTED
    OUTPUT
        RETURNS ZERO - UPDATES MEMORY LOCATION OF VALUE PASSED
**********************
VALNUM
        $PROC
        $DCL NUMBEGN, FUL
                                      POINTER TO PASSED VALUE
        $DCL NUMLEN, FUL
                                      LENGTH OF THE FIELD PASSED
        $DCL PADLEN, FUL
                                      LENGTH OF THE FIELD PASSED
        $DCL WORKNUM, CHAR(10)
                                      WORK: FIELD
        LM.
              R2,R3,O(R1)
                                      GET THE PARM DATA
        LA
              R3,0(,R3)
                                      CLEAR THE HIGH ORDER BIT
              R2, NUMBEGN
        ST
                                      SAVE POINTER TO VALUE PASSED
              R3, NUMLEN
                                      SAVE LENGTH OF VALUE PASSED
        DETERMINE HOW MANY ZEROS NEED TO BE INSERTED
VALNUM10 DS
              OH
                                      WHILE R3 > ZERO
              R3,=X'000000001
                                        IF R3 > ZERO
        С
        ВL
              VALNUM20
                                          STOP THE LOOP
        CLI
              0(R2),X'40'
                                        IF CHAR = SPACES
              VALNUM20
                                         STOP THE LOOP
                                       ELSE
        LA.
              R2,1(,R2)
                                          POINT TO THE NEXT CHARACTER
        BCT
              R3, VALNUM10
                                          DECREMENT LENGTH COUNTER(R3)
VALNUM20 DS
                                      ENDWHILE
              OH
        ST
              R3, PADLEN
                                      SAVE NUMBER OF BYTES TO PAD
```

*		······································	
*	7500	PAD AND RIGHT J	Hettev
*	ZERU	FAD AND KIGHT J	USITET
	L	R2, NUMBEGN	POINT TO THE INPUT NUMBER
	L'A	R3,0	SET R3 TO ZERO
	L'A	R4. WORKNUM	POINT TO THE WORK NUMBER
VALNUM30		OH	FOIRT TO THE WORK NUMBER
,	C	R3, NUMLEN	WHILE R3 < LENGTH OF NUM FLD
	BL	VALNUM35	CONTINUE
	В	VALNUM60	ELSE STOP THE LOOP
VALNUM35	_	OH	ELSE STOP THE LOOP
	C	R3, PADLEN	IF R3 > OR EQUAL PAD LENGTH
	BL	VALNUM40	II NO > ON EWOAL PAD LENGIN
	MVC	0(1,R4),0(R2)	MOVE THE NUMBER IN
	LA	R2,1(,R2)	POINT TO NEXT INPUT BYTE
	В	VALNUM50	FOINT TO NEXT INFOL BITE
VALNUM40	_	OH	ELSE
	MVI	0(R4),X'F0'	MOVE ZERO IN FOR PAD
VALNUM50		OH 0.0	ENDIF
	LA	R4,1(,,R4)	
	LA	R3, 1(,, R3)	POINT TO NEXT OUTPUT BYTE
	В	VALNUM30	ADD ONE TO THE NUMBER OF BYTES
VALNUM60	_	OH	ENDURALE
*	<i>D</i> 3	Vn	ENDWHILE
*	MOVE	THE DATA TO THE	WORK FIELD TO THE PASSED FIELD
*	HOVE	THE DATA TO THE	WORK FIELD TO THE PASSED FIELD
	L	R2, NUMBEGN	POINT TO FIRST BYTE
	Ī	R1, NUMLEN	
•		R1.0	GET LENGTH TO MOVE
	EX	R1, MOVEDATA	DECREASE LENGTH BY 1 FOR MVC GO DO THE MOVE
		RC=0	do do The MOVE
MOVEDATA		•	
IOTEDATA			CSUBROUTINE GENERATION **!
*****	*****	*********	***********************************
*			SUBROUTINE GENERATION *
*****	****	**********	********************************
	\$SBRT		
			DSECT GENERATION **!
*****	****	********	******************
*			DSECT GENERATION *
*****	****	*********	> DOEC! GENERALION *********************
	\$DSEC		*****************
			EVEL CLEAN UP **!
*****	****	*********	.cvcr
*			
*****	****	COMMANL	* LEVEL CLEAN UP
&PGMNAME			······································
	PRINT		
	DEHEL		
	DFHEI	END	
	END		· ·

Index

! \$CALL macro 60 \$CMVGET macro 54 \$CMVPUT macro 55 \$DCL macro 58-59 \$END macro 58-59 \$PROC macro 58-59	CURSORF control variable 23 MSG control variable 24 MSGF control variable 24 SYSDTTL control variable 24 TRAIL control variable 24
\$RETURN macro 58	
&\$DEPART profile variable 22	A
&\$DESTID profile variable 22	
&\$NAME profile variable 22	Accessing system information 20-21
&\$TITLE profile variable 22	variables from CICS programs 54
&\$USER profile variable 22	Allocating data areas 58-59
&Z system variable 20	Assigning values to variables 29-31, 38-39
&ZCMD system variable 20	Assignment statement 29-31
&ZCSR system variable 20	comparing variables to values 38-39
&ZDATE system variable 20	concatenation rules 29-30
&ZDAY system variable 20	defining title line 24
&ZJDATE system variable 20	invoking new panel after processing)PROC section
&ZMONTH system variable 20	21
&ZSEL system variable 21	Attribute characters
&ZTIME system variable 21	defaults 9
&ZYEAR system variable 21	defining 8-9
)ATTR section 8-9	overriding defaults 9
)BLANK control statement 48	-
)BODY section 10-11	
variables 19-25	
)CM control statement 48	В
)DEFAULT control statement 49	Blank lines
)END section 17)BODY section 10
)IM control statement: 49	inserting in output skeleton files 48
)INIT section: 12-13	Building parameter lists 60
logic statements 27-45	bulland purumeter hoto oo
variables 19-25	
)PROC section 14-16 involving new panel ofter processing 21	
invoking new panel after processing 21 logic statements 27-45	C
variables 19-25	· ·
)TB control statement. 49	Calling CICS programs 53-60
.CURSOR control variable 23	example of 56-57
CONDOTAÇOTATOL VALIABLE MO	

Changing	Date, system 20-21
default control statement character 49	Default attribute characters 9
library concatenations dynamically 4	overriding 9
Checking return codes from subroutines 58	Default control statement character, changing 49
CICS programs	Default messages, overriding 3
calling 53-60	Default panel 2
example of calling 56-57	Defining
linking to 36	attribute characters 8-9
reading variables into storage 54	panel appearance 10-11
updating variables from 55	user storage areas 58-59
Comments	Department name, getting from user file 22
)BODY section 10	Destination, getting from Option 0.1 22
logic statements 28	Dynamic Storage Area, defining global variables 59
skeletons 48	Dynamically changing library concatenations 4
Comparing variables	Dynamically changing library concatenations 4
to values 38-39	
using &Z system variable 20	
Components 2-3	_
Concatenating panel, skeleton, and message libraries	E
4	Evaluating expressions 29-31, 34-35
Concatenation rules, assignment statement 29-30	Executing panels 6
	Expressions
Conditionally executing statements 34-35 Constant data 58	assigning to variables 29-31
	evaluating 29-31, 34-35
Continuing	,
parameters on logic statements 28	
quoted strings on logic statements 28	
Control statement character, changing default 49	r
Control statements 48-51	F
)BLANK 48	Fields, panel
)CM 48	intensity 8-9
)DEFAULT 49	positioning cursor in 23
)IM 49	type 8
)TB 49-51	Files
Control variables 23-24	message 52
Conventions, syntax ix	skeleton 48-51
Copying members to output skeleton files 49	FILESKEL statement 32-33
Cursor position	substituting variables in output skeleton files 48-51
getting for Input field 20	
overriding previous 23	
Cursor, positioning in fields 23	
Customizing	
messages 3	\mathbf{G}
panels for groups of users 2	Global variables 59
D	1
	TERCORY (2)
Data	IEBCOPY utility, sample panel 73-75
constant 58	IF statement 34-35
getting from Input field 20	using &Z system variable for compare 20
positioning in output skeleton files 49-51	Initializing
storing in JFT-like programs 58-59	panels 12-13
Data areas, allocating 58-59	variables using &Z system variable 20

Input data, getting from Input field 20	M
Input field	
getting cursor position of 20	Macros
getting data from 20	\$CALL 60
Input fields, defining 8	\$CMVGET 54
Inserting blank lines in output skeleton files 48	\$CMVPUT 55
Intensity of panel fields, defining 8-9	\$DCL 58-59
Internal reader, submitting skeletons to 37	\$END 58-59
Invoking new panel after processing)PROC section	\$PROC 58-59
21	\$RETURN 58
	Manual organization viii
	Marking
·	beginning of programs and subroutines 58-59
	end of programs and subroutines 58-59
j	Members, saving using skeletons 32-33
JFT-like programs	Menu system variables 61-67
defining user storage areas 58-59	Messages
storing data in 58-59	concatenating libraries 4
JFTADD program	customizing 3
complete code 77-80	definition: 3
example of calling 56-57	displaying on panels 52
example of getting variables 59-60	dynamically changing library concatenations 4
Julian date 20	files 52
	overriding default 3
·	overriding previous 24
	setting 23-24
K	storing 4
Keyboard conventions ix	
	N
	• •
L	Name, getting from user file 22
Libraries	
concatenating 4	·
copying concatenations 49	0
dynamically changing concatenations 4	
LINK statement 36	Organization of manual viii
Linking to CICS programs 36	Output fields, defining 8
Local variables 58-59	Output skeleton files
Logic statements 27-45	copying members to 49
assignment: 29-31	inserting blank lines 48
comments 28	setting tabs in 49-51
continuing parameters 28	substituting variables in 48
continuing quoted strings 28	Overriding
FILESKEL 32-33	default attribute characters 9
IF 34-35	default messages 3
LINK 36	previous cursor positioning 23
SUBSKEL 37	previous message 24
	Overview 1-6
syntax rules 28	O FORTHOTT I O
TRANS 38-39	
TRUNC 40-41	
VER 42-45	•

r	Trograms, ji i-nke
Panel sections 7-17	defining user storage areas 58-59
)ATTR 8-9	storing data in 58-59
)BODY 10-11	Programs, SYSD-like 58-60
)END 17	checking return codes 58
)INIT 12-13	marking beginning of 58-59
)PROC 14-16	marking end of 58-59
Panels	restoring registers at end 58-59
appearance 10-11	saving registers 58-59
attribute characters 8-9	setting return codes 58
calling CICS programs 53-60	Protected text fields, defining 8
concatenating libraries 4	Publications, related x
customizing for groups of users 2	
default 2	•
default attribute characters 9	
defining title line 24	Q
definition 2	▼.
·	Quoted strings, continuing on logic statements 28
displaying messages 52	
dynamically changing library concatenations 4	
executing 6	
field intensity 8-9	R
field types 8	Reading variables into storage 54
initializing 12-13	
invoking new after processing)PROC section 21	Register 1
linking to CICS programs 36	passing parameters 58
logic statements 27-45	pointing to parameter lists 60
message files 52	Register 15, checking 58
overriding default attribute characters 9	Registers
processing 14-16	restoring at end of programs and subroutines 58-59
samples 69-75	saving from calling programs 58-59
skeleton files 48-51	Related publications x
storing 4	Resetting
testing 6	cursor positioning 23
variables 19-25	messages 24
Parameters	Restoring registers at end of programs and
building lists 60	subroutines 58-59
continuing on logic statements 28	Return codes, setting in subroutines 58
using Register 1 to pass 58	
Passing parameters using Register 1 58	
Position of cursor	
getting for Input field 20	S
overriding previous 23	
Positioning	Sample panels 69-75
cursor in fields 23	Primary Menu 70-71
data in output skeleton files 49-51	Submit IEBCOPY 73-75
Primary menu, sample panel 70-71	System Utilities 72
Processing panels 14-16	Saving
Profile variables 22	members using skeleton 32-33
Programs, CICS	registers from calling programs 58-59
calling 53-60	Setting
example of calling 56-57	cursor position to fields 23
reading variables into storage 54	messages 23-24
updating variables from 55	return codes in subroutines 58
. T	tabs for output skeleton files 49-51
	·

Skeleton output files	T.
copying members to 49	
inserting blank lines in 48	Tabs for skeleton output files, setting 49-51
setting tabs for 49-51	Testing panels 6
substituting variables in 48	Text conventions ix
Skeletons 48-51	Text fields, defining 8
changing default control character 49	Time, system 21
comments 48	Title line, panel 24
concatenating libraries 4	Title, getting from user file 22
control statements 48-51	TRANS statement 38-39
definition 2	TRUNC statement 40-41
dynamically changing library concatenations 4	Truncating variables 40-41
storing 4	assigning leftover characters to .TRAIL 24
submitting to internal reader 37	
using to save members 32-33	
Storage areas, defining user 58-59	
Storing	U
data in JFT-like programs 58-59	Updating variables from CICS programs 55
messages 4	User file, getting information from 22
panels 4	User ID, getting from user file 22
skeletons 4	User storage areas, defining 58-59
Strings, continuing quoted 28	User variables 25
Submit IEBCOPY panel, sample 73-75	•
Submitting skeletons to internal reader 37	
Subroutines	•
checking return codes 58	\mathbf{V}'
marking beginning of 58-59	•
marking end of 58-59	Variables 19-25
restoring registers at end 58-59	accessing from CICS programs 54
setting return codes 58	assigning values 29-31, 38-39
SUBSKEL statement 37	comparing to values 38-39
substituting variables in output skeleton files 48-51	control 23-24
Symbol conventions ix	global 59
Syntax conventions ix	local 58-59
Syntax rules	menu system 61-67
)BODY section: 10	overview 5
logic statements 28	profile 22
SYSD user file, getting information from 22	reading into storage from CICS programs 54
SYSD-like programs 58-60	skeleton files 48
checking return codes 58	substituting in message files 52
marking beginning of 58-59	substituting in output skeleton files 48
marking end of 58-59	system 20-21
restoring registers at end 58-59	truncating 40-41
saving registers 58-59	updating from CICS programs 55
setting return codes 58	user 25
System date 20-21	using &Z system variable to compare 20
System information, accessing 20-21	using &Z system variable to initialize 20
System time 21	verifying values 42-45
System Utilities panel, sample 72	VER statement 42-45
System variables 20-21	positioning cursor in fields 23
SYSUTIL panel, sample 72	setting messages 23-24
,	Verifying values of variables 42-45

Maintenance Policies

Problem Reporting

In the event of a problem, contact your product administrator. If your administrator cannot answer your question, your administrator will contact H&W Computer Systems' Customer Support staff. This group is responsible for answering questions about the installation, operation, and maintenance of all H&W products.

If you are responsible for contacting H&W Customer Support, you will be asked to provide:

- Your name.
- Your company's name.
- Your customer number, which can be found on all H&W tapes, diskettes, and invoices.
- Your operating environment—for example, operating system and release, and CICS release.
- The H&W product's release level.
- A description of the problem including all error messages.
- The severity of the problem.

If the problem involves a CICS or transaction abend, obtain a dump and have the dump accessible when calling for support.

If it appears that the problem will require programming support from H&W, please complete the Program Error Report (PER) form located in this manual. Send the completed form along with all supporting documentation to H&W.



When sending diagnostic information on tape, avoid processing delays by making sure that all dumps, traces, and so on are preformatted (print ready) and that the 3480 cartridge tapes are created with DCB=TRTCH=NOCOMP (no IDRC) specified.

Maintenance

Program Temporary Fixes (PTFs) are created to solve problems as they occur. PTFs are accumulated and distributed as Program Update Tapes (PUTs). Some sites may need to reassemble and link edit the affected modules after loading a PUT tape.

User Enhancements

Some products have built-in user exits and interfaces that allow product customization. Changes outside of these exits and interfaces are discouraged because they interfere with normal maintenance procedures.

Suggested enhancements should be written on the Customer Enhancement Request (CER) form located in this manual and sent to H&W Computer Systems for consideration.

General

Comments, suggestions, and enhancement requests for this product and its documentation are welcomed. Your needs and ideas help shape the future of the product. We do listen.

You can contact H&W Computer Systems, Inc. at:



P.O. Box 46019 Boise, ID 83711 12438 W. Bridger Street, Suite 100 Boise, ID 83713



Main: (208) 377-0336

Customer Support: (208) 377-8436



Fax: (208) 377-0069



World Wide Web: http://www.hwcs.com

E-mail: support@hwcs.com

Program Error Report (PER)

or H&W use o	niy:					
C	ustomer #: _	 		PER:#:		PTF #::
ustomer, plea	so fill in th	e following:	•			
		•			Phono: ()	Ext
T::	Ompany Nan	ie:		Release:	······································	late: / /
· ·		□1 (highest)			L	vate:/
	j	(0 /		, ,		
E	nvironment	1				
. С	perating Syst	em::				
C	ICS Release:				PUT Level:_	
C	onnected to a	ny other produ	cts:			,
D	vahlam Dag	outotions				
r	roblem Des	•				
_						
_						
_			•			
_					·	
_						
_						
_						
_						
_						·· .
_						
t	nclosures:		4			
	□ Dump wit	h trace Pro	gram listings	□ Screen displa	y: □ File dump	,
	Tip	When sending d	liagnostic info	ormation on tape, a	void processing de	lavs by making
		ure that all dun	nos, traces, ar	d so on are preform	natted (print read	y) and that the 34
		artridge tapes a	re created wi	th DCB=TRTCH=	NOCOMP (no ID	RC) specified.
		0 1			`	
end PER to Ci	ustomer Si	ıpport at:				
		DO: D: 4404	10	10400 347	Buidage Chant Co.	to 100
		P.O. Box 4601			Bridger Street, Su	ite 100
		Boise, ID 837	.11	Boise, ID	00/10	
	<u>_</u>	Envi				
	3 6000	Fax:				

Customer Enhancement Request (CER)

For H&W us	se only:									
	Customer #:_					CER	:#:'C	·		<u>-</u>
Customer, n	lease check o	ne of th	e followii	na.			•	•		
customen, p				•						
	□ FYI □ Act	non request	ea immeaia	itely (ae	escribe in K	equest sect	ion)			
Customer, p	lease fill in tl	he follow	ing:							
	Reported To:									□No
	Requested By:					Phone: (:)	<u>.</u>	Ext.:	
	Company Nan									
	H&W Product	:			Release			Date:		
	Urgency Level							- · · · · -		
	Environment) 1							•	
	Operating Syst	tem:					PUT Le	evel:		
	CICS Release:				1		PUT Le	evel:		
	JES Release:						PUT Le	evel:		
	VTAM Release							evel:		
	Connected to a	ny other p	roducts:							
	Request:									
	Synopsis:									
	Date:/_		Action:							
	Date:/	/	Action:							
	Date:/_	/	Action:							
Send CER to	Customer Si	ipport at	:			•		* 1		
		• •			10	420 W.D.	oon Chron	L CL. 100		
		P.O. Box Boise, ID				ise, ID 837		t, Suite 100		
	5 A A A A A A A A A A A A A A A A A A A	Fax:						·).	

(208) 377-0069

Reader's Comment Form

Send Reader

Use this form to forward your comments about this publication to H&W Computer Systems, Inc. Topics to consider are: organization, accuracy, completeness, clarity, and general usefulness.

We continually strive to produce easy-to-use, quality documentation. Any comments and suggestions you have are greatly appreciated.

Publication Title:		D
I&W Product:	Kelease:	Page #:
Comments:		
		· , · · · · · · · · · · · · · · · · · ·
· · · · · · · · · · · · · · · · · · ·		
		· : · · ·
	·	
☐ Please send a reply to me at:		
	Phone: (
Company:		
Address:		
Comment Form to Docu	mentation Department at:	
Comment Form to Docum	Terration Department at	
P.O. Box 46019		er Street, Suite 100
Boise, ID 83711	Boise, ID 83713	
Fax:		
(208) 377-0069	•	

Systems Software Documentation Order Form

Quantity Orders per unit	1-100 :	101-500	501-1000	over 1000
☐ CPMS® Release 6.4.1 ☐ SYSD® Release 6.4.1	(Please check one)			<u></u>
Installation Manual Reference Manual Quick Reference Cards (Pkg. of 10)	\$16.00 16.00 7.00	\$12.00 12.00 5.50	\$10.00 10.00 5.00	\$ 9.00 9.00 4.50
SYSD® Optional Interfaces				
SYSD/JFT Reference Manual, Release 6.4.1	\$12.00	\$10.00	\$ 9.00	\$ 8.00
SYSB-II®/MVS Release 4.1				
Commands and API Reference Manual Control Language Reference Manual Transparent VSAM File Sharing Reference Manual Installation and Operations Manual The above can be purchased as a set	\$10.00 12.00 12.00 10.00 35.00	\$ 8.25 10.00 10.00 8.25 31.50	\$ 7.00 9.00 9.00 7.00 27.50	\$ 6.25 8.00 8.00 6.25 23.00
SYSB-II®/VSE Release 2.1	· .			
Commands and API Reference Manual Transparent VSAM File Sharing Reference Manual Installation and Operations Manual	\$10.00 12.00 10.00	\$ 8.25 10.00 8.25	\$ 7.00 9.00 7.00	\$ 6.25 8.00 6.25
SYSB/VSE Release 1.1				
Reference and Installation Manual	\$16.00	\$12.00	\$10.00	\$ 9.00
SYSI® Release 2.0				
Reference and Installation Manual	\$16.00	\$12.00	\$10.00	\$ 9.00
SYSJ® Release 2.0				
Reference and Installation Manual	\$10.00	\$ 8.25	\$ 7.00	\$ 6.25
SYSS® Release 3.0				
Reference and Installation Manual	\$10.00	\$ 8.25	\$ 7.00	\$ 6.25



Please fill out the shipping and billing information on the back of this form.

Ship to:		·			
	Company:				
	City:			State:	Zip:
					1
Bill to:					
	Company:				
	Name:			Title:	
•	City:			State:	Zip:
•	Phone: (Ext.:		
	replaced.			•	ctive documentation will lession from H&W Comput
	P.O. #:				
	Authorized	Signature:			
Send order		oing Department			
		•	· uti		
		P.O. Box 46019 Boise, ID 83711		12438 W. Bridger St. Boise, ID 83713	reet, Suite 100
		Fax: (208) 377-0069			

Electronic Mail Documentation Order Form

Quantity Orders per unit	1-100	101-500	501-1000 ¹	over 1000
SYSM® Release 6.6		-	 	
Installation Manual	\$16.00	\$12.00	\$ 10.00	₫ 0.00
Reference Manual, Function Key Version	18.00	13.00	11.00	\$ 9.00
Reference Manual, Command Version	18.00	13.00	11.00	10.00 10.00
Administrator's Manual	10.00	8.25	7.00	6.25
Electronic Forms Language Guide	10.00	8.25	7.00	6.25
Import/Export Manual	10.00	8.25	7.00	6.25
The above can be purchased as a set	50.00	45.00	40.00	38.00
Quick Reference Guide, Function Key Version (25/Pkg.)	16.50	13.75	11.00	9.65
Quick Reference Guide, Command Version (25/Pkg.)	16.50	13.75	11.00	9.65
Quick Start Booklet, Function Key Version	6.45	6.45	5.25	5.25
_Quick Start Booklet, Command Version	6.45	6.45	5.25	5.25
SYSM Training Package: Release 6.5	400.00		V	0.20
SYSM Training Package: Release 6.5 Upgrade	200.00			
SYSM® Optional Interfaces	-			
SYSM/HOST Installation and Reference Manual, Release 1.5.4	5.00	4.15	3.50	3.00
_SYSM/MHS Installation and Administration Manual, Release 1.2	10.00	8.25	7.00	6.25
SYSM/MHS User Manual, Release 1.2	7.50	6.75	5.75	5.00
SYSM E-Mail Connectivity Series / PC Edition, Release 2.0	10.00	8.25	7.00	6.25
SYSM/INET Internet Interface Installation/Reference, Release 1.0	5.00	4.15	3.50	3.00
SYSM/INET PC Internet Gateway Installation/Reference, Release 1.0	5.00	4.15	3.50	3.00
SYSM Pager Installation and Administration Manual, Release 1.0	5.00	4.15	3.50	3.00
_SYSM/FAX Installation, Administration, and User Guide, Release 2.0	5.00	4.15	3.50	3.00
SYSM Client User Guide, Release 2.0	16.00	12.00	10.00	9.00
SYSM/PC2 Installation and Administration Manual, Release. 2.0.1	7.50°	6.75	5. <i>7</i> 5	5.00
SYSM/PC2 Electronic Forms User Guide, Release, 2.0.1	10.00	8.25	7.00	6.25
SYSM/PC2 Quick Start, Release 2.0.1	4.45		3.25	
SYSM/PC2 Diskettes, Release 2.0.1 (Extra copies)	9.50			
SYSM/OV-LINK Installation and Interface Manual, Release 1.0	10.00	8.25	7.00	6.25
Wizard Mail™ Release 6.4				
_Installation Manual	\$16.00	\$12.00	\$10.00	\$ 9.00
_Reference Manual	16.00	12.00	10.00	9.00
Administrator's Manual	10.00	8.25	7.00	6.25
Wizard Mail Connectivity, Release 1.0				



Please fill out the shipping and billing information on the back of this form.

Ship to:				•
,	Company:			•
	Name:	Title:		
	Address:			
	City:		State:	Zip:
	Phone: ()	Ext.:		
Bill to:				
	Company:			
	Name:	Title:		
	Address:			
	City:		State:	Zip:
	Phone: ()	Ext.:		
	Quantities over 100—one week shippir			
	Refunds are not given on documentation replaced. No portion of any documentation may Systems, Inc.	be copied without wr	itten permission fr	om H&W Compute
	P.O. #:			
	Authorized Signature:	· · · · · · · · · · · · · · · · · · ·		
Send ordei	form to Shipping Department a	t:		
	P.O. Box 46019 Boise, ID 83711	12438 W Boise, II	V. Bridger Street, St D 83713	uite 100
	Fax: (208) 377-0069			



P.O. Box 46019 Boise, ID 83711 208-377-0336 FAX: 208-377-0069