

Macf2[®] MVC

**The Access Control Facility
Composite Index**

acf2[®]

The Access Control Facility

COMPOSITE INDEX

for

acf2/MVS Release 4.1 Installations

Base Manual Dated: January 31, 1986

Doc. Nr. AMPO030-04



© Copyright SKK, Inc., U.S.A., 1982, 1983, 1985, 1986.
All rights reserved.

Reproduction of this manual without written
permission of SKK, Inc. is strictly prohibited.

Printed in U.S.A.

ACF2 is a Registered Trademark of SKK, Inc.

acf2/MVS is a proprietary product developed and maintained by:

SKK, Inc.
10400 West Higgins Road
Rosemont, Illinois 60018-3790

Business Office: (312) 635-1040
Product Support: (312) 635-3000
TELEX: 206-186 (SKK ROSM)

A 24 hour answering service on (312) 825-5150 is available
for emergency assistance outside of normal business hours.

INTRODUCTION

The ACF2 Composite Index is a combination of index entries from the various manuals comprising the ACF2 Documentation Package. It is provided to assist users in locating appropriate information within any of the ACF2 manuals. A 3-5 character code for each manual referenced appears with the related page numbers within the index subentries. These codes are as follows:

- Administrator's Guide (ADMIN)
- Auditor's Guide (AUDIT)
- CICS Support Manual (CICS)
- General Information Manual (GIM)
- Implementation Planning Guide (PLAN)
- IMS Support Manual (IMS)
- IDMS Support Manual (IDMS)
- Other Products Manual (OPM)
- System Programmer's Guide (SPG)
- Utilities Manual (UTIL)

COMPOSITE INDEX

&ABCODE
 (IDMS)..41

&DCSNON
 (IDMS)..41

&IDMSR10
 (IDMS)..41

&IXITNO
 (IDMS)..41

&MSGID
 (IDMS)..42

&SONSEC
 (IDMS)..42, 51

&STGID
 (IDMS)..42

&UXITNO
 (IDMS)..42

\$AUTHEXT module
 ASM2
 (OPM)..17

\$KEY
 access rule
 (ADMIN)..83
 (AUDIT)..32
 (PPLAN)..21
 resource rule
 (ADMIN)..120
 (AUDIT)..40

\$MODE
 access rule
 (ADMIN)..83
 (AUDIT)..32
 (PPLAN)..25
 examples
 (PPLAN)..26

\$NOSORT
 access rule
 (ADMIN)..84
 (AUDIT)..32, 37
 GSO OPTS record
 (ADMIN)..194
 resource rule
 (ADMIN)..120
 (AUDIT)..40

\$OWNER
 access rule
 (ADMIN)..84
 (AUDIT)..32

\$PREFIX
 access rule
 (ADMIN)..85
 (AUDIT)..32
 (PPLAN)..21
 VLDEXIT
 (SPG)..98

\$TSOCEND macro
 use
 (SPG)..291

\$TSOCMD macro
 use
 (SPG)..291

\$TSOCST macro
 use
 (SPG)..291

\$USERDATA
 access rule
 (ADMIN)..85
 (AUDIT)..32
 (SPG)..101
 resource rule
 (ADMIN)..121
 (AUDIT)..40

* subcommand
 (ADMIN)..33

/*JOBFROM card
 forced use
 (OPM)..151, 163

/*LOGONID card
 forced use
 (OPM)..151, 163

/*PROCLIB
 (OPM)..4

%CHANGE
 access rule
 (ADMIN)..85
 (AUDIT)..26, 33
 (PPLAN)..21
 resource rule
 (ADMIN)..121
 (AUDIT)..26, 40
 system option
 (ADMIN)..195

%RCHANGE
 access rule
 (ADMIN)..86
 (AUDIT)..26, 32
 system option
 (ADMIN)..195

#\$USER01 exit
 description
 (SPG)..226, 236

#\$UW110A macro
 /*PROCLIB interface
 (OPM)..4

##ACFBK3, mapping
 ACFNMFLG
 (SPG)..243

##ACFIWS
 (SPG)..241

##ACFX28 macro
 description
 (SPG)..249
 parameters
 (SPG)..249

##ACFX29 macro
 description
 (SPG)..249
 parameters
 (SPG)..250

##USER01
 (OPM)..147
 exit description
 (SPG)..250

#EXIT01
 (OPM)..147

@BACKUP macro
 (UTIL)..132

@CFDE
 (IDMS)..49

@CFDE macro
 (GIM)..50
 examples
 (CICS)..41
 (IDMS)..10
 (IMS)..11
 FLAGS field
 (SPG)..125, 255
 general information
 (SPG)..20

@CICSKEY macro
 CICS resource control
 (GIM)..24

@CICSOPTS
 DISOSS/370 coding
 (OPM)..34

@CMD macro
 description
 (SPG)..297
 parameters
 (SPG)..298

@CSVC macro
 (GIM)..50
 (SPG)..26

@CXREF macro
 (SPG)..302
 description
 (SPG)..297

@DDSN macro
 (GIM)..50
 (SPG)..27
 (UTIL)..132

@GENFDR macro
 (GIM)..50
 (SPG)..28

@GRCE macro
 (IDMS)..26-27

@GROUP macro
 (GIM)..50
 ACFCDSP group title
 (SPG)..257
 definition
 (SPG)..29

@HEADER macro
 (GIM)..50
 ACFCDSP header line
 (SPG)..257
 definition
 (SPG)..30

@IMS macro
 description
 (IMS)..7
 format
 (IMS)..7
 operands
 (IMS)..8-11, 13
 reviewing
 (AUDIT)..9

@IMSGEN macro
 ACF2 interface
 (AUDIT)..9
 PARM= field
 (IMS)..5, 7
 placement
 (IMS)..15
 RACF fields affected
 (IMS)..15

@MLID
ACFFDR
 (IDMS)..46

@MLID macro
 (GIM)..50
 CICS default
 (CICS)..39
 definition
 (CICS)..38
 (SPG)..31
 mini-Logonid record
 (SPG)..61

@MOPTS macro
 (IDMS)..21-25

@MUSASS macro
 (CICS)..39
 (GIM)..50
 definition
 (CICS)..39
 (SPG)..33, 61
 mini-Logonid record
 (SPG)..62

@PSWD macro
 password controls
 (GIM)..13

@RB macro
 description
 (SPG)..297
 parameters
 (SPG)..300

@SETUP macro
 (GIM)..51
 (SPG)..36

@SMF macro
 (GIM)..51
 (SPG)..37

@TCB macro
 description
 (SPG)..297
 parameters
 (SPG)..299

@UID macro
 (GIM)..51
 definition
 (SPG)..41
 Logonid fields
 (ADMIN)..49

@volser.VOLUME
 tape volumes
 (AUDIT)..8

@ZEROFD macro
 (ADMIN)..74
 (IMS)..39

ABCODE parameter
 system initialization
 (CICS)..59

Abend codes
 (SPG)..303

ABEND-AID
 (OPM)..5

ABORT mode
 (IMS)..3
 conversion
 (PLAN)..25
 definition
 (ADMIN)..198
 (AUDIT)..50
 (GIM)..9
 maximum protection
 (AUDIT)..5

ABR
 see Automatic Backup & Recovery
 (OPM)..6

ACALT parameter block
 description
 (SPG)..121
 fields
 (SPG)..121-122

ACARE parameter list
 description
 (SPG)..123
 fields
 (SPG)..124-125

ACC-CNT field
 Logonid record
 (ADMIN)..56

ACC-DATE field
 Logonid record
 (ADMIN)..56

ACC-SRCE field
 Logonid record
 (ADMIN)..56

ACC-TIME field
 Logonid record
 (ADMIN)..56

Access codes
 ACFRPTRX
 (UTIL)..102
 ACFRPTXR
 (UTIL)..116

Access control form
 (OPM)..202

Access Key
 (OPM)..7.1

Access Method
 ACF2IAM
 (OPM)..176

Access permission	making resident
access rule	(ADMIN)..208
(ADMIN)..87, 89	masking
resource rule	(ADMIN)..92
(ADMIN)..123	new key
Access request form	(OPM)..171
(OPM)..196	post-processing exit
Access rule	(SPG)..103
(AUDIT)..37	pre-processing exit
ACF command	(SPG)..102
(AUDIT)..36	pre-write
ACF subcommands	(PLAN)..21
(ADMIN)..99	review process
ACFBATCH	(AUDIT)..36
(UTIL)..151	reviewing
ACFCMLR compiler	(AUDIT)..30
(SPG)..259	rule writing delegation
batch compilation	(ADMIN)..195
(UTIL)..155	special key
CLIST considerations	(OPM)..171
(ADMIN)..110	syntax rule entry
common mistakes	(ADMIN)..87
(AUDIT)..66	SYSOUT dataset
compilation authority	(OPM)..178
(AUDIT)..25	TSO individual rule processing
control cards	(UTIL)..159
(ADMIN)..82	TSO rule compilation
(AUDIT)..32	(UTIL)..152
dataset writer	VSAM allocation
(SPG)..261	(ADMIN)..112
decompiler	VTOC
(SPG)..260	(ADMIN)..113
definition	Access section
(ADMIN)..81-82	examples
(AUDIT)..32	(ADMIN)..23
(PLAN)..21	Logonid record
deletion	(ADMIN)..22, 56
(ADMIN)..108	(AUDIT)..61
examples	ACCOUNT
(AUDIT)..32, 66	ACSALTCK
(GIM)..20	(SPG)..275
(PLAN)..22	GSO TSO record field
general information	(ADMIN)..213
(PLAN)..21	Logonid record field
generation data groups	(ADMIN)..25, 51, 69
(ADMIN)..110	(AUDIT)..21
GSO MODE options	TSO Logon parameter
(ADMIN)..198	(OPM)..140
interpretation	Account manager
(ADMIN)..109	description
interpreter	(ADMIN)..69
(SPG)..264	restricted
keywords	(AUDIT)..21
(AUDIT)..34	

unrestricted	(AUDIT)..51
(AUDIT)..21	(GIM)..2
Accounting parameters	continuation
validation	(IMS)..36
(OPM)..170	definition
ACCT NMBR	(IMS)..37
logon operand	(PLAN)..31
(ADMIN)..14	entry record
ACCTPRIV field	(ADMIN)..137
Logonid record	examples
(ADMIN)..59	(ADMIN)..30, 43
ACCUCB macro	general information
ACFOUCB	(ADMIN)..30
(SPG)..81	(GIM)..5
ACCVT	GSO record
locating routine	(PLAN)..31
(SPG)..81	Logonid record
ACDSV parameter list	(ADMIN)..73
(SPG)..114	notation conventions
description	(IMS)..36
(SPG)..126	operator
EXTERNAL CALL	(ADMIN)..243
(SPG)..117	(UTIL)..132-134
fields	resource rule
(SPG)..126-130	(ADMIN)..125
MUSASS	scope list
(SPG)..190	(ADMIN)..149-151
ACECLID macro	see ACF subcommand
calls ACFOOECR	(IMS)..35
(SPG)..81	setting
description	(ADMIN)..114
(SPG)..61	shift record
ACECUCB macro	(ADMIN)..164
description	shift/zone record
(SPG)..63	(ADMIN)..165
unauthorized user	storage considerations
(SPG)..65	(PLAN)..34
ACEP	summary
(OPM)..8	(IMS)..35
ACF command	zone record
access rule	(ADMIN)..167
(ADMIN)..99	ACF subcommand
ACFCARE subroutine	option headers list
(SPG)..255	(GIM)..50
ACFCDSP subroutine	syntax representation symbols
(SPG)..257	(ADMIN)..4
ACFRDS subroutine	ACF\$CMDS
(SPG)..261	examples
ACFSUB	(SPG)..304
(SPG)..287	TSO restricted commands
AUT records	(SPG)..291, 304
(ADMIN)..230	ACF\$CPK module
batching	COMPAKTOR interface
(ADMIN)..47	(OPM)..25

ACF\$DSF
 (OPM)..45
 general interface information
 (OPM)..6

ACF\$FDR
 (OPM)..45
 general interface information
 (OPM)..6

ACF\$FGCB
 ACFOGCB
 (SPG)..81

ACF\$FLOD
 ACF9FLOD
 (SPG)..81

ACF\$GCVT
 ACFGACVT
 (SPG)..70
 description
 (SPG)..81

ACF\$ICMD module
 description
 (IMS)..5

ACF\$INIT module
 description
 (IMS)..5

ACF\$IRAS module
 description
 (IMS)..5

ACF\$ISGN module
 description
 (IMS)..5

ACF\$ITRN module
 description
 (IMS)..5

ACF\$Ixxx module
 description
 (IMS)..5

ACF\$KEYS
 adding non-standard parameters
 (SPG)..86

ACF\$TCB macro
 description
 (SPG)..65

ACF\$X exit
 description
 (SPG)..292

ACF/TCAM
 (OPM)..9

ACFAEACX
 ACF2/CICS Management Module
 (CICS)..171

ACFAECBL module
 ACF2/CICS nucleus
 (CICS)..172

ACFAECCA
 ACF2/CICS Management Module
 (CICS)..171

ACFAECMD
 ACF2/CICS transaction modules
 (CICS)..173

ACFAEECA
 description
 (CICS)..174
 exit control
 (CICS)..159
 listing
 (CICS)..163

ACFAEICP module
 ACF2/CICS nucleus
 (CICS)..172

ACFAEICX
 ACF2/CICS Management Module
 (CICS)..172

ACFAELOC
 (IDMS)..17
 IDMS-ACF2/CICS module
 (CICS)..174

ACFAEMSX module
 ACF2/CICS nucleus
 (CICS)..172

ACFAEMTP
 ACF2/CICS transaction modules
 (CICS)..173

ACFAEOM1
 ACF2/CICS Management Module
 (CICS)..171

ACFAEPRP module
 ACF2/CICS nucleus
 (CICS)..172

ACFAESAB module
 ACF2/CICS nucleus
 (CICS)..172

ACFAESIP
 ACF2/CICS transaction modules
 (CICS)..173

ACFAESTC
 Signon Table Conversion
 (CICS)..175

ACFAESUB module
 ACF2/CICS nucleus
 (CICS)..172

ACFAESXP
 ACF2/CICS Management Module
 (CICS)..172

ACFAETXT module
 ACF2/CICS nucleus
 (CICS)..173

ACFAEUCC module	ACFA2SON
ACF2/CICS transaction modules	(IDMS)..17, 42
(CICS)..173	ACFA2STA
customizing	(IDMS)..17
(CICS)..144	ACFA2SUB
sample code	(IDMS)..17
(CICS)..141	ACFA2SVC
ACFAEUCM module	(IDMS)..18
ACF2/CICS transaction modules	ACFA2SYN
(CICS)..173	(IDMS)..18
customizing	ACFA2TRT
(CICS)..144	(IDMS)..18
sample code	ACFA2USI
(CICS)..142	(IDMS)..19
ACFAEUCP	ACFA2USR
description	(IDMS)..19
(CICS)..174	ACFA2VSK
parameters	(IDMS)..19
(CICS)..145	ACFBATCH utility
ACFAEUCR	(AUDIT)..51
description	examples
(CICS)..174	(ADMIN)..47
ACFAEUCS	(UTIL)..151
description	files
(CICS)..174	(UTIL)..150
ACFAEUSP module	general information
customizing	(ADMIN)..240
(CICS)..148	parameters
description	(UTIL)..151
(CICS)..173	ACFBCOMP command
ACFA2CLN	(UTIL)..155-156
(IDMS)..15	examples
ACFA2CMQ	(UTIL)..155
(IDMS)..15	files
ACFA2DIR	(UTIL)..155
(IDMS)..15	general information
ACFA2DRV	(ADMIN)..240
(IDMS)..15	ACFBDCMP utility
ACFA2FDS	(UTIL)..158
(IDMS)..15	examples
ACFA2GRI	(UTIL)..157
(IDMS)..15	files
ACFA2IDM	(UTIL)..157
(IDMS)..16, 46, 51	general information
ACFA2IDX	(ADMIN)..240
(IDMS)..16	ACFBKUP utility
ACFA2INT	(UTIL)..147
(IDMS)..16	execution
ACFA2LOC	(UTIL)..134
(IDMS)..17	ACFBLOCK
ACFA2OPT	(SPG)..239-241, 247
(IDMS)..17	ACFBSYNC utility
	(UTIL)..162

examples
 (UTIL)..162
 files
 (UTIL)..161
 general information
 (ADMIN)..240
 parameters
 (UTIL)..161
 ACFCARE subroutine
 description
 (SPG)..253, 255
 sample code
 (SPG)..256
 ACFCDSP subroutine
 description
 (SPG)..253, 257
 sample code
 (SPG)..258
 ACFCKSFT macro
 description
 (SPG)..67
 ACFCKZON macro
 description
 (SPG)..69
 ACFCMLR subroutine
 description
 (SPG)..253, 259
 ACFCMPXT subroutine
 description
 (SPG)..253
 ACFCOMP command
 (UTIL)..152-154
 ACFBATCH
 (UTIL)..151
 general information
 (ADMIN)..241
 methods
 (UTIL)..152
 parameters
 (UTIL)..153
 syntax
 (UTIL)..152
 ACFCOMP utility
 definition
 (PLAN)..31
 ACFCSCAN
 (SPG)..239
 description
 (SPG)..242
 ACFDCMPL subroutine
 description
 (SPG)..253, 260
 ACFDEL command
 (UTIL)..171
 definition
 (PLAN)..31
 examples
 (UTIL)..172
 parameters
 (UTIL)..171
 syntax
 (UTIL)..171
 ACFERASE utility
 (UTIL)..170
 definition
 (PLAN)..30
 examples
 (UTIL)..170
 files
 (UTIL)..168
 general information
 (ADMIN)..241
 parameters
 (UTIL)..169
 ACFESTAE
 description
 (SPG)..218, 228
 ACFEXT20
 description
 (SPG)..218, 228
 ACFEX225
 description
 (SPG)..219, 229
 ACFEX227
 description
 (SPG)..219, 229
 ACFFDR
 (IDMS)..41, 51
 control boundaries
 (AUDIT)..5
 see Field Definition Record
 (GIM)..49
 (IMS)..43
 ACFGACVT macro
 ACF\$GCVT
 (SPG)..81
 description
 (SPG)..70
 ACFGDATA macro
 description
 (SPG)..71
 ACFGINT subroutine
 description
 (SPG)..253, 262

ACFGUCB macro
 description
 (SPG)..72

ACFINCVT macro
 description
 (SPG)..73

ACFINTE subroutine
 description
 (SPG)..253, 264

ACFINTEC macro
 description
 (SPG)..266

ACFINWKG
 (SPG)..239
 description
 (SPG)..242

ACFIXX14 module
 (OPM)..179

ACFJBEOR
 (SPG)..240
 description
 (SPG)..242

ACFJBINT
 (SPG)..239, 241
 description
 (SPG)..241

ACFJ2PRE
 description
 (SPG)..220, 230

ACFJ2PST
 description
 (SPG)..220, 230

ACFLAB macro
 description
 (SPG)..133

ACFLABE macro
 description
 (SPG)..135
 Lookaside buffer entry
 (SPG)..135

ACFLOAD macro
 ACF9FLOD
 (SPG)..81

ACFM
 see individual function name
 (CICS)..110

ACFM parameter
 system initialization
 (CICS)..60

ACFM transaction
 explanation
 (CICS)..105
 sample functions
 (CICS)..105

ACFM/CICS transaction
 (ADMIN)..48

ACFMAIN utility
 definition
 (PLAN)..30

ACFNMFLG
 summary
 (SPG)..243

ACFNRULE utility
 definition
 (PLAN)..30-31
 examples
 (UTIL)..160
 files
 (UTIL)..159
 general information
 (ADMIN)..240-241
 parameters
 (UTIL)..159

ACFONWKG
 (SPG)..241
 description
 (SPG)..243

ACFOECL parameter
 expansion
 (SPG)..62

ACFPECMD
 (OPM)..75, 84

ACFRDS subroutine
 description
 (SPG)..253, 261

ACFRECVR utility
 definition
 (GIM)..45
 (PLAN)..30
 execution
 (UTIL)..133
 field descriptions
 (UTIL)..137
 files
 (UTIL)..135
 general information
 (ADMIN)..241
 parameters
 (UTIL)..135
 sample jobstream
 (UTIL)..143
 sample output
 (UTIL)..137

ACFREGS macro
 general purpose registers
 (SPG)..59

ACFRPTCR report generator
 examples
 (UTIL)..19
 field descriptions
 (UTIL)..22
 files
 (UTIL)..17
 parameters
 (UTIL)..17
 reviewing
 (AUDIT)..48
 sort sequence
 (UTIL)..18
ACFRPTDS report generator
 field descriptions
 (UTIL)..35
 files
 (UTIL)..25
 NEXTKEY reporting
 (UTIL)..33
 parameters
 (UTIL)..25
 reviewing
 (AUDIT)..47
 sample output
 (UTIL)..30
 sort sequence
 (UTIL)..29
ACFRPTTEL report generator
 files
 (UTIL)..44
 parameters
 (UTIL)..44
 reviewing
 (AUDIT)..47
 sample output
 (UTIL)..47
 sort sequence
 (UTIL)..45
ACFRPTIX report generator
 files
 (UTIL)..52
 parameters
 (UTIL)..52
 reviewing
 (AUDIT)..46
 sample output
 (UTIL)..53
ACFRPTJL report generator
 files
 (UTIL)..56
 parameters
 (UTIL)..56

 reviewing
 (AUDIT)..48
 sample output
 (UTIL)..58
 sort sequence
 (UTIL)..57
ACFRPTLL report generator
 files
 (UTIL)..61
 parameters
 (UTIL)..61
 reviewing
 (AUDIT)..47
 sample output
 (UTIL)..62
ACFRPTNV report generator
 (AUDIT)..47
 field descriptions
 (UTIL)..70
 files
 (UTIL)..67
 parameters
 (UTIL)..67
 sample output
 (UTIL)..69
 sort sequence
 (UTIL)..68
ACFRPTPP report generator
 field descriptions
 (UTIL)..79
 files
 (UTIL)..72
 parameters
 (UTIL)..73
 sample output
 (UTIL)..77
ACFRPTPW report generator
 description
 (AUDIT)..47
 (CICS)..35
 files
 (UTIL)..80
 parameters
 (UTIL)..80
 sample output
 (UTIL)..82
 sort sequence
 (UTIL)..81
ACFRPTRL report generator
 files
 (UTIL)..85
 reviewing
 (AUDIT)..48

sample output
 (UTIL)..86

ACFRPTRV report generator

 considerations
 (CICS)..35
 (IDMS)..38

 description
 (AUDIT)..47
 (CICS)..35
 (IMS)..5

 field descriptions
 (UTIL)..91

 files
 (UTIL)..87

 interpretation
 (CICS)..35
 (IDMS)..38

 interpretations
 (IMS)..26

 parameters
 (UTIL)..87

 sample output
 (UTIL)..89-90

 sort sequence
 (UTIL)..88

 special considerations
 (IMS)..26

ACFRPTRX report generator

 description
 (CICS)..36

 field descriptions
 (UTIL)..99

 files
 (UTIL)..96

 Logonid access report
 (UTIL)..95

 message lines
 (UTIL)..102

 parameters
 (UTIL)..98

 reason codes
 (UTIL)..102

 sample output
 (UTIL)..104-105

ACFRPTSL report generator

 ACF2 inactive
 (UTIL)..16

 field descriptions
 (UTIL)..114

 files
 (UTIL)..107

 parameters
 (UTIL)..108

 reviewing
 (AUDIT)..48

 sample output
 (UTIL)..112

 special users list
 (AUDIT)..27

ACFRPTXR report generator

 access reason codes
 (UTIL)..116

 ACF2 inactive
 (UTIL)..16

 description
 (CICS)..36

 exit considerations
 (UTIL)..115

 field descriptions
 (UTIL)..122

 files
 (UTIL)..117

 parameters
 (UTIL)..120

 reviewing
 (AUDIT)..46

 sample output
 (UTIL)..125

ACFSCP macro

 description
 (SPG)..74

ACFSET macro

 MUSASS
 (SPG)..194

ACFSGRP subroutine

 description
 (SPG)..253, 274

ACFSMFD journal record

 A\$SECTYP values
 (SPG)..162

 A\$SLCND1 values
 (SPG)..170

 A\$SLCND2 values
 (SPG)..168

 A\$SLCOD4 values
 (SPG)..168

 A\$SLPPLL values
 (SPG)..169

 A\$SSMISC values
 (SPG)..167

 A\$SSPAC1 values
 (SPG)..165

 A\$SSPID1 values
 (SPG)..164

ACFSPRFF field

 user messages
 (SPG)..116

ACFSUB command
 definition
 (PPLAN)..32
 (SPG)..287
 examples
 (UTIL)..164
 files
 (UTIL)..164
 general information
 (ADMIN)..242
 (SPG)..287
 install
 (SPG)..288
 parameters
 (UTIL)..164
 TSO production job
 (SPG)..287

ACFSVC macro
 description
 (SPG)..78

ACFUSX01
 (OPM)..183
 (SPG)..239-242
 description
 (SPG)..243
 modifying the NJB
 (SPG)..247

ACFUSX02
 (OPM)..183
 (SPG)..239-240, 242
 description
 (SPG)..244
 modifying the NJB
 (SPG)..247

ACFUSX03
 description
 (SPG)..246

ACFUX29
 (OPM)..147

ACFVER= parameter
 description
 (OPM)..133

ACFOOECL subroutine
 description
 (SPG)..81

ACFOOUCB subroutine
 description
 (SPG)..81

ACFOOSCP subroutine
 description
 (SPG)..81

ACFOOSGP module
 description
 (SPG)..253, 274

ACFOOSST subroutine
 description
 (SPG)..272

ACFOOSVA
 ACFGINT alias
 (SPG)..253

ACFOOUCB subroutine
 ACECUCB
 (SPG)..63
 description
 (SPG)..81

ACF2 function
 ISO information
 (CICS)..17

ACF2 Infostorage Access Method
 ACF2IAM
 (OPM)..176

ACF2 parameter
 ACFRPTRX
 (UTIL)..98
 ACFRPTXR
 (UTIL)..120

ACF2 procedure
 modification
 (SPG)..8

ACF2 Reference Card
 description
 (PPLAN)..45

ACF2.ACFPTFS dataset
 ACF/TCAM interface
 (OPM)..9

ACF2/CICS modules
 description, management modules
 (CICS)..171
 description, transaction
 modules
 (CICS)..173
 source format
 (CICS)..174

ACF2/IDMS interface
 (IDMS)..1

ACF2APRE
 modifying the NJB
 (SPG)..224, 234

ACF2APST
 modifying the NJB
 (SPG)..224, 234

ACF2AWTO
 description
 (SPG)..221, 231

ACF2IAM
 ACF2 Infostorage Access Method
 (OPM)..176

ACF2XPRES
 modifying the NJB
 (SPG)..224, 234

ACF2XPST
 modifying the NJB
 (SPG)..224, 234

ACF2XWTO
 description
 (SPG)..221, 231

ACF60SNU exit
 description
 (GIM)..59
 (SPG)..108

ACF61ARE module
 description
 (SPG)..253, 255

ACF62DSP module
 description
 (SPG)..253, 257

ACF70CMP module
 description
 (SPG)..253, 259

ACF70CXT module
 description
 (SPG)..253, 273

ACF70CXT subroutine
 description
 (SPG)..273

ACF73RDS module
 description
 (SPG)..253, 261

ACF74GNT module
 description
 (SPG)..253, 262

ACF74INT module
 description
 (SPG)..253, 264

ACF75DCM module
 description
 (SPG)..253, 260

ACF82FLD module
 logon module
 (SPG)..85
 non-standard parameters
 (SPG)..86

ACF9FLOD subroutine
 description
 (SPG)..81

ACF99SVC
 ACFINT alias
 (SPG)..253

ACGRSRC parameter block
 description
 (SPG)..141

fields
 (SPG)..141-142, 144

use
 (SPG)..146

ACGXITP parameter list
 description
 (SPG)..148

fields
 (SPG)..148

resource post-validation
 (SPG)..105

resource pre-validation
 (SPG)..104

ACLIMIT parameter block
 description
 (SPG)..150

ACMCB
 ACUCB conversion
 (SPG)..63

freeing
 (SPG)..192

MUSASS
 (SPG)..189, 194

ACMCBEXT parameter
 system initialization
 (CICS)..61

ACNTRY parameter block
 description
 (SPG)..153

ACRULE parameter block
 description
 (SPG)..159

fields
 (SPG)..159-160

ACSALTCK subroutine
 description
 (SPG)..275

ACSPRnn subroutine
 description
 (SPG)..281

ACSRRnn subroutine
 description
 (SPG)..282

ACSVTERM subroutine
 description
 (SPG)..283

ACSXP parameter list
 description
 (SPG)..161

fields
 (SPG)..161-162, 164-167, 169

input
 (SPG)..174

rule record code
(SPG)..168

ACTIVE
Logonid record field
(ADMIN)..51

ACTRM parameter block
description
(SPG)..177
fields
(SPG)..177-178
LAB
(SPG)..139

ACTSRCHN
ACTRM subfunction
(SPG)..117

ACUCB
ACECUCB macro
(SPG)..63
building
(SPG)..116
EXTERNAL CALL
(SPG)..116
freeing storage
(SPG)..177
initialization example
(SPG)..119
locating routine
(SPG)..81
logging suppression
(SPG)..284

MUSASS
(SPG)..189, 194
required boundary alignment
(SPG)..116
requirements summary
(SPG)..118

ACUFLG3 field
VLDEXIT
(SPG)..98

ACVALD parameter block
(SPG)..241
ACFJBEOR
(SPG)..242
description
(SPG)..180
fields
(SPG)..180-182
LAB
(SPG)..139
merging with ACVALD
(SPG)..248
modified by ACFUSX01
(SPG)..243

MUSASS
(SPG)..190

NJB
(SPG)..224, 234, 247

ACXSCP parameter list
description
(SPG)..187

ADABAS (Adaptable Database System)
(OPM)..10

ADC2
(OPM)..11

ADD keyword
SERVICE parameter
(ADMIN)..122
(CICS)..12

ADD parameter
ACFNRULE
(UTIL)..159

Address
access rule
(SPG)..168
ACF2 ASVT
(SPG)..72
ACF2 CVT
(SPG)..70, 73, 148, 165
ACMCB
(SPG)..189
ACUCB
(SPG)..72, 122, 148, 159,
165, 178

AREs
(SPG)..122

communication area
(SPG)..166

DATA field
(SPG)..149

dataset name
(SPG)..114, 129, 161

DSCB
(SPG)..166

library name
(SPG)..168

logical input source
(SPG)..148

Logonid
(SPG)..61, 174

mini-Logonid
(SPG)..61

program name
(SPG)..161

pseudo dsname
(SPG)..145

request DDNAME
(SPG)..169

return buffer
 (SPG)..122
rule object record
 (SPG)..260, 262
USERDATA field
 (SPG)..71, 148
ADF
 (OPM)..12
 ACF2 interface
 (OPM)..214
ADJ parameter
 ACFCKSFT macro
 (SPG)..68
ADJUST field
 zone record
 (ADMIN)..167
Administrator's Guide
 description
 (PLAN)..43
ADDRSSU
 (OPM)..160
ADRS
 (OPM)..2
ADSOGRP1
 (IDMS)..52
Advanced Communications Function
 TCAM
 (OPM)..9
Advanced Data Management
 DRS
 (OPM)..40
Advanced Text Management System
 (OPM)..2
AGN
 see Application Group Names
 (IMS)..43
Algorithmic methodology
 (AUDIT)..1
 (GIM)..1
 access rule selection
 (ADMIN)..109
Alias processing
 VSAM catalog
 (OPM)..141
ALIGN parameter
 ACFINTC macro
 (SPG)..266
ALL parameter
 ACFRPTDS
 (UTIL)..28
ALLCMDS field
 command limiting
 (GIM)..40
Logonid record
 (ADMIN)..59
Allen Services Corporation
 see CGA/Allen
 (OPM)..69
ALLOW access permission
 access rule
 (ADMIN)..89
 resource rule
 (ADMIN)..123
ALTER operand
 @CFDE macro
 (SPG)..21
 @CSVC macro
 (SPG)..26
ALTER parameter
 @CFDE macro
 (AUDIT)..23
Alter Request Entries
 ACALT parameter block
 (SPG)..122
Alternate VSAM clusters
 recovery
 (UTIL)..133
ANSWER/DB
 (OPM)..14
ANSWER/2
 (OPM)..2
APEX (Computer Associates)
 (OPM)..19
APF authorization
 EXTERNAL CALL
 (SPG)..117
 indicator flag
 (SPG)..182
 SUPERCALL
 (SPG)..122, 143, 159
APF parameter
 @RB macro
 (SPG)..300
APL(SHARP)
 (OPM)..15
APOLLO
 (OPM)..16
APPLDEF
 GSO record
 (ADMIN)..177
 (GIM)..46
APPLDIV
 GSO APPLDEF record
 (ADMIN)..177
Application Development Facility
 (OPM)..12

- Application Development System
 - ADS
 - (IDMS)..13
- Application Group Names
 - example SMU control cards
 - (IMS)..15
 - SMU requirements
 - (IMS)..15
 - support
 - (IMS)..4
 - validate access
 - (IMS)..4
- Application languages
 - ACF2 Infostorage interface
 - (OPM)..176
- Applied Data Research, Inc.
 - DATACOM
 - (OPM)..28
 - LIBRARIAN
 - (OPM)..66
 - LOOK
 - (OPM)..67
 - ROSCOE 5.3
 - (OPM)..104
 - ROSCOE 5.4
 - (OPM)..104
- Archive programs
 - ACF2 interface
 - (SPG)..112
- ARE
 - see Alter request entries
 - (SPG)..122
- Area
 - (IDMS)..7
 - access control
 - (IDMS)..7
 - safelist
 - (IDMS)..8
 - validation
 - (IDMS)..8
- Area Controls
 - sample rules
 - (IDMS)..36
- ASM2
 - (OPM)..17
 - general information
 - (PLAN)..42
- Asterisks
 - general information
 - (GIM)..19
- ATMS II
 - (OPM)..2
- ATTR2 field
 - Logonid record
 - (ADMIN)..59
- AUDIT
 - ACSALTCK
 - (SPG)..275
 - Logonid record field
 - (ADMIN)..23, 25, 51
 - (AUDIT)..21
- Audit trails
 - general information
 - (AUDIT)..44
 - sample survey
 - (AUDIT)..72
- Auditor's Guide
 - description
 - (ADMIN)..2
 - (PLAN)..44
- Auditors
 - documentation
 - (PLAN)..10
 - Implementation Team
 - (PLAN)..6
 - privileges
 - (AUDIT)..21
 - reports
 - (AUDIT)..44-49
 - sample survey
 - (AUDIT)..72
- Australian Systems Engineering Pty. Ltd.
 - (OPM)..41.1
 - LTXF/MVS..67.1
- AUT Record Examples
 - IDENTITY setting
 - (ADMIN)..229
- AUTH operand
 - @CFDE macro
 - (SPG)..20
- AUTH parameter
 - @MLID
 - (CICS)..38
 - ACFSUB
 - (SPG)..288
 - examples
 - (CICS)..41
- AUTHEXIT
 - GSO record
 - (ADMIN)..180
 - (GIM)..46
- AUTHFLD field
 - (IDMS)..21

AUTHSUP field
 Logonid record
 (ADMIN)..56
AUTHSUP1 field
 (ADMIN)..56
AUTODUMP field
 Logonid record
 (ADMIN)..51
AUTOERAS
 GSO record
 (ADMIN)..182
 (GIM)..46
Automated Backup & Recovery
 (OPM)..6
Automated Data Center
 (OPM)..11
Automated Space Management System
 (OPM)..17
Automated Tape Library System
 (OPM)..2
Automatic backup
 BACKUP option
 (ADMIN)..184
Avanguard Company
 NET/ALERT
 (OPM)..3
Backup
 ACF2
 (SPG)..16
 alternate clusters
 (UTIL)..133
 automatic facility
 (UTIL)..132
 BACKUP option
 (ADMIN)..184
 description
 (GIM)..46
 general information
 (GIM)..45
 (UTIL)..132
 GSO record
 (ADMIN)..184
 restore primary clusters
 (UTIL)..134
Backup Files
 dynamic allocation
 (SPG)..8
Backup Processing
 (ADMIN)..250
Base operand
 @MLID macro
 (SPG)..31
Batch environment
 ABORT mode delay
 (OPM)..139
 access validation
 (ADMIN)..20
 change password
 (ADMIN)..20
 GSO default batch Logonid
 (ADMIN)..196
 JES2 Express Batching Monitor
 jobs option
 (ADMIN)..200
 JOB attribute validation
 (ADMIN)..197
 job submission
 (SPG)..287
 job validation
 (GIM)..12
 network job entry validation
 options
 (ADMIN)..192
 password violation count
 (ADMIN)..204
Batch jobs
 multiple Logonid's
 (SPG)..287
Batch Terminal Simulator
 (OPM)..2
 obtaining userid
 (IMS)..34
Batch utilities
 ACFBATCH
 (UTIL)..150
 ACFBCOMP
 (UTIL)..155
 ACFBDCMP
 (UTIL)..157
 ACFBSYNC
 (UTIL)..161
 ACFERASE
 (UTIL)..168
 ACFNRULE
 (UTIL)..159-160
 ACFSUB
 (SPG)..287
 general information
 (GIM)..55
 JOBCOPY
 (UTIL)..166
BBN Computer Corporation
 INFOMAIL
 (OPM)..3

Binary fields	BUILDDS job
Logonid record	dataset allocation
(ADMIN)..65	(CICS)..45
BINFO operand	(SPG)..4
@DDSN macro	BYPASS field
(SPG)..27	GSO TSO record
Bit fields	(ADMIN)..213
Logonid record	TSO record
(ADMIN)..65	(SPG)..290
(CICS)..37	Bypass Label Processing (BLP)
BLDL interface	ACFFDR
description	(GIM)..47
(GIM)..41	ACSXP exit
TSO commands	(SPG)..167
(SPG)..294	authorization
BLID operand	(AUDIT)..42
@DDSN macro	GSO BLPPGM record
(SPG)..27	(ADMIN)..186
BLP field	GSO OPTS record
GSO OPTS record	(ADMIN)..195
(ADMIN)..195	TAPE-BLP field
BLP validation	(ADMIN)..55
(OPM)..142	
BLPPGM GSO record	CA-APEX
(ADMIN)..186	(OPM)..19
(AUDIT)..42	CA-OPTIMIZER III
bypass label processing	(OPM)..20
(GIM)..47	CA-SCHEDULER
Boole & Babbage, Inc.	(OPM)..21
CMF	CA-TLMS II
(OPM)..2	(OPM)..22
Control/CICS	Cache operand
(OPM)..2	@MUSASS macro
Control/IMS	(SPG)..34
(OPM)..2	description
RESOLVE	(SPG)..34
(OPM)..103	CACHE# operand
VAM/SPF	@MUSASS macro
(OPM)..122	(SPG)..34
BRULE operand	CAL-COMP
@DDSN macro	Automated Tape Library System
(SPG)..27	(OPM)..2
BS field	California Computer Products, Inc.
GSO TSO2741 record	Automated Tape Library System
(ADMIN)..220	(OPM)..2
BTS	California Software, Inc.
(OPM)..2	NETMAN
BUFFER parameter	(OPM)..71
ACFRPTCR	CALL command
(UTIL)..18	installation written
examples	(GIM)..8
(UTIL)..19	CALL parameter
	@RB macro
	(SPG)..300

- CALLACF2
 - (OPM)..187
- Cambridge System Group
 - ADC2
 - (OPM)..11
 - ASM2
 - (OPM)..17
- CANCEL field
 - Logonid record
 - (ADMIN)..50
 - (AUDIT)..28
- Cancel/suspend section
 - examples
 - (ADMIN)..23
 - Logonid record
 - (ADMIN)..21, 50
 - (AUDIT)..58
 - Logonid violations
 - (SPG)..192
- Cancellation
 - Logonid record
 - (ADMIN)..50
- Candle Corporation
 - OMEGAMON
 - (OPM)..3
- Capabilities
 - system users
 - (ADMIN)..21
- CAS
 - (OPM)..2
- Catalog management
 - control
 - (SPG)..112
- CENTRAL field
 - GSO OPTS record
 - (ADMIN)..195
 - (AUDIT)..25
- Centralized environment
 - administrative functions
 - (PLAN)..3
 - general information
 - (ADMIN)..99
 - (AUDIT)..24
- CFC type code
 - definition
 - (GIM)..24
- CFDENME operand
 - @CFDE macro
 - (SPG)..25
- CGA Computer Associates
 - GCD
 - (OPM)..2
- CGA/Allen
 - MSI
 - (OPM)..69
- CHANGE DL/1 call
 - (IMS)..2
- CHANGE field
 - GSO OPTS record
 - (ADMIN)..86, 195
- CHANGE subcommand
 - * operand
 - (IMS)..41
 - AUT records
 - (ADMIN)..233
 - description
 - (ADMIN)..75
 - (IMS)..41
 - entry records
 - (ADMIN)..140
 - Logonid record
 - (ADMIN)..75
 - response
 - (IMS)..41
 - scope records
 - (ADMIN)..154
 - setting
 - (ADMIN)..114
 - shift record
 - (ADMIN)..167
 - specifying attribute fields
 - (IMS)..41
 - zone record
 - (ADMIN)..171
- CHAR field
 - GSO TSO record
 - (ADMIN)..213
 - Logonid record
 - (ADMIN)..59
- Character dependencies
 - (GIM)..4
- Character field
 - Logonid record
 - (ADMIN)..65
- Check Processing Control System
 - (OPM)..2
- CICS
 - (OPM)..23, 144
 - interface
 - (AUDIT)..10
 - (CICS)..1
 - (PLAN)..38
 - Interface Control Blocks
 - (CICS)..166
 - Interface Management Modules
 - (CICS)..166

Interface Storage
 (CICS)..165

Interface Transaction Programs
 (CICS)..166

Logonid record
 (ADMIN)..51, 57
 (AUDIT)..28

Logonid record considerations
 (CICS)..37

sign-on
 (GIM)..5, 12

support manual
 (ADMIN)..3
 (PLAN)..44

transaction grouping
 (SPG)..355

CICS prerequisites
 ACF2/CICS
 (CICS)..1

CICS signon
 description
 (CICS)..8

CICS transaction
 description
 (ADMIN)..48

CICSCL field
 Logonid record
 (ADMIN)..57
 (CICS)..37

CICSID field
 Logonid record
 (ADMIN)..57
 (CICS)..37

CICSKEY field
 Logonid record
 (ADMIN)..57
 (CICS)..37

CICSKEY macro
 audit considerations
 (AUDIT)..11

CICSKEY parameter
 ACFAEUCR
 (CICS)..161
 directory load
 (CICS)..154
 system initialization
 (CICS)..62

CICSKEYX field
 Logonid record
 (ADMIN)..57
 (CICS)..37

CICSPRI field
 Logonid record
 (ADMIN)..57
 (CICS)..37

CICSRSL field
 Logonid record
 (ADMIN)..57
 (CICS)..37

Cincom Systems, Inc.
 ENVIRON/1
 (OPM)..42
 MANTIS
 (OPM)..3
 TOTAL
 (OPM)..116

CKC type code
 definition
 (GIM)..24

Claims Administration System
 (OPM)..2

CLASSES field
 GSO SAFSAFE record
 (ADMIN)..211

Cleanup processing
 online networks
 (SPG)..133

CLIST considerations
 access rule
 (ADMIN)..110
 execute-only precautions
 (ADMIN)..110
 identical names
 (SPG)..290

CLPA
 (IDMS)..46, 51

Clusters
 alternate
 (UTIL)..133
 primary, integrity
 (SPG)..194
 restoring primary
 (UTIL)..134

CMD parameter
 @RB macro
 (SPG)..301

CMD-LONG field
 command limiting
 (GIM)..40
 Logonid record
 (ADMIN)..59

CMDLIST
 GSO TSO record
 (ADMIN)..213
 TSO record
 (SPG)..290

CMDREC field
 GSO OPTS record
 (ADMIN)..195
 (SPG)..295
CMF
 (OPM)..2
CMQMAX field
 (IDMS)..21
CMQVTA field
 (IDMS)..21
CNTLPTS field
 GSO SAFSAFE record
 (ADMIN)..211
Code test message format
 exit description
 (SPG)..221, 231, 246
 JES3
 (SPG)..251
Codercard
 (OPM)..23.1
COM-LETE
 (OPM)..24
Combined SMF Records
 (AUDIT)..46
Command Limiting
 ACLIMIT
 (SPG)..150
 see TSO
 (ADMIN)..213
COMMAND operand
 @SMF macro
 (SPG)..38
Command Summary
 description
 (ADMIN)..3
Command validation
 PANEXEC
 (OPM)..75
 PANVALET
 (OPM)..84
Comment cards
 access rule
 (ADMIN)..87
 resource rule
 (ADMIN)..123
Common control area
 building options
 (CICS)..57
Common Storage Area
 definition
 (PLAN)..34
Communication Name Table (CNT)
 (IMS)..10
Communications area
 rule interpreter
 (SPG)..266
Communications Vector Table
 ACCCHK field
 (SPG)..264
 ACFGACVT macro
 (SPG)..70
 ACFINCVT macro
 (SPG)..73
 address
 (SPG)..70, 73
 FIND/HAVE operands
 (SPG)..78
COMPAKTOR
 (OPM)..25
Compatibility
 JES/NJE considerations
 (SPG)..336
 Logonid record size
 (SPG)..335
 password encryption
 (SPG)..335
 Release 3.1.x
 (SPG)..335
 Version 3.1.x
 (SPG)..337
 Version 3.1.4
 (SPG)..336
COMPILE subcommand
 access rule
 (ADMIN)..99
 batching
 (UTIL)..156
 resource rule
 (ADMIN)..126
 setting
 (ADMIN)..115
Compiler User Data Validation
 ACF70CXT
 (SPG)..273
Compiler, rule
 ACFCMPLR subroutine
 (SPG)..259
 general information
 (ADMIN)..109
Components of ACF2
 databases
 (GIM)..8
 general information
 (ADMIN)..6
 (GIM)..5
 (PLAN)..30

- Logonid record
 - (GIM)..10
- password
 - (GIM)..11
- user identification string
 - (GIM)..11
- Composite Index
 - description
 - (ADMIN)..3
 - (PLAN)..45
- Comprehensive Management Facility
 - (OPM)..2
- Computer Associates Int'l., Inc.
 - CA-APEX
 - (OPM)..19
 - CA-OPTIMIZER III
 - (OPM)..20
 - CA-SCHEDULER
 - (OPM)..21
 - CA-TLMS II
 - (OPM)..22
- Computer Corp. of America
 - Model 204
 - (OPM)..68
- Compuware Corp.
 - ABEND-AID
 - (OPM)..5
- Considerations
 - multi-CPU Environment
 - (SPG)..340
- Console commands
 - see Operator commands
 - (ADMIN)..243
- CONSOLE field
 - GSO OPTS record
 - (ADMIN)..195
- CONSULT field
 - Logonid record
 - (ADMIN)..26, 51
 - (AUDIT)..22
- CONTRACT operand
 - ACECLID macro
 - (SPG)..61
 - ACECUCB macro
 - (SPG)..63
- Control
 - CICS
 - (OPM)..2
 - IMS
 - (OPM)..2
- Control blocks
 - ACUCB requirements
 - (SPG)..194
- building
 - (IMS)..3
- expand
 - (SPG)..59
- initialization
 - (IMS)..3
- JES2 modification
 - (SPG)..225, 235
- JES3 ACF2 usage
 - (SPG)..238
- mini-ACMCB
 - (SPG)..63
- Control cards
 - access rule
 - (ADMIN)..82-83
 - (AUDIT)..32
 - batch logon
 - (ADMIN)..20
 - expand ACF2 control blocks
 - (SPG)..59
 - resource rule
 - (ADMIN)..119
 - (AUDIT)..40
 - (GIM)..25
 - scan exit
 - (SPG)..242
- Control Region
 - Logonid record
 - (IMS)..12
 - specifying MODE
 - (IMS)..8
- Control Setting
 - see Global System Options
 - (ADMIN)..174
 - TSO Fullscreen Logon Retention
 - records..223
- Conversion to ACF2
 - general information
 - (AUDIT)..50
 - methods
 - (PLAN)..25
- CP
 - ACFM function
 - (CICS)..110
- CPCS
 - (OPM)..2
- CPMS
 - (OPM)..26
- CPUID
 - ACFRPTNV
 - (UTIL)..67
 - GSO BACKUP record
 - (ADMIN)..184

-
- CPUTIME field
 - GSO OPTS record (ADMIN)..196
 - CR field
 - GSO TSOTWX record (ADMIN)..218
 - Create Field Definition Entry (IDMS)..49
 - Cross-reference Report
 - description (CICS)..36 (IDMS)..39 (IMS)..6, 27
 - see ACFRPTXR (UTIL)..115
 - CSA (Common Storage Area) (PLAN)..34
 - CSDATE field
 - Logonid record (ADMIN)..50
 - CSGM signon (CICS)..9
 - CSITA013 (OPM)..187
 - CSSN signon (CICS)..9
 - examples (CICS)..8
 - CSWHO field
 - Logonid record (ADMIN)..50
 - Cullinet Database Systems, Inc.
 - IDMS (OPM)..55
 - Cullinet Software, Inc.
 - INTERACT (OPM)..59
 - Customer Education Catalog
 - description (ADMIN)..3 (PLAN)..46
 - Customer Information Control System (OPM)..23
 - CVT
 - see Communications Vector Table (SPG)..73
 - CVT operand
 - ACF\$TCB macro (SPG)..65
 - ACFSVC macro (SPG)..78
 - CVTCOM operand
 - @MUSASS macro (SPG)..33
 - CVTNAME operand
 - @MUSASS macro (SPG)..33
 - D & B Computing Services
 - NOMAD (OPM)..3
 - DASD Management System (OPM)..36
 - Data access
 - control (AUDIT)..30 (GIM)..5, 19
 - Data access rule request form (OPM)..208
 - Data Center Scheduling System (DCS) (OPM)..2
 - APOLLO subsystem interface (OPM)..16
 - Data disposal
 - TSO command (UTIL)..171
 - Utility program (UTIL)..168
 - Data Facility
 - Dataset Services (OPM)..32
 - Device Support (OPM)..31
 - Extended Function (OPM)..33
 - product (OPM)..49
 - DATA parameter
 - access rule (ADMIN)..89
 - resource rule (ADMIN)..123
 - Data Recovery System (OPM)..40
 - Database management
 - ADABAS interface (OPM)..10
 - IDMS interface (OPM)..55
 - Databases
 - access (GIM)..8
 - general information (PLAN)..35

information storage (GIM)..7-8	tape protection (AUDIT)..8
Logonid (GIM)..8	(GIM)..3
(SPG)..121	USER CALL interface (SPG)..113
recovery (UTIL)..131	valid names (GIM)..3
rules (GIM)..8	violation exit routine (AUDIT)..15
(SPG)..159	(GIM)..6
size (GIM)..8	(SPG)..101
specifications (GIM)..50	Dataset control decentralization (OPM)..202
DATAACOM (OPM)..28	Dataset creation volume control (OPM)..184
DATAMANAGER (OPM)..29	Dataset ownership (OPM)..202
Dataset	Dataspaces (VSAM) access rule (ADMIN)..112
access control (AUDIT)..30	Date
allocation (GIM)..5	ACFCKSFT macro (SPG)..67
cross-reference report (UTIL)..115	GSO OPTS record (ADMIN)..196
DASD protection (AUDIT)..8	last Logonid update (ADMIN)..22
(GIM)..2	last password change (ADMIN)..22
event log (UTIL)..25	last system access (ADMIN)..22
execution control (GIM)..21	Logonid suspension (ADMIN)..21
(SPG)..112	DAYS parameter SHIFT record (GIM)..34
exit parameter list (SPG)..161	DBLSPC parameter ACFRPTNV (UTIL)..68
index report (UTIL)..52	DCMT (IDMS)..13
name protection (GIM)..2	DICON parameter system initialization (CICS)..65
naming conventions (PLAN)..14	DCS (OPM)..2
post-validation exit (AUDIT)..15	see Data Center Scheduling System (OPM)..16
(GIM)..58	DCT see Device Control Table (SPG)..225, 235
(SPG)..100	
pre-validation exit (AUDIT)..15	
(GIM)..6	
(SPG)..98	
prefix (PLAN)..39	
SVC exits (SPG)..96	

Decentralized control of data (OPM)..202	DELETE parameter ACFNRULE (UTIL)..159
Decentralized environment administrative functions (PPLAN)..3	DELETE subcommand access rule (ADMIN)..108, 115
general information (ADMIN)..99 (AUDIT)..24	AUT records (ADMIN)..235
DECOMP field GSO OPTS record (ADMIN)..196 (AUDIT)..25	entry records (ADMIN)..144
OPTS record (AUDIT)..23	general information (ADMIN)..78, 108, 132
DECOMP subcommand access rule (ADMIN)..107	Logonid record (ADMIN)..78, 115
resource rule (ADMIN)..131	resource rule (ADMIN)..132
setting (ADMIN)..115	scope lists (ADMIN)..159
Decompiler ACFDCMPL subroutine (SPG)..260	setting (ADMIN)..114
Default Field Definition Record (SPG)..43	shift/zone records (ADMIN)..173
Logonid implementation aids (AUDIT)..19	Design philosophy of ACF2 (AUDIT)..1 (GIM)..1
Logonid system option (ADMIN)..196	DETAIL parameter ACFRPTEL (UTIL)..45
STC Logonid (ADMIN)..197	ACFRPTIX (UTIL)..53
Default CICS Logonids LIDREC considerations (CICS)..43	ACFRPTLL (UTIL)..62
DEFAULT parameter system initialization (CICS)..66	Device Control Table modifications (SPG)..225, 235
DEFINE VSAM command (OPM)..141	DF/DS (OPM)..31
DEFLIB statement ACFSUB (SPG)..288	DF/DSS (OPM)..32
DELETE VSAM command (OPM)..141	ACF2 interface (OPM)..160
DELETE keyword SERVICE parameter (ADMIN)..122 (CICS)..13	DF/EF (OPM)..33
	DFHDCT ISO (CICS)..16
	DFHDLPSB ISO (CICS)..16
	DFHFCT ISO (CICS)..16

<p>DFHPCT ISO (CICS)..16</p> <p>DFHPPT ISO (CICS)..16</p> <p>DFTLID field (IDMS)..21</p> <p>DFP (OPM)..49</p> <p>DFP/370 (OPM)..33</p> <p>DFSCSGNO see Sign-on exit (IMS)..43</p> <p>DFSCTRNO see Transaction Authorization exit (IMS)..43</p> <p>DFSISISO see Resource Access Security exit (IMS)..43</p> <p>DFT operand @CFDE macro (SPG)..24</p> <p>DFT-DEST field Logonid record (ADMIN)..59</p> <p>DFT-PFX field Logonid record (ADMIN)..59</p> <p>DFT-SOUT field Logonid record (ADMIN)..60</p> <p>DFT-SUBC field Logonid record (ADMIN)..60</p> <p>DFT-SUBH field Logonid record (ADMIN)..60</p> <p>DFT-SUBM field Logonid record (ADMIN)..60</p> <p>DFTAD operand @CFDE macro (SPG)..24</p> <p>DFTLID field GSO OPTS record (ADMIN)..196</p> <p>DFTSTC field GSO OPTS record (ADMIN)..197</p>	<p>Directories</p> <p> ACGRSRC (SPG)..146</p> <p> global (CICS)..41 (GIM)..7 (IMS)..17</p> <p> local (CICS)..41 (GIM)..7 (IMS)..17</p> <p> local reloading (IMS)..17</p> <p> MUSASS considerations (SPG)..191</p> <p> RELOAD transaction (IMS)..8</p> <p> RESDIR effect (IMS)..4</p> <p> resident (ADMIN)..206 (IMS)..4</p> <p> resource rule (GIM)..25</p> <p> storage requirements (IMS)..19</p> <p>Directory load user request (CICS)..154</p> <p>Disconnect request customization (CICS)..151</p> <p>DISOSS/370 (OPM)..34</p> <p>Display Logonids (OPM)..136, 158</p> <p>Display Management System (OPM)..35</p> <p>Distributing Printing System (OPM)..39</p> <p>Distribution tape processing (PPLAN)..36</p> <p>Ditto function (ADMIN)..101</p> <p>DL/I sample rules (CICS)..25</p> <p>DMS (OPM)..35</p> <p>DMS/OS (OPM)..36</p> <p> ACF2 Selectable Unit (OPM)..36</p>
---	--

Documentation
 distribution
 (PLAN)..10
 processing subroutine
 (SPG)..281
 reconstruction routine
 (SPG)..282
 supplied
 (PLAN)..43
 supplied with ACF2
 (ADMIN)..2
 (AUDIT)..2
 DPS
 (OPM)..39
 DRS
 (OPM)..40
 DRWDASDR utility (IBM)
 security considerations
 (AUDIT)..7
 DR1S092A
 (OPM)..40
 DSECT expansion
 @SETUP macro
 (SPG)..36
 DSECT parameter
 ACFINTC macro
 (SPG)..266
 DSECTs
 ACFFDR initialization
 (GIM)..51
 general information
 (SPG)..58
 DSET parameter
 ACFRPTRX
 (UTIL)..98
 ACFRPTXR
 (UTIL)..121
 DSN operand
 @SMF macro
 (SPG)..38
 DSN parameter
 ACFDEL
 (UTIL)..171
 ACFRPTXR
 (UTIL)..121
 DSNGEN
 (OPM)..142
 description
 (GIM)..58
 (SPG)..97
 general information
 (AUDIT)..16
 (GIM)..3
 GSO EXITS record
 (ADMIN)..187
 sample
 (SPG)..305, 307
 DSNPOST
 (OPM)..171
 description
 (GIM)..58
 (SPG)..100
 GSO EXITS record
 (ADMIN)..187
 DSNSCOPE field
 Logonid record
 (ADMIN)..52
 (AUDIT)..24
 Dump/restore program
 pre-processing
 (SPG)..114
 USER CALL
 (SPG)..113
 DUMPAUTH field
 ABEND-AID interface
 (OPM)..5
 Logonid record
 (ADMIN)..52
 (GIM)..8
 Dumps
 ACF2 control
 (GIM)..8
 Duquesne Systems, Inc.
 SDSI PLUS
 (OPM)..111
 DUSER
 (OPM)..137, 159
 DUSER1
 (OPM)..136, 158
 DYL-260
 (OPM)..2
 DYLA KOR
 DYL-260
 (OPM)..2
 Dynamic Dataset allocations
 @DDSN macro
 (SPG)..27
 Dynamic Storage Area (DSA)
 ACF2/CICS
 (CICS)..165
 EASYPROCLIB
 (OPM)..41
 EASYREADER
 (OPM)..41

- EASYTRIEVE
 - (OPM)..2
- ECXA/MVS
 - (OPM)..41.1
- EJS1102
 - JES3 module
 - (OPM)..148
- Electronic Data Systems
 - SUPERWYLBUR
 - (OPM)..128
- EN
 - ACFM function
 - (CICS)..111
- ENCRYPT field
 - GSO PSWD record
 - (ADMIN)..203
- END parameter
 - @TB macro
 - (SPG)..301
- END subcommand
 - (ADMIN)..33
 - description
 - (IMS)..37
 - setting
 - (ADMIN)..115
- Enigma Logic, Inc.
 - SafeWord
 - (OPM)..110
- ENQUEUE parameter
 - LOGON
 - (CICS)..72
- Entry lists
 - ACFCARE
 - (SPG)..255
 - commands
 - (GIM)..30
- Entry Records
 - commands
 - (ADMIN)..134
 - creation
 - (ADMIN)..136
 - definition
 - (GIM)..29
 - examples
 - (ADMIN)..134
 - types
 - (ADMIN)..134
- Entry validation
 - parameter block description
 - (SPG)..226, 236
 - processing online networks
 - (SPG)..133
- ENVIRON/1
 - (OPM)..42
- Environment
 - checking concept
 - (GIM)..1
- Environment Report
 - (AUDIT)..47
- ERASE parameter
 - ACFDEL
 - (UTIL)..171
 - ACFERASE
 - (UTIL)..169
- ERROR parameter
 - ACECLID macro
 - (SPG)..61
 - ACECUCB macro
 - (SPG)..63
 - ACFSCP macro
 - (SPG)..74
- ES
 - ACFM function
 - (CICS)..111
- ESP
 - (OPM)..43
- EV
 - ACFM function
 - (CICS)..111
- EXCP
 - see Execute Channel Program
 - (GIM)..3
- EXEC card options
 - restrictions
 - (OPM)..150
- Execute Channel Program
 - general information
 - (GIM)..3
- Execution Checker and Indexed
 - Archivist/MVS
 - (OPM)..41.1
- Execution flow control
 - dataset access
 - (GIM)..21
 - resource access
 - (GIM)..26
 - system tasks
 - (GIM)..28
- Execution of other ACF2 utilities
 - (UTIL)..11
 - TSO CALL command
 - (UTIL)..13
- Execution of report generators
 - ACF2 inactive
 - (UTIL)..16

JCL	dataset/program post-validation
(UTIL)..2	(OPM)..171
Execution Scheduling Processor	entry points
(OPM)..43	(UTIL)..129
Exit control area	EXIT #14
ACFAEECA	(OPM)..179
(CICS)..163	exit points
EXIT parameter	(CICS)..159
activating	EXIT 0
(CICS)..159	(IDMS)..16
system initialization	EXIT 14
(CICS)..67	(IDMS)..16
EXIT UCC7	EXIT 2
external dataset security	(IDMS)..16
(OPM)..186	EXIT 2767
JCL submission	(IDMS)..16
(OPM)..186	EXIT 3
Logonid/password verification	(IDMS)..16
(OPM)..186	EXIT 4
EXITINIT parameter	(IDMS)..16
explanation	initialization
(CICS)..159-160	(CICS)..160
system initialization	input validation
(CICS)..67	(OPM)..184
EXITLIDR parameter	IOF job access
explanation	(OPM)..178
(CICS)..159	JES2 Internal Text
system initialization	(OPM)..170
(CICS)..67	JES3 job pre-validation
EXITMSG parameter	(OPM)..147
explanation	JES3 post-validation
(CICS)..159	(OPM)..183
system initialization	JES3 pre-validation
(CICS)..67	(OPM)..183
EXITPOSV parameter	message
explanation	(CICS)..160
(CICS)..159	module relationships, JES3
system initialization	(SPG)..238
(CICS)..67	new password
EXITPREV parameter	(OPM)..143, 175
explanation	PANVALET online submit exit
(CICS)..159	(OPM)..144
system initialization	post-validation
(CICS)..68	(CICS)..162
EXITPRUD parameter	pseudo dataset name generator
explanation	(OPM)..142
(CICS)..159	received LID
system initialization	(CICS)..162
(CICS)..68	shutdown
Exits	(CICS)..162
access rule pre-processing	signon/signoff
(SPG)..102	(CICS)..160
dataset pre-validation	specifications
(OPM)..161, 169, 171, 181	(IMS)..14

standard	Exits, installation
(UTIL)..95, 115	(AUDIT)..15
system task validation	access rule post-processing
(OPM)..136, 158	(AUDIT)..15
TLMSXUPD	(GIM)..59
(OPM)..166	(SPG)..103
TOTAL interface	access rule pre-processing
(OPM)..187	(AUDIT)..15
TSO dynamic allocation control	(GIM)..58
(OPM)..184	ACF60SNU
unsupported device messages	(SPG)..108
(CICS)..160	ACGXITP parameter list
unsupported device password	(SPG)..148
(CICS)..161	ACSXP parameter list
violation	(SPG)..161
(OPM)..141, 161	audit considerations
EXITS record	(AUDIT)..13
(GIM)..47	dataset post-validation
DSNGEN exit	(AUDIT)..15
(SPG)..97	(GIM)..58
DSNPOST exit	(SPG)..96
(SPG)..100	dataset pre-validation
EXPPXIT exit	(AUDIT)..15
(SPG)..95	(GIM)..58
GSO	(SPG)..98
(ADMIN)..187	dataset violation
INFOPRE exit	(AUDIT)..15
(SPG)..106	(GIM)..58
INFOPST exit	DSNGEN
(SPG)..107	(SPG)..97
LGNIXIT exit	DSNPOST
(SPG)..88	(SPG)..96
LGNPXIT exit	expired password
(SPG)..90	(AUDIT)..15
MAXTRY field	(GIM)..14
(SPG)..85	(SPG)..95
NEWPXIT exit	EXPPXIT
(SPG)..93	(SPG)..95
RSCXIT2 exit	general information
(SPG)..105	(AUDIT)..13
RULEPRE exit	(GIM)..6, 57
(SPG)..102	(SPG)..96
RULEPST exit	GSO EXITS record
(SPG)..103	(ADMIN)..187
SRCXIT exit	IKJEFLD
(SPG)..109	(SPG)..91
STCXIT exit	INFOPRE
(SPG)..110	(SPG)..106
SVCIXIT exit	INFOPST
(SPG)..111	(SPG)..107
VLDEXIT exit	Infostorage post-processing
(SPG)..99	(AUDIT)..15
	(GIM)..59
	(SPG)..107

Infostorage pre-processing	(GIM)..57
(AUDIT)..15	(SPG)..82
(GIM)..59	SVC initialization
(SPG)..106	(GIM)..60
JESx USER01	(SPG)..111
(AUDIT)..15	SVC pre-processing
LGNIEXIT	(AUDIT)..16
(SPG)..88	SVCIXIT
LGNPXIT	(SPG)..111
(SPG)..90	system task validation
LWA processing	(AUDIT)..16
(GIM)..57	(GIM)..60
new password	(SPG)..110
(AUDIT)..16	terminal identification
(GIM)..14	(GIM)..57
(SPG)..93	TSO logon operand values
NEWPXIT	(GIM)..57
(SPG)..93	TSO post-validation
post-validation	(AUDIT)..16
(SPG)..90	(GIM)..57
pre-validation	TSO pre-prompt
(SPG)..88	(SPG)..85
pseudo DSN	TSO pre-validation
(AUDIT)..16	(AUDIT)..16
(GIM)..58	(GIM)..57
(SPG)..97	USREFLD
resource post-validation	(SPG)..91
(AUDIT)..16	VIOEXIT
(GIM)..59	(SPG)..101
(SPG)..105	violations
resource pre-validation	(SPG)..101
(AUDIT)..16	VLDEXIT
(GIM)..59	(SPG)..98
(SPG)..104	EXITSHUT parameter
RSCXIT1	explanation
(SPG)..104	(CICS)..159
RSCXIT2	system initialization
(SPG)..105	(CICS)..68
RULEPRE	EXITSNOF parameter
(SPG)..102	explanation
RULEPST	(CICS)..159
(SPG)..103	system initialization
SEND command interface	(CICS)..68
(GIM)..59	EXITSNON parameter
source name modification	explanation
(AUDIT)..16	(CICS)..159
(GIM)..60	system initialization
(SPG)..109	(CICS)..68
SRCXIT	EXITUDEV parameter
(SPG)..109	explanation
STCXIT	(CICS)..159
(SPG)..110	system initialization
summary	(CICS)..68

-
- EXPAND operand
 - ACECLID macro
 - (SPG)..61
 - ACECUCB macro
 - (SPG)..63
 - EXPDT parameter (UCC-1)
 - security considerations
 - (OPM)..118
 - Expiration
 - password
 - (ADMIN)..50
 - (AUDIT)..15
 - (SPG)..95
 - EXPIRE field
 - Logonid record
 - (ADMIN)..52
 - Expired Password Exit
 - see EXPPXIT
 - (SPG)..95
 - EXPPXIT exit
 - description
 - (GIM)..58
 - (SPG)..95
 - EXPPXIT field
 - GSO EXITS record
 - (ADMIN)..187
 - EXTEND parameter
 - ACFRPTDS
 - (UTIL)..29
 - Extended User Authentication
 - (ADMIN)..56
 - (SPG)..366
 - APPLDEF record
 - (ADMIN)..177
 - AUTHEXIT record
 - (ADMIN)..180
 - Identity Setting
 - (ADMIN)..229
 - Extended User Authentication Support
 - (GIM)..32
 - Extending logical system linklist
 - (ADMIN)..189
 - EXTERNAL CALL
 - APF authorized
 - (SPG)..117
 - general information
 - (SPG)..112, 116
 - messages
 - (SPG)..116
 - MUSASS
 - (SPG)..164
 - External environment
 - control considerations
 - (AUDIT)..18
 - External storage
 - (PLAN)..34
 - External subroutines
 - \$ACFGACVT
 - (SPG)..70
 - ACFFSFT
 - (SPG)..68-69
 - ACFOOGB
 - (SPG)..72
 - E1
 - (OPM)..42
 - Fast Dump Restore
 - (OPM)..45-46
 - Fast Path Regions
 - (IMS)..4
 - Fast pathing support
 - (SPG)..33
 - Fast Virtual Export/Restore
 - (OPM)..44
 - FASTPTH field
 - (IDMS)..21
 - FASTPTH operand
 - @MUSASS macro
 - (SPG)..33
 - FAVER
 - (OPM)..44
 - FDR
 - (IDMS)..49
 - (OPM)..45-46
 - see Field Definition Record
 - (GIM)..49
 - FDRYOPEN
 - (OPM)..45
 - FDRYPASS
 - (OPM)..45
 - FDR46ASM
 - (OPM)..45
 - FDR46OPT
 - (OPM)..45
 - Field Definition Record
 - CSECT creation
 - (SPG)..28
 - default provided with product
 - (SPG)..43
 - definition
 - (SPG)..18
 - description
 - (PLAN)..44
 - generation
 - (GIM)..50

macros
 (SPG)..18
 standard settings
 (AUDIT)..4
 system options
 (GIM)..49
 Field level security
 application programs
 (OPM)..135
 field operand
 @UID macro
 (SPG)..41
 File controls
 ADD access
 (CICS)..12
 DELETE access
 (CICS)..13
 READ access
 (CICS)..12
 SERVICE keyword
 (CICS)..12
 UPDATE access
 (CICS)..12
 FIND operand
 ACFSVC macro
 (SPG)..78
 FLAGS parameter
 @CFDE macro
 (AUDIT)..23
 (SPG)..21, 125, 255
 @TSB macro
 (SPG)..299
 Flags, control
 ACALT
 (SPG)..121
 ACDSV
 (SPG)..128
 ACGRSRC
 (SPG)..141
 ACRULE
 (SPG)..159
 ACSXP
 (SPG)..163, 167
 ACTRM
 (SPG)..178
 ACVALD
 (SPG)..181
 FLASHes
 general information
 (PLAN)..46
 FOCUS
 (OPM)..47

 FOR parameter
 access rule
 (ADMIN)..89
 resource rule
 (ADMIN)..122
 FORCE operand
 TSO jobs
 (SPG)..285
 Form
 access control
 (OPM)..202
 access request
 (OPM)..196
 data access rule request
 (OPM)..208
 FRONTDSF
 (OPM)..45
 FRONTFDR
 (OPM)..45
 FSRETAIN field
 GSO TSO record
 (ADMIN)..214
 Fullscreen logon
 (ADMIN)..12, 62
 see TSO fullscreen logon
 (ADMIN)..247
 Function Level Protection
 examples
 (CICS)..141
 program requirements
 (CICS)..141

 GCD
 (OPM)..2
 GDDM
 (OPM)..48
 GDG
 see Generation Data Groups
 (ADMIN)..110
 General Information Manual
 description
 (ADMIN)..2
 (PLAN)..43
 Generalized resource
 access validation
 (SPG)..104-105, 146
 ACGRSRC interface
 (SPG)..141
 control
 (AUDIT)..40
 (GIM)..7, 24
 facilities to protect
 (GIM)..4

local exits
 (AUDIT)..16
 logging report
 (IMS)..5
 MUSASS validation
 (SPG)..190
 names
 (ADMIN)..119
 (GIM)..25
 post-validation exit
 (GIM)..7
 pre-validation exit
 (GIM)..7
 shift record validation
 (SPG)..67
 time-zone adjustment
 (SPG)..69
 types
 (AUDIT)..9
 (GIM)..7, 24
 Generalized Resource Event Log
 see ACFRPTRV
 (UTIL)..87
 Generalized resource rules
 TYPE TVL
 (OPM)..184
 volume validation
 (OPM)..184
 Generation Data Groups (GDG)
 access rule
 (ADMIN)..110
 GET operand
 ACF\$TCB macro
 (SPG)..65
 GFP019A CLIST
 Logonid maintenance
 (OPM)..180
 Global Console Director
 (OPM)..2
 Global directories
 CICS considerations
 (CICS)..41
 rebuilding
 (IMS)..17
 RESDIR GSO record
 (IMS)..17
 Global Resource Sharing
 (OPM)..49
 Global System Option (GSO)
 APPLDEF
 (GIM)..46
 AUTHEXIT
 (GIM)..46
 AUTOERAS
 (GIM)..46
 BACKUP
 (GIM)..46
 BLPPGM
 (GIM)..47
 converting ACFDR macros
 (SPG)..56
 defining trivial fields
 (IMS)..38
 EXITS
 (GIM)..47
 general information
 (GIM)..35
 LINKLST
 (GIM)..47
 LOGPGM
 (GIM)..47
 MAINT
 (GIM)..47
 NJE
 (GIM)..47
 options defined
 (GIM)..46
 OPTS
 (GIM)..47
 OPTS STC field
 (IMS)..19
 PPGM
 (GIM)..48
 PSWD
 (GIM)..48
 record commands
 (ADMIN)..236
 record definitions
 (ADMIN)..174
 record examples
 (ADMIN)..174
 record fields
 (ADMIN)..177
 records names
 (ADMIN)..175
 RESDIR
 (GIM)..48
 RESDIR record
 (IMS)..4
 RESRULE
 (GIM)..48
 RESVOLS
 (GIM)..48
 SAFMAPS
 (GIM)..48
 SAFSAFE
 (GIM)..48

SECVOLS	HASP/JES2 Spool Transfer Program
(GIM)..49	(OPM)..51
selection	HAVE operand
(PLAN)..15	ACFSVC macro
set control boundaries	(SPG)..78
(AUDIT)..5	HEADER parameter
TSO	ACFRPTNV
(GIM)..49	(UTIL)..68
TSOCRT	HELP subcommand
(GIM)..49	(ADMIN)..33
TSOKEYS	definition
(GIM)..49	(PLAN)..32
TSOTWX	setting
(GIM)..49	(ADMIN)..115
TSO2741	Hexadecimal fields
(GIM)..49	Logonid record
WARN	(ADMIN)..66
(GIM)..49	Hexadecimal notation
GMTEXT parameter	resource rule
system initialization	(CICS)..34
(CICS)..69	Hierarchical Storage Management
Goal Systems International, Inc.	(OPM)..53
FAVER	HJSTEDIT
(OPM)..44	(OPM)..51
PDSMAN	HJSTP
(OPM)..95	(OPM)..51
Good Morning Message	HM
(IDMS)..4	ACFM function
Gordian Systems, Inc.	(CICS)..112
Access Key	Hogan Systems
(OPM)..7.1	Online Delivery System
Group definition entry	(OPM)..52
(GIM)..50	HSM
GROUP operand	(OPM)..53
@CFDE macro	HSM2
(SPG)..23	ACF2 interface
GRS	(OPM)..153, 155
(OPM)..49	command validation
GSO	(OPM)..155
see Global System Options (GSO)	HT
(ADMIN)..174	ACFM function
GSOAID	(CICS)..113
conversion aid	IAG type code
(ADMIN)..230	definition
converting to new release	(GIM)..24
(GIM)..29	IATISDV
H & W Computer Systems	(SPG)..241
CPMS	IATISEN
(OPM)..26	(SPG)..240
SYSD	IATISIR
(OPM)..113	(SPG)..241

IATISJB	DF/DSS
(SPG)..239	(OPM)..32
IATISLG	DF/EF
(SPG)..239, 241	(OPM)..33
IATISNJ	DFP/370
(SPG)..239	(OPM)..33
IATMSMS	DISOSS/370
(SPG)..241	(OPM)..34
IATOISR	DMS
(SPG)..240	(OPM)..35
IATOSDR	GDDM
(SPG)..240	(OPM)..48
IATOSNT	GRS
(SPG)..241	(OPM)..49
IATSIJS	HJSTP
(SPG)..241	(OPM)..51
IATSIUO	HSM
(SPG)..240	(OPM)..53
IATUX28	ICF
(SPG)..239, 249	(OPM)..33
IATUX29	IIAS
(SPG)..240, 250	(OPM)..2
IATUX33	IIPS
(SPG)..239	(OPM)..2
IATYISD	IIS
(SPG)..238	(OPM)..2
IATYJDAB	IMS/VS
(SPG)..238	(OPM)..56
IATYJDS	NCCF
(SPG)..238	(OPM)..70
IATYJSQ	NTO
(SPG)..238	(OPM)..72
IATYWSP	PCF
(SPG)..238, 241	(OPM)..93-94
IBM	RACF
PCF	(OPM)..101.2
(ADMIN)..59	RMDS
IBM Corporation	(OPM)..104
ACF/TCAM	SESSION MANAGER
(OPM)..9	(OPM)..3
ADF	SLR
(OPM)..12	(OPM)..3
ADRS	SPMII
(OPM)..2	(OPM)..3
ATMS II	TLCS
(OPM)..2	(OPM)..3
BTS	VSAPL
(OPM)..2	(OPM)..124
CICS	VSPC
(OPM)..23	(OPM)..125
CPCS	VSTSIO
(OPM)..2	(OPM)..126
DF/DS	
(OPM)..31	

IBMmvs/DECnet GATEWAY
 (OPM)..54
 id operand
 @MLID macro
 (SPG)..31
 @MUSASS macro
 (SPG)..33
 ID parameter
 ##ACFX29 macro
 (SPG)..250
 ACFRPTTEL
 (UTIL)..45
 ACFRPTRV
 (UTIL)..88
 IDCAMS utility
 ACFERASE
 (UTIL)..168
 IDD
 (IDMS)..13, 46
 Identification section
 examples
 (ADMIN)..23
 Logonid record
 (ADMIN)..21, 49
 (AUDIT)..58
 Identity Setting
 Structured Application records
 (ADMIN)..229
 IDLE field
 description
 (IMS)..11
 GSO TSOTWX record
 (ADMIN)..218
 Logonid record
 (ADMIN)..57
 (AUDIT)..28
 (CICS)..38
 (IMS)..3, 11
 maximum between transactions
 (ADMIN)..22
 IDLE TIME
 reset IMS
 (OPM)..168
 IDMS
 (OPM)..55
 ACF2 interface
 (IDMS)..1-2
 (OPM)..179
 address space control
 (IDMS)..21
 area access rules
 (IDMS)..36
 area validation
 (IDMS)..7
 interface
 (AUDIT)..12
 (PLAN)..38
 Logonid record field
 (ADMIN)..52
 program safelist
 (IDMS)..6
 sign-on validation
 (GIM)..12
 special Logonids
 (IDMS)..11
 subschema validation
 (IDMS)..7
 IDMS interface
 installation Release 4.0 and
 above
 (IDMS)..40
 IDMS Support Manual
 description
 (ADMIN)..3
 (PLAN)..44
 IDMS support modules
 ACFA2VLD
 (IDMS)..19
 IDMSDBA
 (IDMS)..49
 IDMSPROF field
 Logonid record
 (ADMIN)..57
 (IDMS)..9
 IDMSPRVS field
 Logonid record
 (ADMIN)..57
 (IDMS)..9
 IEFDB401
 (OPM)..184
 IEHDASDR utility (IBM)
 security considerations
 (AUDIT)..7
 IF operand
 LIST subcommand
 (IMS)..9
 IF parameter
 ACFRPTSL
 (UTIL)..109
 IFG092A
 (OPM)..40
 IGX00024
 (OPM)..155
 HSM SVC 109
 (OPM)..53
 IIAS
 (OPM)..2

ACF2 interface
 (OPM)..185

IIPS
 (OPM)..2

ACF2 interface
 (OPM)..185

IIS
 (OPM)..2

IKJEFLA load module
 (SPG)..85

IKJEFLD exit
 description
 (SPG)..91

 TSO logon pre-prompt exit
 (SPG)..85

IKTWTM1
 NTO sample exit
 (OPM)..72

IKTWTTY0
 (OPM)..72

Implementation Planning Guide
 description
 (ADMIN)..3
 (PLAN)..45

Implementation schedule
 examples
 (PLAN)..8

 general information
 (PLAN)..7

Implementation Team
 definition
 (PLAN)..3

 documentation
 (PLAN)..10

 establishing
 (PLAN)..8

 function
 (PLAN)..5

 selection criteria
 (PLAN)..4

IMS
 field description
 (IMS)..11

 force sign-on format display
 (OPM)..152

 IDLE TIME
 (OPM)..168

 interface
 (PLAN)..39

 Logonid record field
 (ADMIN)..52
 (AUDIT)..28
 (IMS)..13

 protection transactions
 (GIM)..4

 reset IDLE TIME
 (OPM)..168

 sign-off processing
 (OPM)..167

 sign-on processing
 (OPM)..167

 sign-on screens
 (OPM)..167

 sign-on validation
 (GIM)..5, 12

 IMS options
 see Parameter selection
 (IMS)..43

 IMS support
 activate
 (IMS)..14

 installation
 (IMS)..28

 IMS transaction
 description
 (ADMIN)..48

 IMS transaction grouping
 see NOTE 4
 (SPG)..355

 IMS transactions
 ADF validation
 (OPM)..214

 IMS/VS
 (OPM)..56

 INCLUDE field
 shift record
 (ADMIN)..166, 171

 Index
 high-level
 (PLAN)..14

 INDEX field
 GSO RESRULE record
 (ADMIN)..208

 Index Systems, Inc.
 PACE
 (OPM)..74

 INFO operand
 @DDSN macro
 (SPG)..27

 @SMF macro
 (SPG)..38

 INFOCLS operand
 @CFDE macro
 (SPG)..24

 INFOFLG operand
 @CFDE macro
 (SPG)..24

INFOLIST field
 GSO OPTS record
 (ADMIN)..197
 INFOMAIL
 (OPM)..3
 INFOPRE
 exit description
 (GIM)..59
 (SPG)..106
 GSO EXITS record
 (ADMIN)..187
 INFOPST
 exit description
 (GIM)..59
 (SPG)..107
 GSO EXITS record
 (ADMIN)..187
 Informatics General Corporation
 INQUIRY
 (OPM)..58
 Informatics, Inc.
 ANSWER/DB
 (OPM)..14
 ANSWER/2
 (OPM)..2
 MARK IV
 (OPM)..3
 Information Builders Inc.
 FOCUS
 (OPM)..47
 Information call
 sample sequence
 (SPG)..92
 Information Management System
 (OPM)..56
 @IMSGEN macro
 (IMS)..15
 ACF command usage
 (IMS)..37
 ACF2 interface
 (AUDIT)..9
 ACF2 support modules
 (IMS)..5
 controlling
 (IMS)..20
 general information
 (IMS)..2
 (PPLAN)..39
 interface
 (PPLAN)..39
 option selection
 (IMS)..14
 storage estimates
 (IMS)..19
 support manual
 (ADMIN)..3
 (PPLAN)..44
 transaction
 (ADMIN)..48
 Information storage database
 (GIM)..29
 ACFGRSRC interface
 (SPG)..141
 entry lists
 (OPM)..140
 general information
 (GIM)..7, 29
 INFOPRE exit
 (SPG)..106
 INFOPST exit
 (SPG)..107
 Information Storage Update Log
 see ACFRPTL
 (UTIL)..44
 INFOSTG/NOINFOSTG field
 GSO AUTHEXIT record
 (ADMIN)..180
 INHERIT field
 GSO NJE record
 (ADMIN)..192
 INIT parameter
 ACFERASE
 (UTIL)..169
 Initial Program Load
 general information
 (PPLAN)..18
 Initialization
 ACF2 control blocks
 (IMS)..3
 dependent region
 (IMS)..4
 parameter module ACF\$Ixxx
 (IMS)..3
 processing
 (IMS)..3
 System
 (IDMS)..3
 Initialization exit
 explanation
 (CICS)..160
 user-defined
 (CICS)..160
 INLINE
 ACFGUCB macro
 (SPG)..72
 ACFSET macro
 (SPG)..195

- Inline procedures
 - MODCOPY
 - (OPM)..133.
 - MODGENER
 - (OPM)..133
- Innovation Data Processing
 - ABR
 - (OPM)..6
 - COMPAKTOR
 - (OPM)..25
 - FDR
 - (OPM)..45-46
- INPUT parameter
 - ACFRPTSL
 - (UTIL)..108
- Input service
 - internal reader
 - (SPG)..238
 - networking exit description
 - (SPG)..242
 - work area
 - (SPG)..238
- Input source
 - protection
 - (GIM)..4
 - support
 - (GIM)..30
 - verification
 - (GIM)..14
- Input source record
 - (ADMIN)..134
 - examples
 - (ADMIN)..134-135
- Input/output files
 - report generators
 - (UTIL)..3
- INQUIRY
 - (OPM)..58
- INSERT logonids
 - (IDMS)..11
- INSERT subcommand
 - @ZEROFLD effect
 - (IMS)..39
 - CICS tasks
 - (CICS)..42
 - description
 - (ADMIN)..66, 74
 - (IMS)..39
 - entry records
 - (ADMIN)..138
 - GSO records
 - (ADMIN)..231
 - Logonid record
 - (ADMIN)..73
- scope records
 - (ADMIN)..151
- setting
 - (ADMIN)..114
- shift records
 - (ADMIN)..165
- specifying attribute fields
 - (IMS)..39
- zone record
 - (ADMIN)..167
- INSTALL parameter
 - ACFRPTDS
 - (UTIL)..28
- Installation
 - ACF2/IDMS interface Release 4.0
 - and above
 - (IDMS)..40
 - general information
 - (PLAN)..35
 - IMS support instructions
 - (IMS)..28
 - procedure
 - (SPG)..4
 - SMP
 - (OPM)..177
- Installation exits
 - description
 - (GIM)..57
 - general information
 - (GIM)..6-7
 - report generators
 - (UTIL)..129
- Installation procedure
 - (CICS)..44
- Installation Security Officer
 - ACF2/CICS
 - (CICS)..15
 - appointment
 - (PLAN)..8
 - definition
 - (PLAN)..3
 - function
 - (PLAN)..4
- INSTYPE field
 - @GRCE macro
 - (IDMS)..26
 - special uses
 - (IDMS)..29
- Integrated Catalog Facility
 - (OPM)..33
- Integrated Data Dictionary
 - (IDMS)..13, 46

Integrated Database Management System	HSM2/ACF2
(OPM)..55	(OPM)..153, 155
Integrity	IDMS
(PLAN)..2	(AUDIT)..12
data	IDMS/ACF2
(GIM)..1	(OPM)..179
operating system	IIAS/ACF2
(GIM)..2	(OPM)..185
VSAM clusters	IIPS/ACF2
(SPG)..194	(OPM)..185
Intel Systems Corporation	IMS
SYSTEM 2000	(AUDIT)..9
(OPM)..114	(PLAN)..39
INTERACT	INTERCOMM/ACF2
(OPM)..59	(OPM)..172
Interactive Instructional	IOF/ACF2
Authoring System	(OPM)..178
(OPM)..2	JES3/ACF2
Interactive Instructional	(OPM)..183
Presentation System	NCCF/ACF2
(OPM)..2	(OPM)..156
Interactive Output Facility	not required
(OPM)..61	(OPM)..2
Intercepts	other products
control data access	(OPM)..2
(GIM)..5	TLMS II/ACF2
general information	(OPM)..166
(PLAN)..30	TOTAL/ACF2
INTERCOM field	(OPM)..187
Logonid record	TSO
(ADMIN)..24, 60	(PLAN)..39
INTERCOMM	UCC7/ACF2
(OPM)..60	(OPM)..186
ACF2 interface	Interfacing with ACF2
(OPM)..172	(SPG)..112
command limiting	Interlink Computer Sciences
(OPM)..172	DECNET
Interface	(OPM)..54
ADF/ACF2	Internal controls
(OPM)..214	ensuring
Interfaces	(AUDIT)..18
(CICS)..1	Internal reader
(IMS)..1	JES2 initialization
ACMCB/ACUCB	(SPG)..225, 235
(SPG)..63	Internal storage
application language/ACF2	(PLAN)..34
Infostorage	Interpreter
(OPM)..176	access rule
CICS	(SPG)..264
(AUDIT)..10	resource rule
(PLAN)..38	(SPG)..262
DF/DSS/ACF2	INTRDR parameter
(OPM)..160	ACFSUB
	(SPG)..287

- (UTIL)..164
- INTTYPE Field
 - @GRCE macro (IDMS)..26
 - special uses (IDMS)..29
- Invalid Password/Authority Log description (IMS)..5
 - see ACFRPTPW (UTIL)..80
- IOF (OPM)..61
 - ACF2 interface (OPM)..178
- IP Sharp Associates APL (OPM)..15
- IPL acf2/MVS Release 4.1 (SPG)..15
 - see Initial Program Load (PLAN)..18
- ISGGRNIO GRS exclusion list (OPM)..49
- ISO see Installation Security Officer (PLAN)..3
- ISPF program pathing (OPM)..174
 - report generator execution (UTIL)..8
 - utility execution (UTIL)..11
- IT see Implementation Team (PLAN)..3
- ITR type code definition (GIM)..24
- JARS (OPM)..3
- JCL batch submission utility (UTIL)..166
 - creation (SPG)..85
 - database recovery (UTIL)..143
- executing report generators (UTIL)..2
 - field of Logonid record (ADMIN)..24, 60
 - job submission control (OPM)..150
 - utility execution (UTIL)..11
- JCLCHECK (OPM)..62
- JCLSCAN JOB scan routine (OPM)..182
- JCT see Job Control Table (SPG)..225, 235
- JES general information (PLAN)..41
 - local exits (AUDIT)..15
 - NJE considerations (SPG)..336
 - submitting jobs (IMS)..33
 - validation processing (IMS)..4
- JES2 /*PROCLIB process (OPM)..4
 - #\$USER01 inline code (SPG)..226, 236
 - #\$UW110A macro (OPM)..4
 - ACF2 exits (SPG)..220, 230
 - code test message format (SPG)..227, 237
 - detailed information (SPG)..215, 225, 235
 - HJSTP interface (OPM)..51
 - installation considerations (SPG)..11
 - Internal Text exit (OPM)..170
 - INTRDR security (OPM)..151, 163
 - job submission updates (OPM)..150
 - modification testing (SPG)..227, 237
 - NJE considerations (SPG)..224, 234

NJE Network control mechanism
 (OPM)..139
restricting job inheritance
 (OPM)..151, 163
SP Interface
 (SPG)..215
SYSMODs required
 (SPG)..342
transmitting passwords
 (SPG)..224, 234

JES3

##ACFX29 job terminator
 (SPG)..249
##USER01 pre-validation exit
 (SPG)..250
ACF2 exits
 (SPG)..241
code test message format
 (SPG)..251
control block usage
 (SPG)..238
installation considerations
 (SPG)..12
JOB class interface
 (OPM)..183
job class validation
 (OPM)..183
job validation
 (SPG)..238, 248
modification testing
 (SPG)..246
network inherited jobs
 (SPG)..248
networking considerations
 (SPG)..247
password considerations
 (SPG)..248
SP1.3 test message format
 (SPG)..251
SYSMODs required
 (SPG)..342

JINIT operand
 @SMF macro
 (SPG)..39

JJS102

 JES3 module
 (OPM)..148

Job Accounting Report Subsystem
 (OPM)..3

JOB card options
 restrictions
 (OPM)..150

Job class
 validation
 (OPM)..183

Job Control Table
 modifications
 (SPG)..225, 235

Job end-of-reader exit
 description
 (SPG)..242

Job Entry Subsystem (IBM)
 see JES
 (PPLAN)..41

JOB field
 batch validation
 (ADMIN)..20
 Logonid record
 (ADMIN)..23, 52
 (AUDIT)..28

Job inheritance
 restrictions
 (OPM)..151, 163

Job initialization exit
 description
 (SPG)..241

Job Post-Validation Exit
 description
 (SPG)..244

Job Pre-Validation Exit
 description
 (SPG)..243
 see ##USER01
 (SPG)..226, 236

JOBCK field
 GSO OPTS record
 (ADMIN)..52, 197

JOBCOPY utility
 examples
 (UTIL)..166
 files
 (UTIL)..166
 general information
 (ADMIN)..241
 parameters
 (UTIL)..166

JOBFROM card
 ACFRSET
 (SPG)..195
 HJSTP interface
 (OPM)..51
 insertion
 (OPM)..182
 MUSASS submission
 (SPG)..196

requirements
 (IMS)..33

JOBFROM field
 Logonid record
 (ADMIN)..52

MUSASS
 (SPG)..193

JOBFROM parameter
 ACFSET macro
 (SPG)..195

JOBMASK parameter
 ACFRPTCR
 (UTIL)..18

 ACFRPTDS
 (UTIL)..26

 ACFRPTTEL
 (UTIL)..45

 ACFRPTIX
 (UTIL)..53

 ACFRPTJL
 (UTIL)..56

 ACFRPTLL
 (UTIL)..61

 ACFRPTPP
 (UTIL)..74

 ACFRPTPW
 (UTIL)..80

 ACFRPTRL
 (UTIL)..85

Johnson Systems, Inc.
 JARS
 (OPM)..3

 UMAX
 (OPM)..3

Journaling
 access violations
 (IMS)..3, 5

 allowed accesses
 (IMS)..3, 5

 invalid access attempt
 (CICS)..35
 (IMS)..26

 invalid passwords
 (IMS)..5

 options
 (IMS)..8

 resource access
 (CICS)..35
 (IMS)..26

Journalling
 access validation
 (SPG)..98

 access violations
 (SPG)..101

dataset access
 (SPG)..113

invalid access attempt
 (IDMS)..38
 (SPG)..113

MUSASS Logonid considerations
 (SPG)..192

resource access
 (IDMS)..38
 (SPG)..116

TSO commands
 (SPG)..295

JSCWORK
 JCLSCAN mapping macro
 (OPM)..182

JTERM operand
 @SMF macro
 (SPG)..39

JTRACE operand
 @SMF macro
 (SPG)..38

KEY parameter
 @RB macro
 (SPG)..301

 @TCB macro
 (SPG)..299

 ACECUCB macro
 (SPG)..64

 ACFNRULE
 (UTIL)..159

KEY/MASTER
 (OPM)..3

KEYEXCES
 error reporting
 (UTIL)..33

KEYWORDS field
 GSO TSOKEYS record
 (ADMIN)..217

KOMAND system
 use
 (OPM)..63

LAB
 see Lookaside buffer
 (ADMIN)..246

 see Lookaside Buffer Support
 (SPG)..133

LAB entry
 (SPG)..136

LAB field
 ACFRECVR
 (UTIL)..137

ACFRPTJL (UTIL)..60	GSO TSO2741 record (ADMIN)..220
ACFRPTLL (UTIL)..65	LGN-ACCT field Logonid record (ADMIN)..60
ACFRPTPW (UTIL)..84	LGN-INDX field Logonid record (ADMIN)..60
Label, symbolic	LGN-MSG field Logonid record (ADMIN)..60
##ACFX28 macro (SPG)..249	LGN-PERF field Logonid record (ADMIN)..60
##ACFX29 macro (SPG)..250	LGN-PROC field Logonid record (ADMIN)..60
ACECLID macro (SPG)..61	LGN-RCVR field Logonid record (ADMIN)..60
ACECUCB macro (SPG)..63	LGN-SIZE field Logonid record (ADMIN)..24, 61
ACFCKSFT macro (SPG)..67	LGN-TIME field Logonid record (ADMIN)..61
ACFCKZON macro (SPG)..69	LGN-UNIT field Logonid record (ADMIN)..61
ACFGACVT macro (SPG)..70	LGNIXIT exit description (GIM)..57 (SPG)..88
ACFGDATA macro (SPG)..71	LGNIXIT field GSO EXITS record (ADMIN)..187
ACFGUCB macro (SPG)..72	LGNPARM exit description (GIM)..57
ACFINTC macro (SPG)..266	LGNPARMS field GSO EXITS record (ADMIN)..187
ACFSCP macro (SPG)..74	LGNPXIT exit description (GIM)..57 (SPG)..90
ACFSET macro (SPG)..194	LGNPXIT field GSO EXITS record (ADMIN)..188
ACFSVC macro (SPG)..78	LGNTerm field GSO EXITS record (ADMIN)..188
LABEXP field GSO OPTS record (ADMIN)..197	
LABNUM field GSO OPTS record (ADMIN)..197	
LASTTCB parameter @RB macro (SPG)..301	
LazerLock (OPM)..64	
LEADER field ACSALTCK (SPG)..275	
Logonid record (ADMIN)..26, 53 (AUDIT)..22	
LENGTH field GSO TSOTWX record (ADMIN)..218	

LIB parameter
 ACFSUB
 (UTIL)..164
 LIBRARIAN
 (OPM)..66
 LIBRARY field
 GSO BLPPGM record
 (ADMIN)..186
 GSO LINKLST record
 (ADMIN)..189
 GSO MAINT record
 (ADMIN)..191
 LID field
 @DDSN macro
 (SPG)..27
 @SMF macro
 (SPG)..38
 ACFRPTXR
 (UTIL)..120
 GSO MAINT record
 (ADMIN)..191
 Logonid record
 (ADMIN)..49
 LID parameter
 ACFRPTRX
 (UTIL)..98
 LIDFIELD
 GSO AUTHEXIT record
 (ADMIN)..180
 LIDFIELD parameter
 system initialization
 (CICS)..70
 LIDIDMPC field
 Logonid record
 (IDMS)..9
 LIDIDMPV field
 Logonid record
 (IDMS)..9
 LIDI1FLG
 (OPM)..143
 LIDMAIDM field
 Logonid record
 (IDMS)..9
 LIDMASK parameter
 ACFRPTDS
 (UTIL)..26
 LIDMUOPT field
 Logonid record
 (IDMS)..9
 LIDMUPGM field
 Logonid record
 (IDMS)..9
 LIDRECL field
 GSO OPTS record
 (ADMIN)..197
 LIDSCOPE field
 Logonid record
 (ADMIN)..53
 (AUDIT)..24
 LIKE operand
 CHANGE subcommand
 (ADMIN)..75, 78
 (IMS)..41
 DELETE subcommand
 (IMS)..42
 LINE field
 GSO TSO record
 (ADMIN)..214
 Logonid record
 (ADMIN)..61
 Link Pack Area
 definition
 (PLAN)..34
 LINK symbol
 default value
 (SPG)..59
 LINKLST
 GSO record
 (ADMIN)..189
 (AUDIT)..43
 (GIM)..47
 LIST parameter
 @CFDE macro
 (AUDIT)..23
 (SPG)..21
 ACFNRULE
 (UTIL)..160
 LIST subcommand
 * operand
 (IMS)..42
 AUT records
 (ADMIN)..234
 description
 (IMS)..43
 entry records
 (ADMIN)..143
 examples
 (AUDIT)..25
 IF operand
 (IMS)..11
 Logonid record
 (ADMIN)..76
 scope records
 (ADMIN)..158
 setting
 (ADMIN)..114

shift/zone records
 (ADMIN)..172
 Load libraries
 scanning concatenations
 (OPM)..169
 LOADDIR field
 @GRCE macro
 (IDMS)..27
 LOADMODS job
 unloading USERMOD files
 (OPM)..133
 Local directories
 CICS considerations
 (CICS)..41
 reloading
 (IMS)..17
 Local exits
 see Exits
 (ADMIN)..194
 Local Logonid fields
 ACFFDR and LIDREC
 (SPG)..25
 Local System Queue Area
 definition
 (PLAN)..34
 LOG access permission
 access rule
 (ADMIN)..89
 resource rule
 (ADMIN)..123
 LOG mode
 conversion
 (PLAN)..25
 definition
 (AUDIT)..50
 (GIM)..9
 LOG parameter
 ACFRPTRV
 (UTIL)..87
 LOG setting
 definition
 (ADMIN)..198
 LOGGING parameter
 ACFRPTDS
 (UTIL)..27
 Logging reports
 general information
 (AUDIT)..44
 MUSASS entries
 (SPG)..192
 program usage
 (ADMIN)..190
 records suppression
 (SPG)..284
 Logical input source
 protection
 (GIM)..30
 translation
 (GIM)..29
 LOGO signon
 (CICS)..9
 Logon
 hardcopy device support
 (ADMIN)..15
 Logon Work Area processing
 (GIM)..57
 operand values alteration
 (GIM)..57
 procedure
 (ADMIN)..9
 see sign-on procedure
 (ADMIN)..17
 TSO
 (OPM)..140
 TSO fullscreen
 (GIM)..12
 TSO fullscreen procedure
 (ADMIN)..12
 TSO procedure
 (ADMIN)..9
 LOGON parameter
 system initialization
 (CICS)..72
 Logon processing
 buffer format
 (SPG)..85
 exits
 (AUDIT)..16
 (GIM)..57
 (SPG)..88, 90
 JCL created
 (SPG)..85
 non-standard parameters
 (SPG)..86
 NOUADS
 (SPG)..85
 password safeguards
 (SPG)..86
 TSO
 (GIM)..11
 UADS
 (SPG)..85
 Logon validation
 ACF2/NCCF interface
 (OPM)..156
 Logon Work Area
 address
 (SPG)..91

LOGONCK field
 GSO TSO record
 (ADMIN)..214
 Logonid
 IDMS signon
 (IDMS)..3
 Logonid Access Report
 description
 (CICS)..36
 (GIM)..54
 (IDMS)..39
 (IMS)..5, 27
 see ACFRPTX
 (UTIL)..95
 LOGONID card
 ACFSUB
 (SPG)..287
 multiple in batch jobs
 (SPG)..287
 Logonid database
 alternate
 (UTIL)..97, 119
 recovery
 (UTIL)..134
 synchronization utility
 (UTIL)..161
 updating ACALT
 (SPG)..121
 Logonid Modification Log
 see ACFRPTLL
 (UTIL)..61
 Logonid record
 (OPM)..140
 ACALT updating
 (SPG)..122
 access request form
 (OPM)..196
 access validation
 (SPG)..275
 ACFCDSP display routine
 (SPG)..257
 altering
 (AUDIT)..58
 assignment
 (OPM)..208
 authorization field
 (IMS)..9
 batch jobs
 (GIM)..12
 building
 (ADMIN)..66, 73
 (CICS)..21
 (IDMS)..32
 (IMS)..23, 39
 (PLAN)..20
 change authority
 (AUDIT)..58
 changing
 (ADMIN)..25, 67, 75
 (IMS)..41
 CICS considerations
 (CICS)..37
 CICS operators
 (CICS)..17
 CICS regions
 (CICS)..42
 CICS signon
 (CICS)..8
 CICS/ACFM transaction
 (ADMIN)..48
 compression
 (GIM)..50
 compression algorithm
 (SPG)..31
 condense
 (SPG)..61
 controls
 (GIM)..13
 critical fields
 (AUDIT)..27
 decentralized control
 (OPM)..139
 defaults
 (AUDIT)..19
 (IMS)..13
 (PLAN)..20
 deletion
 (ADMIN)..25, 78
 (IMS)..42
 display authority
 (AUDIT)..58
 displaying
 (ADMIN)..76
 (AUDIT)..58
 (IMS)..38, 43
 (OPM)..136-137, 158-159
 (SPG)..29-30
 examples
 (ADMIN)..22, 48
 (CICS)..21
 (IDMS)..32
 (IMS)..12, 23
 field definition
 (GIM)..50
 field types
 (ADMIN)..65
 (SPG)..20, 42

fields
 (ADMIN)..49
 forced revalidation
 (OPM)..157
 from Signon Table
 (CICS)..175
 general information
 (AUDIT)..20
 (GIM)..10
 IDMS address space
 (IDMS)..11
 IDMS considerations
 (IDMS)..9
 IDMS users
 (IDMS)..12
 IMS considerations
 (IMS)..11
 IMS Control Region
 (IMS)..12
 IMS default definition
 (IMS)..8
 IMS operators
 (IMS)..13
 ISO considerations
 (CICS)..17
 JES2 select default options
 (OPM)..150
 length option (GSO)
 (ADMIN)..197
 local fields
 (SPG)..20
 maintenance
 (IMS)..35
 mini-record
 (SPG)..61
 modifications via ACALT
 (SPG)..123
 MPR
 (IMS)..12
 MUSASS Considerations
 (SPG)..192
 no password required
 (ADMIN)..54
 predefined fields
 (AUDIT)..57
 prototype
 (SPG)..122
 restricted command list
 (SPG)..291
 revalidation
 (OPM)..138
 sections
 (ADMIN)..21
 sensitive fields
 (AUDIT)..28
 (SPG)..192
 size considerations
 (SPG)..335
 SPF maintenance screens
 (OPM)..154, 165
 suspension
 (IMS)..3
 temporary
 (ADMIN)..52
 TSO logon
 (ADMIN)..9
 (SPG)..85
 unalterable fields
 (AUDIT)..29
 validation
 (OPM)..147, 170
 LOGPGM
 GSO record
 (ADMIN)..190
 (AUDIT)..42
 (GIM)..47
 logging considerations
 (ADMIN)..222
 LOGSHIFT field
 access reporting
 (UTIL)..80
 Logonid record
 (ADMIN)..53, 164
 (GIM)..34
 LOOK
 (OPM)..67
 Lookaside buffer
 operator commands
 (ADMIN)..246
 Lookaside buffer support
 (SPG)..133-139
 ACFLAB macro
 (SPG)..133-135
 ACFLABE macro
 (SPG)..135-136
 ACVALD processing
 (SPG)..137, 139
 adding entry
 (SPG)..138
 cleanup processing
 (SPG)..139
 deleting entry
 (SPG)..138
 entry searching
 (SPG)..138
 expire time
 (SPG)..137

incrementing count (SPG)..139	ACFCKSFT (SPG)..67
information call processing (SPG)..139	ACFCKZON (SPG)..69
LAB parameter block (SPG)..133	ACFGACVT (SPG)..70
Logonid database (SPG)..137	ACFGDATA (SPG)..71
Lookaside buffer entry (SPG)..135	ACFGUCB (SPG)..72
processing (SPG)..136-137	ACFINCVT (SPG)..73
SMF journaling (SPG)..139-140	ACFINTC (SPG)..266
storage allocation (SPG)..137	ACFSCP (SPG)..74
validation processing (SPG)..139	ACFSVC (SPG)..78
LPA see Link Pack Area (PLAN)..34	Macros, mapping ACALT (SPG)..121
LSQA see Local System Queue Area (PLAN)..34	ACDSV (SPG)..126
LTXF/MVS Logon Timeout Extension Facility/MVS..67.1	ACFLAB (SPG)..133
Macros	ACFLABE (SPG)..135
@CFDE (SPG)..20	ACFNMFLG (SPG)..243
@CMD (SPG)..297	ACGRSRC (SPG)..141
@CSREF (SPG)..302	ACLSCOPE (SPG)..58
@IMS (IMS)..7	ACRULE (SPG)..159
@IMSGEN (IMS)..15	summary (SPG)..58
@RB (SPG)..300	MAIL field Logonid record (ADMIN)..24, 61
@TCB (SPG)..299	MAINT GSO record (ADMIN)..191
FDR summary (SPG)..18	(AUDIT)..43
Macros, functional (SPG)..60	(GIM)..47
ACECLID (SPG)..61	GSO record logging suppression (SPG)..284
ACECUCB (SPG)..63	logging considerations (ADMIN)..222
ACF\$TCB (SPG)..65	MAINT field Logonid record (ADMIN)..53

Maintenance
 ACF2
 (OPM)..148, 177
 general information
 (GIM)..61
 (PLAN)..35
 Logonids
 (OPM)..154, 165, 180
 minimum level
 (PLAN)..34
 Maintenance program usage
 MAINT option
 (ADMIN)..191
 Manager Software Products, Inc.
 DATAMANAGER
 (OPM)..29
 MANTIS
 (OPM)..3
 Mapping macros
 see Macros
 (SPG)..58
 MARK IV
 (OPM)..3
 MASK parameter
 ACFRPTCR
 (UTIL)..18
 ACFRPTDS
 (UTIL)..26
 ACFRPTTEL
 (UTIL)..45
 ACFRPTJL
 (UTIL)..56
 ACFRPTLL
 (UTIL)..61
 ACFRPTPP
 (UTIL)..73
 ACFRPTPW
 (UTIL)..80
 ACFRPTRL
 (UTIL)..85
 ACFRPTRV
 (UTIL)..88
 ACFRPTSL
 (UTIL)..108
 Masking
 access rule
 (ADMIN)..92
 (AUDIT)..33, 66
 (GIM)..19
 ACF subcommands
 (ADMIN)..31
 Application Group Names
 (IMS)..17
 dataset names
 (ADMIN)..92
 directory requirements
 (IMS)..4
 general information
 (GIM)..19
 Logonids
 (ADMIN)..68
 resource rule
 (ADMIN)..123
 (AUDIT)..68
 (CICS)..34
 (GIM)..25
 (IMS)..17
 UID string
 (AUDIT)..31
 UID strings
 (ADMIN)..94
 Master Terminal Operator (MTO)
 security macro options
 (IMS)..14
 Mathematica
 RAMIS II
 (OPM)..102
 MAXDAYS field
 Logonid record
 (ADMIN)..57
 (AUDIT)..28
 MAXI operand
 ACECLID
 (SPG)..61
 ACECUCB macro
 (SPG)..63
 MAXRULE parameter
 ACFCOMP command
 (UTIL)..152
 COMPILE subcommand
 (ADMIN)..99
 MAXTRY field
 EXITS record
 (SPG)..85
 GSO PSWD record
 (ADMIN)..203
 MAXVIO field
 GSO OPTS record
 (ADMIN)..198
 MAXVIO parameter
 system initialization
 (CICS)..73
 threshold value
 (SPG)..113
 MAXVIOS field
 (IDMS)..22

Member-list parameter	Mini-Logonid
ACFSUB	ACECLID macro
(UTIL)..164	(SPG)..61
Memorex Corporation	ACECUCB macro
DPS	(SPG)..63
(OPM)..39	contracting
Message considerations	(SPG)..61
ACFUSX01 exit	expanding
(SPG)..245	(SPG)..61
Message Format Services	MINILID field
password field	(IDMS)..22
(IMS)..31	MINPSWD field
sign-on screen	GSO PSWD record
(IMS)..2	(ADMIN)..203
Message Processing Region	Miscellaneous section
(IMS)..4, 12, 33	examples
Messages	(ADMIN)..24
ACFSPMSG field	Logonid record
(SPG)..116	(ADMIN)..22, 56
user-defined exit	(AUDIT)..61
(CICS)..160	MLAIDMS
Messages Manual	(IDMS)..41, 46, 48
description	MLID operand
(PLAN)..44	@MUSASS macro
Messages, cancellation	(SPG)..34
coding sample	MLPA
(SPG)..245	see Modified Link Pack Area
overriding	(SPG)..105
(SPG)..245	MODCOPY
suppressing printing	description
(SPG)..246	(OPM)..133
MF parameter	parameters
ACECLID macro	(OPM)..133
(SPG)..62	MODDIR= parameter
Migration	description
ACF2 modes	(OPM)..134
(PLAN)..26	MODDISK= parameter
considerations	description
(SPG)..329	(OPM)..133
MINDAYS field	MODE field
Logonid record	(IDMS)..22
(ADMIN)..57	GSO OPTS record
(AUDIT)..28	(ADMIN)..198
MINI operand	Logonid record
ACECLID macro	(ADMIN)..61
(SPG)..61	MODE parameter
ACECUCB macro	@IMS macro
(SPG)..63	(AUDIT)..9
Mini-ACUCB	ACF\$TCB macro
contracting	(SPG)..65
(SPG)..63	system initialization
expanding	(CICS)..74
(SPG)..63	

- MODEL 204
 (OPM)..68
 Modes
 ACF2 system
 (ADMIN)..199
 (AUDIT)..5, 50
 (GIM)..9
 considerations
 (CICS)..19
 (IMS)..21, 34
 conversion
 (PLAN)..25
 setting
 (OPM)..171
 specifying
 (IMS)..8
 system
 (ADMIN)..81
 MODFILE= parameter
 description
 (OPM)..134
 MODGENER
 description
 (OPM)..133
 parameters
 (OPM)..133
 Modifications
 local
 (PLAN)..33
 Modified Link Pack Area
 testing RSCXIT2
 (SPG)..105
 MODNUM= parameter
 description
 (OPM)..134
 MODPFX= parameter
 description
 (OPM)..133
 MODTRK= parameter
 description
 (OPM)..134
 MODVER= parameter
 description
 (OPM)..133
 MON-LOG field
 Logonid record
 (ADMIN)..50
 MONITOR field
 Logonid record
 (ADMIN)..50
 Morino Associates, Inc.
 TSO/MON
 (OPM)..3
 MOUNT field
 Logonid record
 (ADMIN)..61
 MRO requests
 sample rules
 (CICS)..30
 MSC links (IMS)
 resource type
 (IMS)..9
 MSG field
 (IDMS)..22
 GSO WARN record
 (ADMIN)..221
 MSGID field
 Logonid record
 (ADMIN)..61
 MSI
 (OPM)..69
 MSIEXITX
 (OPM)..69
 Multi-CPU environment
 ACF2 services
 (GIM)..7
 considerations
 (SPG)..340
 MSI interface
 (OPM)..69
 Multi-User Single Address Space
 see MUSASS
 (ADMIN)..53
 Multiple System Integrity
 (OPM)..69
 MUSASS
 @MLID macro
 (SPG)..34
 @MUSASS macro
 (SPG)..35
 access termination
 (SPG)..177
 ACECLID macro
 (SPG)..61
 ACFSET macro
 (SPG)..194
 ACVALD fields
 (SPG)..182
 defining options
 (SPG)..33
 definition table entry
 (SPG)..62
 detailed information
 (SPG)..189
 job submission
 (SPG)..193

JOBFROM control card
 (ADMIN)..53
Logonid fields
 (SPG)..192
mini-Logonid
 (SPG)..61
password reverification
 (SPG)..190
resource directory
 (SPG)..191
resource request validation
 (SPG)..190
Step-Must-Complete controls
 (ADMIN)..53
user sign-off
 (SPG)..191
user sign-on
 (SPG)..189
MUSASS field
 ACECLID macro
 (SPG)..62
 Logonid record
 (ADMIN)..53
 (CICS)..42
 (IDMS)..11
MUSASS job submission
 diagnostic JCLSCAN
 (OPM)..182
MUSID field
 (IDMS)..22
MUSOPT field
 Logonid record
 (ADMIN)..58
 (IDMS)..3
MUSPGM field
 Logonid record
 (ADMIN)..58
 (IDMS)..9, 11
MUSPOT field
 Logonid record
 (IDMS)..9
MVFLAGS operand
 @CFDE macro
 (SPG)..23
MVMAX operand
 @CFDE macro
 (SPG)..23
MVMIN operand
 @CFDE macro
 (SPG)..23
MVS
 ACF2/CICS prerequisites
 (CICS)..1
 maintenance levels
 (GIM)..4
 requirements, installation
 (SPG)..2
 MVS Maintenance Considerations
 (SPG)..349
 M1 field
 GSO TSOTWX record
 (ADMIN)..218
 GSO TSO2741 record
 (ADMIN)..220
 M2 field
 GSO TSOTWX record
 (ADMIN)..218
 GSO TSO2741 record
 (ADMIN)..220
 M3 field
 GSO TSOTWX record
 (ADMIN)..218
 GSO TSO2741 record
 (ADMIN)..220
 M4 field
 GSO TSOTWX record
 (ADMIN)..218
 GSO TSO2741 record
 (ADMIN)..220
 name field
 @CFDE macro
 (SPG)..20
 Logonid record
 (ADMIN)..49
 (AUDIT)..28
 NAME parameter
 ACFCKSFT macro
 (SPG)..67
 ACFCKZON macro
 (SPG)..69
 ACFRPTXR
 (UTIL)..122
 Naming conventions
 determining
 (PLAN)..13
 National Advanced Systems, Corp.
 ACEP
 (OPM)..8
 NCCF
 (OPM)..70
 ACF2 interface
 (OPM)..156
 NDAYS parameter
 SHIFT record
 (GIM)..34

NET/ALERT
 (OPM)..3
NETMAN
 (OPM)..71
Network
 GSO job entry validation
 options
 (ADMIN)..192
 Network Communication Control
 Facility
 (OPM)..70, 156
 Network Director
 (OPM)..71.1
 Network job block
 contents
 (SPG)..224, 234, 247
 Network Job Entry
 considerations
 (SPG)..337
 detailed information
 (SPG)..215, 225, 235
 general information
 (PLAN)..41
 modification testing
 (SPG)..227, 237
 Network Terminal Option
 (OPM)..72
 Networking install
 considerations
 (SPG)..337
New key
 (OPM)..171
New password
 ACVALD macro
 (SPG)..182
 batching
 (ADMIN)..20
 (GIM)..13
 CICS signon
 (CICS)..8
 IDMS signon
 (IDMS)..3
 IMS entry
 (IMS)..2
 TSO logon
 (GIM)..11
New Rule Utility
 see ACFNRULE..159
NEWPSWD
 (OPM)..143, 175
NEWPXIT exit
 description
 (GIM)..57
 (SPG)..93
NEWPXIT field
 GSO EXITS record
 (ADMIN)..188
NEWS
 general information
 (PLAN)..46
NEXT parameter
 @RB macro
 (SPG)..301
 @TSB macro
 (SPG)..299
NEXTKEY
 (PLAN)..27
 access rule
 (ADMIN)..90, 95, 97-98
 (AUDIT)..34-35
 (PLAN)..23
 excessive condition
 (UTIL)..33
 looping error
 (UTIL)..33
 sample trace report
 (UTIL)..33
 testing
 (ADMIN)..106
NEXTRB parameter
 @RB macro
 (SPG)..301
NJB
 see Network job block
 (SPG)..224
 see Networking job block
 (SPG)..234
NJE
 ##ACFX28 macro
 (SPG)..249
 ##ACFX29 macro
 (SPG)..250
 GSO record
 (ADMIN)..192
 (GIM)..47
 JES3 networking considerations
 (SPG)..247
 see Network Job Entry
 (PLAN)..41
NKEYLOOP
 looping error
 (UTIL)..33
NLIDMASK parameter
 ACFRPTDS
 (UTIL)..26
NMASK parameter
 ACFRPTDS
 (UTIL)..26

NO-SMC field	ACFGDATA macro
Logonid record	(SPG)..71
(ADMIN)..53	ACFGUCB macro
NO-STORE field	(SPG)..72
Logonid record	ACFINCVT macro
(ADMIN)..53	(SPG)..73
(AUDIT)..26	ACFSVC macro
NOACF2 parameter	(SPG)..78
ACFRPTRX	NONOTICE
(UTIL)..98	logon operand
ACFRPTXR	(ADMIN)..14
(UTIL)..120	NORENT parameter
NOAPF parameter	@RB macro
@RB macro	(SPG)..300
(SPG)..300	NORRSUM parameter
NOBUFFER parameter	ACFRPTXR
ACFRPTCR	(UTIL)..121
(UTIL)..18	North Ridge Software, Inc.
NOCVT parameter	The Network Director
ACFSET macro	(OPM)..71.1
(SPG)..195	NORULE operand
NODBLSPC parameter	DELETE subcommand
ACFRPTNV	(IMS)..42
(UTIL)..68	NOSORT
NOEXTEND parameter	access rule sorting
ACFRPTDS	(AUDIT)..6
(UTIL)..29	see \$NOSORT
NOLAB parameter	(ADMIN)..194
ACFRECVR	NOSYSLIB parameter
(UTIL)..137	@RB macro
NOLID parameter	(SPG)..300
ACFRPTXR	NOTICES field
(UTIL)..120	Logonid record
NOMAD	(ADMIN)..61
(OPM)..3	NOTIFY field
NOMAIL	GSO OPTS record
logon operand	(ADMIN)..199
(ADMIN)..14	NOTRIVIA
NON-CNCL field	display mode
Logonid record	(IMS)..38, 40
(ADMIN)..53	NOUPDATE parameter
(AUDIT)..60	ACFRPTSL
MUSASS Logonid	(UTIL)..108
(SPG)..192	NOUPPER parameter
Non-TSO systems	ACFRPTCR
extendability	(UTIL)..18
(GIM)..42	NTIME parameter
NON-VSAM/NONON-VSAM	SHIFT record
GSO AUTOERAS record	(ADMIN)..166, 170
(ADMIN)..182	(GIM)..34
NONE parameter	NTO
ACFGACVT macro	(OPM)..72
(SPG)..70	

NULL option
 FLAGS operand
 (SPG)..22

OBS WYLBUR
 ACF2 interface
 (OPM)..127

OD
 ACFM function
 (CICS)..114

Old password
 ACVALD macro
 (SPG)..182
 batching
 (ADMIN)..20
 (GIM)..13
 CICS signon
 (CICS)..8
 IDMS signon
 (IDMS)..3
 IMS entry
 (IMS)..2
 TSO logon
 (GIM)..11

OM
 ACFM function
 (CICS)..114

OMEGAMON
 (OPM)..3

On-Line Business Systems, Inc.
 WYLBUR (OBS)
 (OPM)..127

On-line systems
 COM-LETE interface
 (OPM)..24
 Logonid record
 (PLAN)..20
 SUPERWYLBUR interface
 (OPM)..128
 WYLBUR interface
 (OPM)..127

Online Delivery System
 (OPM)..52

Online Program Development System
 ACEP
 (OPM)..8

Operations personnel
 Implementation Team
 (PLAN)..5

Operator commands
 /LOCK
 (IMS)..10
 /SET
 (IMS)..10

/UNLOCK
 (IMS)..10

backup
 (UTIL)..134

backup initiation
 (UTIL)..132

changing source groups
 (IMS)..16

NEWXREF examples
 (IMS)..16

rebuild directory
 (IMS)..17

recovery
 (UTIL)..133

summary
 (ADMIN)..243

OPERATOR field
 Logonid record
 (ADMIN)..61

Operator's console
 displaying Logonids
 (OPM)..136, 158

OPTION parameter
 system initialization
 (CICS)..75

Options
 administration centralization
 (PLAN)..16
 CICS mode
 (PLAN)..16
 GSO
 (PLAN)..16
 IMS mode
 (PLAN)..16
 program controls
 (PLAN)..16
 see Parameter selection
 (IMS)..43
 selection
 (AUDIT)..5
 system mode
 (PLAN)..16
 system-wide
 (GIM)..46
 tape protection
 (PLAN)..16
 user group control
 (PLAN)..16

OPTS
 GSO record
 (ADMIN)..194
 (AUDIT)..5, 6.1
 (GIM)..47

GSO record CMDREC field
 (SPG)..295
GSO record NOUADS
 (SPG)..85
last system access parms
 (ADMIN)..12
STAMPSMF parameter KOMMAND
 (OPM)..63
STAMPSMF parameter PACE
 (OPM)..74
STC parameter NCCF
 (OPM)..70
OSCORE
 ACF2/CICS
 (CICS)..165
 storage calculation
 (CICS)..167
Other product interfaces
 general information
 (AUDIT)..73
 (OPM)..1
 (PLAN)..38, 42
 see specific product
 (OPM)..1
Other Products Manual
 description
 (ADMIN)..3
 (PLAN)..45
 organization
 (OPM)..1
Output service networking exit
 description
 (SPG)..243
Overview
 (GIM)..5
 ACF2/IDMS interface
 (IDMS)..1
Overview Manual
 description
 (ADMIN)..2
 (PLAN)..43
PACE
 (OPM)..74
PACE Applied Technology, Inc.
 KOMAND
 (OPM)..63
Packed decimal date fields
 Logonid record
 (ADMIN)..65
PANAUDIT
 (OPM)..3
PANCFDE
 (OPM)..75, 84
PANEXEC
 (OPM)..75
 command use validation
 (OPM)..75
Pansophic Systems, Inc.
 EASYTRIEVE
 (OPM)..2
 PANAUDIT
 (OPM)..3
 PANEXEC
 (OPM)..75
 PANVALET
 (OPM)..84
PANVALET
 (OPM)..84
 command use validation
 (OPM)..84
 submit exit
 (OPM)..144
Parameter selection
 @IMS macro
 (IMS)..7
 @IMSGEN macro
 (IMS)..7, 15
 ACF\$IIMS module
 (IMS)..7
 ACF\$Ixxx module
 (IMS)..7
 options
 (IMS)..14
Parameters
 ACF2/CICS
 (CICS)..57
 continuation
 (UTIL)..4
 dataset
 (CICS)..57
 detailed descriptions
 (CICS)..59
 MODCOPY procedure
 (OPM)..133
 MODGENER procedure
 (OPM)..133
 report generators
 (UTIL)..5
 summary of
 (CICS)..58
PARM field
 @IMSGEN macro
 (ADMIN)..52

PARM parameter	violation report
ACFBATCH	(IMS)..5
(UTIL)..151	(UTIL)..80
Partitioned Dataset Management System	Password considerations
(OPM)..95	JES2 ENCRYPT=XDES
Partitioned Dataset System (PDS)	(SPG)..224, 234
ACFSUB	JES3 ENCRYPT=XDES
(SPG)..288	(SPG)..248
PASSLMT field	Password encryption considerations
GSO PSWD record	(SPG)..335
(ADMIN)..203	PASSWORD field
Password	Logonid record
batch jobs	(ADMIN)..49
(GIM)..12	PASSWORD parameter
bypass verification	MUSASS
(GIM)..14	(SPG)..196
change during logon	PASSWORD= parameter
(GIM)..11	JOB card
change prevention	(ADMIN)..20
(OPM)..143	(GIM)..13
changing	Path control support
(ADMIN)..10	definition
CICS signon	(SPG)..297
(CICS)..8	general information
composition restrictions	(SPG)..296
(OPM)..175	Patterns of character strings
controls	see Masking
(GIM)..13	(AUDIT)..69
encryption	PAUSE field
(ADMIN)..49, 203	Logonid record
forced change	(ADMIN)..61
(OPM)..139	PCB's
IDMS signon	(IMS)..10
(IDMS)..3	Logonid record
NEWPXIT exit	(IMS)..33
(SPG)..93	PCF
quick logon option	(OPM)..93-94
(ADMIN)..214	replacement
remote example	(OPM)..184
(SPG)..226, 236	see IBM Program Control Facility
revalidation	(ADMIN)..59
(IMS)..2-3, 11	PDF command processor
(SPG)..147, 190	(OPM)..174
safeguards against disclosure	PDSMAN
(SPG)..86	(OPM)..95
system processing options	PERFORM
(ADMIN)..203	GSO TSO record
TSO logon	(ADMIN)..214
(ADMIN)..9	logon operand
validation	(ADMIN)..14
(AUDIT)..15	
(IMS)..2	
(SPG)..93	

Performance Measurement & Comparative Evaluation (OPM)..74	GSO record (ADMIN)..202 (GIM)..48
PFX Identity Authentication System (OPM)..101.1	logging considerations (ADMIN)..222
PGM field	restricted programs (SPG)..284
GSO BLPPGM record (ADMIN)..186	reviewing (AUDIT)..42
GSO MAINT record (ADMIN)..191	Pre-Processor utility see ACFRPTPP (UTIL)..71
PGM-MASK field	Pre-validation exits
GSO PPGM record (ADMIN)..202	data access (GIM)..6 (SPG)..98
PGMS field	resource control (GIM)..7 (SPG)..104
GSO LOGPGM record (ADMIN)..190	PREFIX field
PHONE field	Logonid record (ADMIN)..24, 58 (AUDIT)..30
Logonid record (ADMIN)..49	PREFIX parameter ACFRPTIX (UTIL)..53
Planning	PREVENT access permission
ACF2 control audit (AUDIT)..3	access rule (ADMIN)..89
implementation (PLAN)..3	resource rule (ADMIN)..123
installation (PLAN)..35	Primary VSAM clusters
maintenance (PLAN)..35	backup procedure (UTIL)..132
recovery (UTIL)..131	PRINTER parameter
PMS	ACFRPTDS (UTIL)..28
(OPM)..3	ACFRPTRV (UTIL)..88
Policies, security	PRISPACE
general information (PLAN)..11	GSO BACKUP record (ADMIN)..184
Policy Management System (OPM)..3	Privilege levels
Post-validation exits	ACCOUNT (ADMIN)..25
data access	AUDIT (ADMIN)..25
(GIM)..6	CONSULT (ADMIN)..26
(SPG)..100, 103	LEADER (ADMIN)..26
resource control	SECURITY (ADMIN)..25
(GIM)..7	
(SPG)..105	
user-defined	
(CICS)..162	
POSTJOB	
removal (OPM)..177	
PPGM	
displaying (AUDIT)..7, 21	
dump/restore (SPG)..114	

USER
 (ADMIN)..26
Privileges section
 examples
 (ADMIN)..23
 Logonid record
 (ADMIN)..21, 51
 (AUDIT)..59
PRO/TEST
 (OPM)..3
PROB parameter
 @RB macro
 (SPG)..300
PROC field
 GSO TSO record
 (ADMIN)..214
PROCEDURE
 logon operand
 (ADMIN)..14
PROCLIB
 see /*PROCLIB
 (OPM)..4
PROCPGM
 GSO AUTHEXIT record
 (ADMIN)..180
Production jobs
 ACFSUB utility
 (SPG)..287-289
 batch submission
 (UTIL)..166
 TSO submission
 (UTIL)..164
Program Control Facility
 (OPM)..93-94
Program controls
 general information
 (AUDIT)..42
PROGRAM field
 Logonid record
 (ADMIN)..53
 (IMS)..13
Program name
 validation
 (OPM)..147
Program pathing
 CLIST considerations
 (ADMIN)..110
 concatenated libraries
 (OPM)..169
 control
 (GIM)..41
 (SPG)..296
 ISPF TSO commands
 (OPM)..174
 TSO support
 (GIM)..8
 Program-to-program switch
 validation
 (IMS)..10
 Programs
 access control
 (IDMS)..5
 activation
 (IDMS)..5
 description
 (IDMS)..5
 event log
 (UTIL)..25
 resource rule
 (CICS)..24
 (IDMS)..35
 safelist
 (IDMS)..6
 validation
 (IDMS)..6
 PROMPT field
 Logonid record
 (ADMIN)..62
 Protected programs
 GSO PPGM record
 (ADMIN)..202
 Protection
 CICS transactions
 (CICS)..8, 21
 datasets
 (GIM)..2, 19
 IDMS tasks
 (IDMS)..3
 IMS transactions
 (IMS)..23
 input source
 (GIM)..4, 29
 online transactions
 (GIM)..4
 resources
 (GIM)..24
 TSO accounts
 (GIM)..4
 volumes
 (GIM)..3
 VTOC
 (GIM)..3
 PROTLIST parameter
 system initialization
 (CICS)..76
 PRTN operand
 @CFDE macro
 (SPG)..22

PSA operand
 ACF\$TCB macro
 (SPG)..65

PSBs
 (IMS)..4
 validation
 (SPG)..361

Pseudo Dataset Name Generator Exit
 see DSNGEN
 (SPG)..97

Pseudo field (UID)
 Logonid record
 (ADMIN)..21, 49
 (GIM)..11

PSWD
 GSO record
 (ADMIN)..203
 (GIM)..48

PSWD operand
 @SMF macro
 (SPG)..38

PSWD-DAT field
 Logonid record
 (AUDIT)..28.1

PSWD-EXP field
 Logonid record
 (ADMIN)..50

PSWD-VIO field
 Logonid record
 (ADMIN)..24

PSWDALT field
 GSO PSWD record
 (ADMIN)..204

PSWDFRC field
 GSO PSWD record
 (ADMIN)..204

PSWDJES field
 GSO PSWD record
 (ADMIN)..204

PTFS
 required
 (SPG)..344

PTR operand
 ACF\$TCB macro
 (SPG)..65

PUTLINE format
 messages
 (SPG)..79, 116, 255

PW-RESTR
 ACFFDR user field
 (OPM)..143

PWDSUSP field
 (IDMS)..22, 25

QLOGON field.
 (IDMS)..23
 GSO TSO record
 (ADMIN)..214

Quality Systems
 RES-Q
 (OPM)..3

QUIET mode
 definition
 (ADMIN)..198
 (GIM)..9

RACF
 (OPM)..101.2

RACROUTE
 (SPG)..198

RAMIS II
 (OPM)..102

Range parameter
 ACFCCKSFT
 (SPG)..68

RB parameter
 ACFCSCP macro
 (SPG)..74

RD
 ACFM function
 (CICS)..115

READ keyword
 SERVICE parameter
 (ADMIN)..122

READ parameter
 SERVICE keyword
 (CICS)..12

READALL field
 Logonid record
 (ADMIN)..54
 (AUDIT)..22

Received LID exit
 user-defined
 (CICS)..162

RECID
 GSO APPLDEF record
 (ADMIN)..178

Reconfiguration
 input source name
 (IMS)..16

RECONNECT
 logon operand
 (ADMIN)..15

Record Structure Block (RSB)
 description
 (SPG)..208

RECOVER (UTIL)..25-26, 28, 30-32, 35-37, 39-41

 logon operand (ADMIN)..14

 Logonid record field (ADMIN)..62

Recovery of ACF2 databases

 ACFBKUP (UTIL)..147

 ACFRECVR (UTIL)..134

 general information (GIM)..45 (UTIL)..131

 planning (UTIL)..131

 procedure (UTIL)..133

 sample jobstream (UTIL)..143

RECxxxxx files

 ACFRPTPP (UTIL)..72

 records (UTIL)..14

 report generators (UTIL)..3

REFRESH

 console operator command (ADMIN)..227

 Logonid record (ADMIN)..54

REG parameter

 ACF\$TCB macro (SPG)..65

REGION parameter

 TSO option (ADMIN)..214

RELABEL parameter

 ACFERASE (UTIL)..170

Remote Job Processing

 ACF2 control (OPM)..149

Removing Version 4.0 (SPG)..327

RENT parameter

 @RB macro (SPG)..300

Report generators

 ACFRPTCR (ADMIN)..238 (UTIL)..17-18

 ACFRPTDS (ADMIN)..238

 (UTIL)..25-26, 28, 30-32, 35-37, 39-41

 ACFRPTTEL (ADMIN)..238 (UTIL)..44, 47

 ACFRPTIX (ADMIN)..238 (UTIL)..52-55

 ACFRPTJL (ADMIN)..238 (UTIL)..56, 58-59

 ACFRPTLL (ADMIN)..239 (UTIL)..61

 ACFRPTNV (ADMIN)..239 (UTIL)..67-68, 70

 ACFRPTPP (ADMIN)..239 (UTIL)..71, 73

 ACFRPTPW (ADMIN)..239 (CICS)..35 (IDMS)..38 (IMS)..5, 26 (UTIL)..80, 82, 84

 ACFRPTRL (ADMIN)..239 (UTIL)..85-86, 86.2

 ACFRPTRV (ADMIN)..239 (CICS)..35 (IDMS)..38 (IMS)..5, 26 (UTIL)..87-94

 ACFRPTRX (ADMIN)..240 (CICS)..35-36 (IDMS)..39 (IMS)..5, 27 (UTIL)..95-98, 104-106

 ACFRPTSL (ADMIN)..239 (UTIL)..107-114

 ACFRPTXR (ADMIN)..240 (CICS)..35-36 (IDMS)..39 (IMS)..6, 27 (UTIL)..115-116, 119-127

 execution authorization (UTIL)..5

 general information (ADMIN)..238

- (AUDIT)..44, 46
- (GIM)..53
- (IMS)..5
- input records
 - (UTIL)..14
- ISO
 - (CICS)..17
- ISPF screens
 - (UTIL)..8
- reviewing
 - (AUDIT)..44, 75
- sort sequences
 - (UTIL)..15
- Report Management Distribution System
 - (OPM)..104
- REPORT parameter
 - ACFRPTSL
 - (UTIL)..109
- Reporting
 - dataset loggings
 - (OPM)..145
 - Logonid events
 - (OPM)..145
 - rule events
 - (OPM)..145
 - security violations
 - (OPM)..145
- Required
 - PTFS
 - (SPG)..344
- Requirements
 - ACF2/IDMS interface
 - (IDMS)..2
- RES-Q
 - (OPM)..3
- RESDIR
 - (GIM)..48
 - GSO record
 - (ADMIN)..206
- RESDIR record
 - (CICS)..42
 - (IMS)..4
 - global directory specifications
 - (IMS)..17
- Resident access rules
 - RESRULE option
 - (ADMIN)..208
- Resident directories
 - general information
 - (CICS)..41
 - (GIM)..25, 48
 - (IMS)..4, 17
 - generalized resources (RESDIR)
 - (ADMIN)..206
 - Resident volumes
 - definition
 - (GIM)..48
 - DSNGEN exit
 - (SPG)..97
 - general information
 - (GIM)..2
 - system option
 - (ADMIN)..209
 - RESOLVE
 - (OPM)..103
 - Resource Access Control Facility
 - (OPM)..101.2
 - Resource Access Security exit
 - ACF\$IRAS module
 - (IMS)..5
 - Application Group name
 - protection
 - (IMS)..4
 - Resource checking
 - (OPM)..170
 - Resource Exit Parameter List
 - see ACGXITP
 - (SPG)..148
 - Resource Post-Validation Exit
 - see RSCXIT2
 - (SPG)..105
 - Resource Pre-Validation Exit
 - see RSCXIT1
 - (SPG)..104
 - Resource rule
 - (ADMIN)..117
 - ACGRSRC interface
 - (SPG)..143
 - areas
 - (IDMS)..8
 - compilation authority
 - (AUDIT)..25
 - decompilation
 - (IDMS)..34
 - (IMS)..24
 - definition
 - (ADMIN)..117
 - (AUDIT)..40
 - (IDMS)..7-8
 - (PLAN)..23
 - deletion
 - (ADMIN)..132
 - determine access
 - (GIM)..7
 - directories
 - (CICS)..41

(IDMS)..31
 (IMS)..17
 DL/I calls
 (CICS)..25
 examples
 (ADMIN) .117
 (AUDIT)..40, 68
 (GIM)..26
 (IDMS)..34
 (IMS)..24
 format
 (AUDIT)..41
 function request shipping
 (CICS)..32
 IDMS areas
 (IDMS)..7, 37
 IDMS programs
 (IDMS)..35
 IDMS subschema
 (IDMS)..7
 INTERCOMM
 (OPM)..173
 interpreter
 (SPG)..262
 MRO requests
 (CICS)..30, 32
 names
 (ADMIN)..118
 programs
 (CICS)..24
 RELOAD directory
 (IMS)..8
 reloading
 (IDMS)..31
 SERVICE keyword
 (CICS)..12
 sets
 (AUDIT)..41
 (CICS)..41
 (GIM)..25
 storage requirements
 (IMS)..19
 storing
 (CICS)..34
 (IDMS)..34
 (IMS)..24
 subcommands
 (ADMIN)..125
 syntax
 (ADMIN)..119
 temporary storage
 (CICS)..28
 transaction routing
 (CICS)..30
 transactions
 (CICS)..23
 transient data
 (CICS)..26
 type codes
 (ADMIN)..118
 userkeys
 (CICS)..29
 validation, see @GRCE macro
 (IDMS)..26
 verify keyword
 (IMS)..3
 writing
 (PLAN)..23
 Resource type
 INT
 (OPM)..173
 RESRULE
 (GIM)..48
 GSO record
 (ADMIN)..208
 RESTRICT
 Logonid record
 (ADMIN)..54
 (IDMS)..11
 (IMS)..13
 (PLAN)..20
 RESTRICT field
 Logonid record
 (CICS)..42
 Restricted commands list
 CLIST considerations
 (SPG)..290
 supplied with ACF2
 (SPG)..304
 Restricted Logonid Job Log
 see ACFRPTJL
 (UTIL)..56
 Restricted programs
 list access
 (ADMIN)..25
 list definition
 (ADMIN)..202
 list reviewing
 (AUDIT)..7
 PPGM record
 (AUDIT)..7
 RESVOLS
 (AUDIT)..7
 (GIM)..48
 DSNGEN exit
 (SPG)..97
 GSO record
 (ADMIN)..209

Return codes

ACECLID macro
 (SPG)..61
ACFCARE subroutine
 (SPG)..256
ACFCDSP subroutine
 (SPG)..258
ACFCMPLR subroutine
 (SPG)..259
ACFDCMPL subroutine
 (SPG)..260
ACFGINT subroutine
 (SPG)..262
ACFINT subroutine
 (SPG)..264
ACFRDS subroutine
 (SPG)..261
ACFSCP macro
 (SPG)..74
ACFSVC macro
 (SPG)..79
ACFUSX01 exit
 (SPG)..245
ACFOOSCP subroutine
 (SPG)..74
ACFOOSST subroutine
 (SPG)..272
ACF6OSNU exit
 (SPG)..108
ACSALTCK subroutine
 (SPG)..276
ACSXP exit
 (SPG)..174-175
EXPPXIT exit
 (SPG)..95
INFOPRE exit
 (SPG)..106
INFOPST exit
 (SPG)..107
LGNIXIT exit
 (SPG)..88
LGNPXIT exit
 (SPG)..90
NEWPXIT exit
 (SPG)..93
RSCXIT1 exit
 (SPG)..104
RSCXIT2 exit
 (SPG)..105
RULEPRE exit
 (SPG)..102
RULEPST exit
 (SPG)..103

SRCXIT exit
 (SPG)..109
STCXIT exit
 (SPG)..110
SVCIXIT exit
 (SPG)..111
RETURN parameter
 ##ACFX28 macro
 (SPG)..249
 ##ACFX29 macro
 (SPG)..250
RFTIME field
 (IDMS)..23
RHDCSNON
 (IDMS)..13
RIDGE READER system
 (OPM)..103.1
Ring IN/OUT status
 exits
 (GIM)..3
RJP
 ACF2 control
 (OPM)..149
RKEY parameter
 ACFRPTXR
 (UTIL)..121
RM
 ACFM function
 (CICS)..116
RMASK parameter
 ACFRPTRX
 (UTIL)..99
RMDS
 (OPM)..104
ROSCOE
 5.3
 (OPM)..104
 5.4
 (OPM)..104
ROSCOE (Applied Data Research)
 general information
 (PLAN)..42
RRSUM parameter
 ACFRPTXR
 (UTIL)..121
RRTN operand
 @CFDE macro
 (SPG)..22
RS
 ACFM function
 (CICS)..118
RS function
 description
 (CICS)..42

-
- RSCXIT1 exit
 - description
 - (GIM)..59
 - (SPG)..104
 - sample
 - (SPG)..308-309
 - RSCXIT1 field
 - GSO EXITS record
 - (ADMIN)..188
 - RSCXIT2 exit
 - description
 - (GIM)..59
 - (SPG)..105
 - sample
 - (SPG)..311
 - RSCXIT2 field
 - GSO EXITS record
 - (ADMIN)..188
 - RSRC operand
 - @SMF macro
 - (SPG)..38
 - RSRC parameter
 - ACFRPTRX
 - (UTIL)..98
 - ACFRPTXR
 - (UTIL)..121
 - RU
 - ACFM function
 - (CICS)..118
 - Rule Change Privileges
 - authorization
 - (AUDIT)..24
 - scope lists
 - (GIM)..33
 - Rule interpreter
 - communications area
 - (SPG)..266
 - RULE mode
 - definition
 - (ADMIN)..198
 - (GIM)..9
 - selective migration
 - (PLAN)..26-27
 - RULE operand
 - @DDSN macro
 - (SPG)..27
 - @SMF macro
 - (SPG)..38
 - Rule processing
 - extensions
 - (OPM)..171
 - Rule set
 - recovery
 - (OPM)..139
 - writing
 - (OPM)..196, 208
 - Rule-id Modification Log
 - see ACFRPTL
 - (UTIL)..85
 - RULEPRE exit
 - description
 - (GIM)..57-58
 - description of
 - (SPG)..102
 - RULEPRE field
 - GSO EXITS record
 - (ADMIN)..188
 - RULEPST exit
 - description
 - (GIM)..59
 - (SPG)..103
 - RULEPST field
 - GSO EXITS record
 - (ADMIN)..188
 - Rules database
 - updating
 - (SPG)..159
 - RULES field
 - @GRCE macro
 - (IDMS)..27
 - RULEVLD field
 - force rule check
 - (GIM)..5
 - Logonid record
 - (ADMIN)..54
 - (GIM)..23
 - SAF
 - access rule sorting
 - (AUDIT)..6
 - Safelist description
 - (SPG)..199
 - type code definition
 - (GIM)..24
 - SAF field
 - GSO OPTS recors
 - (ADMIN)..199
 - SAF interface
 - deactivating
 - (SPG)..199
 - description
 - (SPG)..197
 - limitations
 - (SPG)..202
 - trace facility
 - (SPG)..202
-

- SAF Resource Mappings
 - definition (GIM)..48
- SAF type code
 - definition (ADMIN)..118
- SAFE field
 - @GRCE macro (IDMS)..27
- Safelist
 - areas (IDMS)..8
 - definition (IDMS)..27
 - IDMS programs (IDMS)..6
 - IDMS tasks (IDMS)..4
 - subschemas (IDMS)..7
- SAFELIST parameter
 - system initialization (CICS)..77
- SafeWord (OPM)..110
- SAFMAPS (GIM)..48
 - GSO record (ADMIN)..210
- SAFMAPS field
 - GSO RESVOLS record (ADMIN)..210
- SAFSAFE (GIM)..48
 - (SPG)..199
 - GSO record (ADMIN)..211
- SAFTRACE
 - access rule sorting (AUDIT)..6
- SAFTRACE field
 - GSO OPTS record (ADMIN)..199
- SAS Institute, Inc. (OPM)..3
- SASSXXL1 (OPM)..186
- SASSXX02 (OPM)..186
- SASSXX07 (OPM)..186
- SC
 - ACFM function (CICS)..119
- Schedule
 - implementation (PLAN)..7
- SCHEDULER (Computer Associates) (OPM)..21
- Scope
 - ACF2 controls (AUDIT)..4
 - users (AUDIT)..24
- Scope Lists
 - general information (GIM)..33
 - record initialization (SPG)..187
 - reviewing (AUDIT)..24
 - validation (SPG)..74
- Scope records
 - creation (ADMIN)..149
 - examples (ADMIN)..145
 - fields (ADMIN)..146
 - subcommands (ADMIN)..150
- SCPLIST field
 - Logonid record (ADMIN)..54
 - (AUDIT)..24
- Scratch Pad Area (SPA) (IMS)..10
- SCRATCH parameter
 - ACFDEL (UTIL)..171
- SDA Products, Inc.
 - INTERCOMM (OPM)..60
- SDSI PLUS (OPM)..111
- SEC parameter
 - ##ACFX29 macro (SPG)..250
- SEC-VIO field
 - Logonid record (ADMIN)..24, 64
- SECSPACE
 - GSO BACKUP record (ADMIN)..185
- Sections of Logonid record
 - access (ADMIN)..56

(AUDIT)..61
cancel/suspend
 (ADMIN)..50
 (AUDIT)..58
identification
 (ADMIN)..49
 (AUDIT)..58
miscellaneous
 (ADMIN)..56
 (AUDIT)..61
privileges
 (ADMIN)..51
 (AUDIT)..59
statistics
 (ADMIN)..63
 (AUDIT)..65
TSO
 (ADMIN)..59
 (AUDIT)..62.1
Secured volumes
 definition
 (GIM)..49
 DSNGEN exit
 (SPG)..97
 general information
 (GIM)..3
 SECVOLS option
 (ADMIN)..212
Security class codes
 (IDMS)..13, 46
SECURITY field
 ACSALTCK
 (SPG)..275
 Logonid record
 (ADMIN)..25, 54
 (AUDIT)..20
 (CICS)..42
 (IDMS)..11
 (IMS)..14
SECURITY macro
 exit specifications
 (IMS)..14
 requirements
 (IMS)..14
 SECLVL operand
 (IMS)..14
 TYPE operand
 (IMS)..14
Security Maintenance Utility
 example control cards
 (IMS)..15
 PSB specification
 (IMS)..4
 use
 (IMS)..15
Security objectives
 general information
 (PLAN)..11
Security officer
 authorities
 (ADMIN)..25
 restricted
 (AUDIT)..21
 SECURITY field
 (ADMIN)..54
 (AUDIT)..20
 unrestricted
 (AUDIT)..21
Security violation count
 see SECVIO count
 (IMS)..43
SECVIO count
 resetting
 (IMS)..3
 updating
 (IMS)..3
SECVOLS
 (ADMIN)..212
 (AUDIT)..7
 (GIM)..49
SECVOLS record
 DSNGEN exit
 (SPG)..97
SELECT parameter
 ACFRPTPP
 (UTIL)..76
Selected Logonid List
 see ACFRPTSL
 (UTIL)..107
SELLID parameter
 ACFRPTIX
 (UTIL)..52
SELRULE parameter
 ACFRPTIX
 (UTIL)..53
SEND Command Interface
 see ACF60SNU exit
 (SPG)..108
Separation of function
 privileges
 (AUDIT)..20
SERVICE keyword
 CICS file validation
 (CICS)..12
 parameters
 (CICS)..12

resource rule
 (AUDIT)..41
 (CICS)..12
 Service Level Reporter
 (OPM)..3
 SERVICE parameter
 resource rule
 (ADMIN)..122
 Service Routines
 (SPG)..81
 SESSION MANAGER
 (OPM)..3
 SET subcommand
 common subcommands
 (ADMIN)..34
 description
 (IMS)..38
 NOTRIVIA operand
 (IMS)..38
 setting
 (ADMIN)..115
 TERSE operand
 (IMS)..38
 TRIVIA operand
 (IMS)..38
 VERBOSE operand
 (IMS)..38
 SETC
 MLADMS
 (IDMS)..51
 SETSYS
 console operator command
 (ADMIN)..227
 SFLDS parameter
 ACFRPTSL
 (UTIL)..109
 Shared databases
 system option
 (ADMIN)..199
 Shared Dataset Integrity Plus
 (OPM)..111
 Shift field
 access rule
 (ADMIN)..88
 Logonid record
 (ADMIN)..58
 (CICS)..19
 (GIM)..34
 (IMS)..21
 resource rule
 (ADMIN)..122
 (AUDIT)..41
 (CICS)..20
 (IMS)..21
 Shift records
 definition
 (ADMIN)..161
 (CICS)..18
 (IMS)..20
 examples
 (ADMIN)..161
 fields
 (ADMIN)..163
 general information
 (GIM)..34
 subcommands
 (ADMIN)..165
 time-zone adjustment
 (SPG)..69
 validation
 (SPG)..67
 SHORT parameter
 ACFRPTDS
 (UTIL)..27
 SHOW ACF2
 (ADMIN)..37
 SHOW ALL
 (ADMIN)..37
 SHOW Fields
 ACF2
 (ADMIN)..37
 ACTIVE..37
 ALL
 (ADMIN)..37
 APPLDEF
 (ADMIN)..45
 DDSN
 (ADMIN)..38
 FIELDS..39
 LINKLST
 (ADMIN)..40
 MODE
 (ADMIN)..40
 PROGRAMS
 (ADMIN)..41
 RESIDENT
 (ADMIN)..42
 STATE
 (ADMIN)..43
 SYSTEMS
 (ADMIN)..44
 TSO
 (ADMIN)..46
 ZEROFLDS
 (ADMIN)..46
 SHOW subcommand
 ACF2 boundaries
 (AUDIT)..5

description	SIGNON
(ADMIN)..36	(IDMS)..3
examples	Signon Element
(ADMIN)..39, 43	SON
(AUDIT)..52	(IDMS)..46
setting	Signon exit
(ADMIN)..115	user-defined
SHOWGSO	(CICS)..160
console operator command	SIGNON parameter
(ADMIN)..227	system initialization
SHOWSYS	(CICS)..78
console operator command	Signon procedure
(ADMIN)..227	(IDMS)..3
SHRDASD field	CICS
GSO OPTS record	(CICS)..8
(ADMIN)..199	SIGNON Profile CLIST
SHUTDOWN	(IDMS)..9
considerations	Signon screen
(IMS)..33	field definitions
Shutdown exit	(CICS)..9
user-defined	Signon Table
(CICS)..162	converting to Logonids
Sign-off procedure	(CICS)..175
MUSASS considerations	Signon/Signoff
(SPG)..192	customization
Sign-on procedure	(CICS)..148
CICS	SIGNQNM field
(ADMIN)..17	(IDMS)..23, 25
(GIM)..12	SIGNREQ field
command parameters	(IDMS)..23
(IMS)..2	SINIT operand
exit (DFSCSGNO)	@SMF macro
(IMS)..2-3	(SPG)..39
format	SIZE
(IMS)..2	logon operand
IDMS	(ADMIN)..14
(ADMIN)..19	SIZE parameter
(GIM)..12	ACFRPTDS
IMS	(UTIL)..26
(ADMIN)..18	SK
(GIM)..12	ACFM function
MUSASS validation	(CICS)..122
(SPG)..189	SKK Note #1
SMU requirements	(SPG)..350
(IMS)..15	SKK Note #2
validation	(SPG)..352
(IMS)..2	SKK Note #4
SIGNOFF	(SPG)..355
(IDMS)..8	SKK Note #5
Signoff exit	(SPG)..357
user-defined	SKK Note #6
(CICS)..160	(SPG)..358

- SKK Note #7
 (SPG)..360
- SKK Note #8
 (SPG)..361
- SKK Note #9
 (SPG)..366
- SL
 - ACFM function
 (CICS)..123
- SLERASE parameter
 ACFERASE
 (UTIL)..169
- SLR
 (OPM)..3
- SM
 - ACFM function
 (CICS)..125
- SMC parameter
 ACFSET macro
 (SPG)..195
- SMF
 - exit driver
 (SPG)..329
 - exit specifications
 (ADMIN)..187
 - installation activation
 (SPG)..2
 - installation considerations
 (SPG)..2
 - see System Management
 Facilities
 (GIM)..5
 (PLAN)..34
- SMF logging
 (IDMS)..5
 see Journaling
 (IMS)..43
- SMFJINT exit
 sample
 (SPG)..312, 315
- SMFxx parameter
 ACFRPTPP
 (UTIL)..74
- SMFxxxxx files
 ACFRPTPP
 (UTIL)..72
- SMP
 - ACF2 installation
 (OPM)..177
 - see System Maintenance Program
 (PLAN)..30
- SMU
 - see Security Maintenance
- Utility
 (IMS)..43
- SN subcommand
 SEND command interface
 (SPG)..108
 setting
 (ADMIN)..115
- Software AG of North America, Inc.
 ADABAS
 (OPM)..10
 COM-LETE
 (OPM)..24
- Software Corporation of America
 EASYPROCLIB
 (OPM)..41
- Softworks, Inc.
 VSAM-ASSIST
 (OPM)..123
- Sort sequence
 ACFRPTCR
 (UTIL)..18
 ACFRPTDS
 (UTIL)..29
 ACFRPTEL
 (UTIL)..45
 ACFRPTJL
 (UTIL)..57
 ACFRPTNV
 (UTIL)..68
 ACFRPTPW
 (UTIL)..81
 ACFRPTRV
 (UTIL)..88
 report generators
 (UTIL)..15
- SOURCE
 - General information
 (CICS)..20
 - logon operand
 (ADMIN)..13
- Source control
 function request shipping
 (CICS)..33
 transaction routing
 (CICS)..31
- SOURCE field
 Logonid record
 (ADMIN)..58
 (AUDIT)..28
- Source group
 records
 (ADMIN)..134

see ACFSGRP
 (SPG)..274
 Source groups
 General information
 (CICS)..20
 Source Name Modification Exit
 see SRCXIT
 (SPG)..109
 Source names
 BTAM sign-on
 (IMS)..16
 group cross-reference
 (SPG)..272
 reconfiguration
 (IMS)..16
 transaction authorization
 (IMS)..16
 validation
 (SPG)..109
 VTAM sign-on
 (IMS)..16
 SOURCE parameter
 access rule
 (ADMIN)..106
 resource rule
 (ADMIN)..122
 system initialization
 (CICS)..82
 Source Program Maintenance II
 (OPM)..3
 Space estimates
 acf2/MVS databases
 (SPG)..10
 Space requirements
 (SPG)..3
 Special ACF2 users
 ACCOUNT
 (AUDIT)..21
 AUDIT
 (AUDIT)..21
 CONSULT
 (AUDIT)..22
 general information
 (AUDIT)..20
 LEADER
 (AUDIT)..22
 SECURITY
 (AUDIT)..20
 Special key
 (OPM)..171
 Special Logonids
 (CICS)..42

SPF
 ACF2 interface
 (OPM)..139
 ACF2 screens
 (GIM)..10
 ACF2 support
 (GIM)..8
 decompiling rule sets
 (AUDIT)..37
 dialog manager
 (OPM)..154, 165
 full screen rule facility
 (OPM)..139
 maintenance screens
 (OPM)..154, 165, 180
 report generators
 (AUDIT)..49
 screens
 (PLAN)..31
 see ISPF..8
 SHOW subcommand
 (AUDIT)..29
 utility screens
 (GIM)..55
 SPMII
 (OPM)..3
 SQA
 see System Queue Area
 (PLAN)..34
 SRCXIT exit
 description
 (GIM)..60
 (SPG)..109
 SRCXIT field
 GSO EXITS record
 (ADMIN)..188
 SRF field
 Logonid record
 (ADMIN)..55
 SS
 ACFM function
 (CICS)..127
 ST
 ACFM function
 (CICS)..129
 STAMPSMF
 GSO OPTS record field
 (ADMIN)..199
 KOMMAND
 (OPM)..63
 Started Task Control
 (GIM)..28
 STCXIT exit
 (SPG)..110

Started Task Validation Exit
 see STCXIT
 (SPG)..110
Started tasks
 default Logonid
 (ADMIN)..197
 local exits
 (AUDIT)..16
 Logonid record
 (PLAN)..20
 see SKK NOTE 2
 (SPG)..352
 STC field of Logonid
 (ADMIN)..54
 validation
 (ADMIN)..199
Statistical Analysis System (SAS)
 (OPM)..3
Statistics section
 examples
 (ADMIN)..24
 Logonid record
 (ADMIN)..22, 63
 (AUDIT)..65
STATUS operand
 @CFDE macro
 (SPG)..24
STC
 see System Task Control
 (SPG)..183
STC field
 GSO OPTS record
 (ADMIN)..199
 Logonid record
 (ADMIN)..54
 (IMS)..13
 (PLAN)..20
 NCCF
 (OPM)..70
STC option
 see Started Task Control
 (GIM)..28
STCXIT exit
 (OPM)..136, 158
 description
 (GIM)..60
 (SPG)..110
STCXIT field
 GSO EXITS record
 (ADMIN)..188
Step-Must-Complete status
 ACFSET macro
 (SPG)..194
Sterling Software Marketing, Inc.
 DMS/OS
 (OPM)..36
 ESP
 (OPM)..43
 STMPSMF OPTS parameter
 PACE
 (OPM)..74
 Storage
 ACF2/CICS
 (CICS)..165
 ACTRM cleanup
 (SPG)..177
 directories/rules
 (CICS)..169
 fixed
 (IMS)..19
 general information
 (PLAN)..34
 pageable
 (IMS)..19
 Storage classes
 ACF2 Infostorage
 (OPM)..176
 STORE subcommand
 access rule
 (ADMIN)..99, 106
 resource rule
 (ADMIN)..131
 setting
 (ADMIN)..115
 STRING field
 GSO BACKUP record
 (ADMIN)..184
 TSOCRT record
 (ADMIN)..216
 SU
 ACFM function
 (CICS)..131
 SUBAUTH field
 Logonid record
 (ADMIN)..55
 (IMS)..13
 SUBCLSS field
 GSO TSO record
 (ADMIN)..214
 Subcommands
 ACFBATCH
 (UTIL)..151
 SUBHOLD field
 GSO TSO record
 (ADMIN)..215

Submission control	SUMMARY parameter
(OPM)..170	ACFRPTDS
Submission instructions	(UTIL)..28
machine-readable USERMOD	ACFRPTEL
(OPM)..131	(UTIL)..45
non-machine readable USERMOD	ACFRPTLL
(OPM)..131, 222	(UTIL)..62
SUBMSGC field	SUP parameter
GSO TSO record	@RB macro
(ADMIN)..215	(SPG)..300
Subroutines, support	Super-MSI
ACFCARE	(OPM)..69
(SPG)..255	SUPERCALL
ACFCDSP	(SPG)..80
(SPG)..257	APF authorized
ACFCMLPR	(SPG)..122, 143, 159, 187
(SPG)..259	invoking
ACFDCMPL	(SPG)..80
(SPG)..260	Supervisor Call
ACFGINT	ACFSPMSG field
(SPG)..262	(SPG)..116
ACFINT	ACFSVC macro
(SPG)..264	(SPG)..78
ACFRDS	dump/restore
(SPG)..261	(SPG)..114
ACFSGRP	error messages
(SPG)..274	(SPG)..79
ACFOOSST	initialization exit
(SPG)..272	(ADMIN)..187
ACF7OCXT	(SPG)..111
(SPG)..273	parmlist
ACSALTCK	(SPG)..111, 121, 126, 141,
(SPG)..275	159, 177, 187
ACSPRnn	SVCIXIT exit
(SPG)..281	(SPG)..111
ACSRRnn	TYPE=A
(SPG)..282	(SPG)..78, 80, 111, 133,
ACSVTERM	137, 159, 177, 180, 257
(SPG)..283	TYPE=C
summary	(SPG)..78, 111, 294
(SPG)..253	TYPE=S
Subschema	(SPG)..78, 98, 111-112, 126
access control	SUPERWYLBUR
(IDMS)..6	(OPM)..128
safelist	Support modules
(IDMS)..7	(IDMS)..15
validation	ACF\$ISGN
(IDMS)..6	(IMS)..5
SUBSYS field	Support subroutines
GSO SAFSAFE record	see Subroutines
(ADMIN)..211	(SPG)..253
SUBTASK parameter	Suppression
system initialization	dataset logging
(CICS)..85	(SPG)..284

SUPRADR
 (OPM)..161
 SUSPEND field
 Logonid record
 (ADMIN)..50
 SUSPEND parameter
 system initialization
 (CICS)..86
 Suspension
 Logonid
 (IMS)..8
 SV
 ACFM function
 (CICS)..136
 SVC
 (SPG)..112
 see Supervisor Call
 (SPG)..78
 specifications
 (GIM)..50
 SVC dump
 AUTODUMP field
 (ADMIN)..51
 SVC numbers
 @CSVC macro
 (SPG)..26
 SVC-A call
 user-supplied
 (CICS)..156
 SVCIXIT exit
 description
 (GIM)..60
 (SPG)..111
 SVCIXIT field
 GSO EXITS record
 (ADMIN)..188
 SYMBOL operand
 @CFDE macro
 (SPG)..20
 Symbolic labels
 see Label
 (SPG)..61
 SYNCH subcommand
 Logonid record
 (ADMIN)..79
 setting
 (ADMIN)..114
 SYNCSORT
 (OPM)..112
 SyncSort Incorporated
 SYNCSORT
 (OPM)..112
 Synergetics Corporation
 PRO/TEST
 (OPM)..3
 SYNQNAM field
 (IDMS)..23
 SYNRRNAM field
 (IDMS)..23
 Syntax
 access rule entry
 (ADMIN)..87
 ACF subcommand conventions
 (ADMIN)..4
 resource rule entries
 (ADMIN)..121
 SYS parameter
 ACFSET macro
 (SPG)..195
 SYSD
 (OPM)..113
 SYSHELP file
 ACFBATCH
 (UTIL)..150
 SYSIKJUA queuename
 (IMS)..8
 SYSIN file
 ACFBATCH
 (UTIL)..150
 SYSLBC file
 ACFBSYNC
 (UTIL)..161
 SYSLIB parameter
 @RB macro
 (SPG)..300
 SYSMODs
 JES2
 (SPG)..342
 JES3
 (SPG)..342
 SYSPRINT file
 ACFBATCH
 (UTIL)..150
 ACFRPTPP
 (UTIL)..72
 System
 Initialization
 (IDMS)..3
 System abend codes
 (SPG)..303
 System access
 ACF2 inactive
 (ADMIN)..251
 (SPG)..285
 control
 (AUDIT)..19

- (GIM)..5, 10
- shift record
- (SPG)..67
- time-zone adjustment
- (SPG)..69
- System Authorization Facility (SAF)
- (GIM)..24
- System Authorization Facility (SAF)
- (GIM)..44
- System Development Corp. CAS
- (OPM)..2
- System linklist
- see LINKLST option
- (ADMIN)..189
- System Maintenance Program (PLAN)..30
- System Management Facilities (SMF) datasets
- (PLAN)..34
- journal records
- (SPG)..295
- record numbers
- (GIM)..51
- records
- (ADMIN)..199
- (GIM)..53
- (SPG)..37
- (UTIL)..72
- see SMF
- (SPG)..2, 329
- violation log
- (GIM)..5
- System options
- GSO records
- (GIM)..35
- System Programmer's Guide
- description
- (ADMIN)..2
- (PLAN)..44
- System Queue Area
- definition
- (PLAN)..34
- System Task Control
- ACVALD fields
- (SPG)..183
- validation
- (AUDIT)..6
- SYSTEM 2000
- (OPM)..114
- System-wide options
- GSO records
- (GIM)..46
- SYSTSIN file
- ACFBATCH
- (UTIL)..150
- SYSTSPRT file
- ACFBATCH
- (UTIL)..150
- SYSVTOC rules
- determining access
- (GIM)..3
- SYS1.ACFJOBS dataset
- ABR interface
- (OPM)..6
- COMPAKTOR interface
- (OPM)..25
- FDR interface
- (OPM)..45
- HJSTP interface
- (OPM)..51
- SYS1.ACFMAC dataset
- ABR interface
- (OPM)..6
- FDR interface
- (OPM)..45
- mapping macros
- (SPG)..58
- SYS1.ACFMOD dataset
- ACFGUCB macro
- (SPG)..72
- SYS1.LINKLIB
- extension
- (ADMIN)..189
- Sytek, Inc.
- PFX Identity Authentication System
- (OPM)..101.1
- TAC type code
- definition
- (ADMIN)..118
- (GIM)..24
- Tape dataset processing
- (OPM)..142
- Tape Library Control System
- (OPM)..3
- Tape Library Management System
- (OPM)..22
- Tape Management System
- (OPM)..118
- ACF2 interface
- (OPM)..118

- Tape Management System (UCC1)
 - general information
 - (GIM)..3
 - (PLAN)..42
- Tape Verification
 - (OPM)..166
- Tape volumes
 - execution control
 - (GIM)..21
 - general information
 - (GIM)..3
- TAPE-BLP field
 - Logonid record
 - (ADMIN)..55
- TAPE-LBL field
 - Logonid record
 - (ADMIN)..55
- TAPEDSN field
 - GSO OPTS record
 - (ADMIN)..199
 - OPTS record
 - (AUDIT)..8
- Task control block
 - locating
 - (SPG)..65
- Tasks
 - safelist
 - (IDMS)..5
 - sample rules
 - (IDMS)..34
 - validation
 - (IDMS)..4
- TCAM
 - see ACF/TCAM
 - (OPM)..9
- TCB
 - locating
 - (SPG)..65
- TCB parameter
 - ACF\$TCB macro
 - (SPG)..65
- TCTTEXSA
 - DISOSS/370 considerations
 - (OPM)..34
- Temporary datasets
 - allowable accesses
 - (GIM)..5
 - execution control
 - (GIM)..21
- Temporary Logonid
 - expiration
 - (ADMIN)..52
- Temporary storage
 - sample rules
 - (CICS)..28
- Terminal Monitor Program
 - ACF2 exits
 - (SPG)..292
 - general information
 - (GIM)..2
- Terminal Name Subroutine
 - see ACSVTERM
 - (SPG)..283
- TERMINAL parameter
 - ACFRPTDS
 - (UTIL)..28
 - ACFSUB
 - (SPG)..287
- Termination
 - Logonid record
 - (SPG)..177
- TEST parameter
 - ##ACFX29 macro
 - (SPG)..250
- TEST subcommand
 - access rule
 - (ADMIN)..103
 - resource rule
 - (ADMIN)..128
 - setting
 - (ADMIN)..115
- Testing ACF2
 - (SPG)..16
 - guidelines
 - (PLAN)..18
 - recovery procedure
 - (SPG)..16
- TIME
 - logon operand
 - (ADMIN)..14
- TIME field
 - GSO BACKUP record
 - (ADMIN)..184
 - GSO TSO record
 - (ADMIN)..215
- TIME parameter
 - ACFCKSFT macro
 - (SPG)..67
 - SHIFT record
 - (GIM)..34
- Timetable
 - implementation
 - (PLAN)..8
- TIS
 - (OPM)..42, 116

- TLCS
 (OPM)..3
 tleng operand
 @MLID macro
 (SPG)..31
 TLMS II
 (OPM)..22
 ACF2 interface
 (OPM)..166
 TLMSXUPD
 (OPM)..166
 TMA parameter
 (CICS)..87
 TMP
 (OPM)..138, 157
 see Terminal Monitor Program
 (SPG)..292
 TMS
 (OPM)..118
 see Tape Management System
 (PLAN)..42
 TONE
 (OPM)..115
 Tone Software Corp.
 TONE
 (OPM)..115
 TOTACFXT
 (OPM)..187
 TOTAL
 (OPM)..116
 ACF2 Interface
 (OPM)..187
 Total Information System
 (OPM)..42, 116
 TOTAL system
 (OPM)..116
 TOTRETRN
 (OPM)..187
 TPR type code
 definition
 (ADMIN)..118
 (GIM)..24
 TRACE field
 Logonid record
 (ADMIN)..23, 50
 VLDEXIT
 (SPG)..98
 TRACE parameter
 ACFRPTDS
 (UTIL)..27
 ACFRPTNV
 (UTIL)..68
 ACFRPTRV
 (UTIL)..87
- TRACEGSO
 console operator command
 (ADMIN)..227
 TRACEID parameter
 system initialization
 (CICS)..89
 Training
 timetable
 (PLAN)..8
 Transaction Authorization exit
 ACF\$ITRN module
 (IMS)..5
 ACF2 use
 (IMS)..2
 general information
 (IMS)..2
 Transactions
 ACFM
 (CICS)..105
 sample rules
 (CICS)..23
 Transient data
 sample rules
 (CICS)..26
 Transitional considerations
 general information
 (GIM)..1
 (PLAN)..29
 Triangle Software Company
 JCLCHECK
 (OPM)..62
 Triangle Systems, Inc.
 IOF
 (OPM)..61
 Triangle University
 /*PROCLIB
 (OPM)..4
 TRIVIA
 display mode
 (SPG)..21
 TRIVIA display mode
 (IMS)..38, 40
 TR75052
 FDR optional processing fix
 (OPM)..46
 TSI International
 KEY/MASTER
 (OPM)..3
 TSO
 (GIM)..49
 access rule commands
 (UTIL)..152
 ACF\$CMDS list
 (SPG)..304

ACFDEL command (SPG)..85, 91
 (UTIL)..171
 ACFNRULE command (ADMIN)..13
 (UTIL)..159
 ACFSUB command (ADMIN)..9, 12
 (UTIL)..164
 ACF2 inactive (GIM)..37
 (SPG)..285
 ACSVTERM validation (GIM)..5
 (SPG)..283
 active Logonids (ADMIN)..22, 24, 59
 (OPM)..137, 159
 (PLAN)..20
 BYPASS field (GIM)..28
 (SPG)..290
 CALL command utility execution (AUDIT)..62.1
 (UTIL)..13
 CLIST considerations PCF interface
 (SPG)..290 (OPM)..93-94
 CMDLIST parameter processing commands..56
 (SPG)..290 program path support
 command limiting (GIM)..8
 (ADMIN)..213 (SPG)..296
 (GIM)..40
 (OPM)..93-94
 (SPG)..290
 command records Restricted Commands List
 (GIM)..41 (SPG)..290-291
 (SPG)..295 SEND command interface
 (GIM)..59
 (SPG)..295 sysout class
 (ADMIN)..24
 command statistics log system options/defaults
 (UTIL)..16 (ADMIN)..213
 command validation UADS system option
 (SPG)..294 (ADMIN)..200
 commands TSO Command Limiting
 (PLAN)..31, 40 (ADMIN)..62
 (SPG)..290 TSO fullscreen logon
 dynamic allocation control exit Logonid controls
 (OPM)..184 (ADMIN)..247
 firecall ID front end system option
 (OPM)..138, 157 (ADMIN)..214
 fullscreen logon UADS considerations
 (GIM)..12 (ADMIN)..249
 fullscreen modification value retention
 (SPG)..286 (ADMIN)..249
 GSO record TSO-TRC field
 (ADMIN)..213 Logonid record
 (ADMIN)..51
 interactive command system TSO/MON
 (GIM)..2 (OPM)..3
 interface TSOACCT field
 (PLAN)..39 Logonid record
 (SPG)..85 (ADMIN)..62
 logon example TSOCMDS field
 (GIM)..11 command limiting
 logon exits (GIM)..40
 (AUDIT)..16

Logonid record (ADMIN)..62 (AUDIT)..28.1 specify list name (SPG)..290	TWX x-out string (ADMIN)..218
TSOCRT (GSO) ASCII CRT clear string (ADMIN)..216	Type codes resources (ADMIN)..118 (GIM)..24
TSOCRT record (GIM)..49	TYPE operand @CFDE macro (SPG)..20
TSOFSCRN field Logonid record (ADMIN)..62	TYPE parameter ACECLID macro (SPG)..61
TSOKEYS (GSO) user logon keywords (ADMIN)..217	ACECUCB macro (SPG)..63
TSOKEYS record (GIM)..49	ACFBCOMP (UTIL)..155
TSOPERF field Logonid record (ADMIN)..62	ACFNRULE (UTIL)..159
TSOPROC field Logonid record (ADMIN)..62	ACFRPTEL (UTIL)..44
TSORBA field Logonid record (ADMIN)..62	ACFRPTRV (UTIL)..88
TSORGN field Logonid record (ADMIN)..62	ACFRPTRX (UTIL)..99
TSOSIZE field Logonid record (ADMIN)..63	ACFRPTXR (UTIL)..122
TSOSOUT field GSO TSO record (ADMIN)..215	ACFSVC macro (SPG)..78
TSOTIME field Logonid record (ADMIN)..63	TYPE TVL resource rule (OPM)..184
TSOTWX (GSO) TWX x-out string (ADMIN)..218	TYPE=A SVC cleanup storage (SPG)..177
TSOTWX record (GIM)..49	definition (SPG)..78
TSOUNIT field Logonid record (ADMIN)..63	Infostorage database updating (SPG)..141
TSO2741 (GSO) 2741 x-out mask (ADMIN)..220	initialize scopelist record (SPG)..187
TSO2741 record (GIM)..49	Logonid database updating (SPG)..121
	rule database updating (SPG)..159
	TYPE=C SVC definition (SPG)..78
	use (SPG)..294
	TYPE=S SVC definition (SPG)..78
	description (SPG)..126

TYPES field	intermittent mode
GSO RESDIR record	(IDMS)..25
(ADMIN)..206	validation
	(IDMS)..24
UADS	UCFDSNPR
ACF2 conversion	dataset pre-validation exit
(OPM)..164	(OPM)..181
GSO OPTS record	UD
(ADMIN)..200	ACFM function
installation considerations	(CICS)..137
(SPG)..15	UID
OPTS record	batch application programs
(SPG)..85	(OPM)..135
see User Attribute Dataset	see User Identification String
(GIM)..36	(PLAN)..16
(PLAN)..17	UID field
UADSINDEX field	CHANGE subcommand
Logonid record	(IMS)..41
(ADMIN)..63	DELETE subcommand
UCA parameter	(ADMIN)..78
system initialization	(IMS)..42
(CICS)..90	Logonid record
UCB	(ADMIN)..49
see User Control Block	UID parameter
(SPG)..72	ACFRPTCR
UCC ONE (TMS)	(UTIL)..18
(GIM)..3	ACFRPTDS
UCC-1 (TMS)	(UTIL)..26
(OPM)..118	ACFRPTRX
ACF2 interface	(UTIL)..99
(OPM)..118	CHANGE subcommand
UCC-11	(ADMIN)..75
(OPM)..117	DELETE subcommand
UCC-7	(ADMIN)..108
(OPM)..119	resource rule
UCCEL	(ADMIN)..121
UCC-11	UIDSCOPE field
(OPM)..117	Logonid record
UCCEL Corporation	(ADMIN)..55
TMS	(AUDIT)..24
(OPM)..118	UL
UCC-1	ACFM function
(OPM)..118	(CICS)..139
UCC-7	UMAX
(OPM)..119	(OPM)..3
UCC7	UNCATALOG parameter
ACF2 interface	ACFDEL
(OPM)..186	(UTIL)..171
UCF	UNIT
batch mode	GSO TSO record
(IDMS)..25	(ADMIN)..215
considerations	logon operand
(IDMS)..24	(ADMIN)..14

United Software Security, Inc.	Logonid record
LazerLock	(SPG)..206
(OPM)..64	pre-prompt exit
Universal Communications Facility	(SPG)..204
see UCF	Record Structure Block (RSB)
(IDMS)..24	(SPG)..208
Unloading USERMOD files	user exit
(OPM)..133	(SPG)..204
Unsupported device exit	USER CALL
messages	ACF2 interface
(CICS)..160	(SPG)..112
password revalidation	dump/restore program
(CICS)..161	(SPG)..113
UNTIL parameter	general information
resource rule	(SPG)..112-113
(ADMIN)..122	interface requirements
UPD-TOD field	(SPG)..113
Logonid record	messages
(ADMIN)..24, 64	(SPG)..116
UPDATE keyword	parameter list
ACFRPTLL	(SPG)..114
(UTIL)..61	User Control Block
ACFRPTSL	(GIM)..42
(UTIL)..108	address
SERVICE parameter	(SPG)..72
(ADMIN)..122	see ACUCB
UPDATE parameter	(SPG)..177
SERVICE keyword	User exits
(CICS)..12	see Exits
UPPER parameter	(SPG)..82
ACFRPTCR	USER field
(UTIL)..18	Logonid record
User Attribute Dataset	(ADMIN)..26
(PLAN)..17	User Identification String (UID)
bypassing	@UID macro
(AUDIT)..6.1	(SPG)..41
(GIM)..5, 36	adding/modifying fields
NAME field	(SPG)..56
(ADMIN)..49	definition entry
User Authentication Device	(GIM)..51
logon procedure	examples
(ADMIN)..16	(AUDIT)..30
User Authentication Support	format
(SPG)..204	(PLAN)..16
APPLDEF GSO record	general information
(SPG)..208	(ADMIN)..7
AUTHEXIT GSO record	(GIM)..11
(SPG)..207	(PLAN)..14
description	Logonid record
(SPG)..203	(ADMIN)..50
exit processing	masking
(SPG)..204	(ADMIN)..94
Information Storage records	masks
(SPG)..207	(AUDIT)..31

specifications (SPG)..41	submission (OPM)..130
structure (ADMIN)..28	Users
USER KEYS	Implementation Team (PLAN)..5
logon operand (ADMIN)..14	USING operand
User Message Table module	INSERT subcommand (IMS)..39
COMM macro (IMS)..14	USREFLD exit
User signon	description (GIM)..57
(CICS)..8	(SPG)..91
(IDMS)..3	Utilities Manual
USER= card	description (ADMIN)..2
forced use (OPM)..151, 163	(PLAN)..43
USER= parameter	Utilities of ACF2
JOB card	access rule (ADMIN)..109
(ADMIN)..20	ACFBATCH (UTIL)..150-151
(GIM)..13	ACFBCOMP (UTIL)..155
MUSASS	ACFBDCMP (UTIL)..157-158
(SPG)..196	ACFBKUP (UTIL)..147-148
USERCFDE	ACFBSYNC (UTIL)..161-162
(IDMS)..46	ACFCOMP (UTIL)..152
Field Definition Record	ACFDEL (UTIL)..171
(IDMS)..49	ACFERASE (UTIL)..168-170
USERDATA	ACFNRULE (UTIL)..159-160
address	ACFRECVR (UTIL)..134-135, 137, 140-141, 143-146
(SPG)..71	ACFSUB (UTIL)..164
see \$USERDATA operand	general information (ADMIN)..238
(ADMIN)..121	JOBCOPY (UTIL)..166
USERID	security administration (UTIL)..149
logon operand (ADMIN)..13	UX
USERKEY parameter	ACFM function (CICS)..140
ACFAEUCR (CICS)..161	
directory load (CICS)..154	
system initialization (CICS)..93	
Userkeys	
function level protection (CICS)..141	
sample rules (CICS)..29	
USERLEN field (IDMS)..24	
USERLID	
USERXLID (IDMS)..46	
USERMODs	
(OPM)..130	

VALCONS parameter	job entry
system initialization	(GIM)..5
(CICS)..95	logon
VALD operand	(GIM)..5
@CSVC macro	(SPG)..88, 90
(SPG)..26	Logonid record
Validation	(SPG)..88, 91, 93
/LOCK command	Logonid record access
(IMS)..10	(SPG)..275
/SET command	MUSASS request
(IMS)..10	(SPG)..189
access rule	password
(SPG)..102	(IMS)..2
across multiple CPU's	(SPG)..88, 91, 93
(IMS)..8	physical input device
Application Group Names	(GIM)..5
(IMS)..4	post-processing
batch job class	(GIM)..5
(SPG)..350	program
batching	(SPG)..112
(GIM)..12	program access
catalog VOLSER	(IDMS)..5
(OPM)..181	program name..358
CHANGE DL1 call	program-to-program switch
(IMS)..10	(IMS)..10
dataset names	resource access
(SPG)..97	(IMS)..2
datasets	(SPG)..104-105, 146
(SPG)..98, 112	resource type
duplicate users	(IMS)..9
(IMS)..8	restricted Logonids
entry	(OPM)..170
(SPG)..180	scope list
general information	(SPG)..74
(GIM)..5	source names
IDMS area	(SPG)..109
(IDMS)..8	supervisor call
IDMS programs	(SPG)..111
(IDMS)..6	SYSOUT dataset access
IDMS subschema	(OPM)..178
(IDMS)..7	system
IDMS tasks	(GIM)..5, 13
(IDMS)..5	(SPG)..95
IMS PSBs	system task
(SPG)..361	(SPG)..110
IMS transactions	TSO command
(IMS)..2	(SPG)..294
JCL conversion	TSO logon
(GIM)..5	(SPG)..91
JES2 processing	TSO procedures
(SPG)..226, 236	(GIM)..36
JES3 processing	VALIN field
(SPG)..251	GSO NJE record
	(ADMIN)..192

VALOUT field
 GSO NJE record
 (ADMIN)..192
 VALU-LIB
 (OPM)..121
 Value Computing, Inc.
 APOLLO
 (OPM)..16
 DCS
 (OPM)..2
 VALU-LIB
 (OPM)..121
 VAM/SPF
 (OPM)..122
 VERBOSE display mode
 (IMS)..38, 40
 VERIFY parameter
 (IMS)..3
 ACFNRULE
 (UTIL)..160
 resource rule
 (ADMIN)..123
 system initialization
 (CICS)..96
 VIO parameter
 ACFRPTDS
 (UTIL)..27
 ACFRPTRV
 (UTIL)..87
 VIOEXIT
 (OPM)..141
 VIOEXIT exit
 description
 (GIM)..58
 (SPG)..101
 VIOEXIT field
 GSO EXITS record
 (ADMIN)..188
 Violation Exit
 see VIOEXIT
 (SPG)..101
 Violations
 batch message options
 (IMS)..9
 maximum number
 (IMS)..8
 online message options
 (IMS)..9
 VIOSUSP field
 (IDMS)..24
 Virtual Storage Personal Computing
 (OPM)..125
 VLD-ACCT field
 Logonid record
 (ADMIN)..63
 VLD-PROC field
 Logonid record
 (ADMIN)..63
 VLDEXIT
 (OPM)..160, 169, 171, 181
 VLDEXIT exit
 description
 (GIM)..58
 (SPG)..98
 sample
 (SPG)..319
 VLDEXIT field
 GSO EXITS record
 (ADMIN)..188
 VM field
 Logonid record
 (ADMIN)..56
 VOL parameter
 ACFRPTXR
 (UTIL)..122
 VOLMASK field
 GSO RESVOLS record
 (ADMIN)..209
 GSO SECVOLS record
 (ADMIN)..212
 VOLRULE field
 GSO OPTS record
 (ADMIN)..200
 VOLS(volume, vol-mask)
 GSO AUTOERAS record
 (ADMIN)..182
 Volume
 access rule
 (ADMIN)..113
 access rule system option
 (ADMIN)..200
 dataset protection
 (ADMIN)..209
 protection
 (AUDIT)..13
 (GIM)..3
 resident
 (GIM)..2
 (SPG)..97
 secured
 (GIM)..3
 (SPG)..97
 tape
 (GIM)..3
 volume-level protection
 (ADMIN)..212

VOLUME field
 GSO BACKUP record
 (ADMIN)..185
 VOLUME parameter
 ACFDEL
 (UTIL)..171
 Volume Table of Contents (VTOC)
 access rule
 (ADMIN)..113
 VPRM1 operand
 @CFDE macro
 (SPG)..24
 VPRM2 operand
 @CFDE macro
 (SPG)..24
 VRTN1 operand
 @CFDE macro
 (SPG)..23
 VRTN2 operand
 @CFDE macro
 (SPG)..24
 VSAM allocation
 rule considerations
 (ADMIN)..112
 VSAM catalog
 alias processing
 (OPM)..141
 VSAM-ASSIST
 (OPM)..123
 VSAM/NOVSAM
 GSO AUTOERAS record
 (ADMIN)..182
 VSAPL
 (OPM)..124
 IBM ACF2 support
 (GIM)..8
 VSPC
 (OPM)..125
 VSTSIO
 (OPM)..126
 VTAM Application Monitor for SPF
 (OPM)..122
 VTOC
 protection
 (GIM)..3
 see Volume Table of Contents
 (ADMIN)..113
 WAITIME field
 GSO TSO record
 (ADMIN)..215
 WARN
 (GIM)..49
 GSO record
 (ADMIN)..221
 WARN mode
 conversion
 (PLAN)..25
 definition
 (AUDIT)..50
 (GIM)..9
 specification
 (ADMIN)..198
 Warning message text
 system option
 (ADMIN)..221
 WORK FILE UNIT field
 GSO BACKUP record
 (ADMIN)..185
 WORK operand
 @MUSASS macro
 (SPG)..33
 Work parameter
 ACFCKSFT
 (SPG)..68
 Write ring (tapes)
 ensure protection
 (GIM)..3
 Write-to-operator messages
 batch violation options
 (IMS)..9
 descriptor code
 (IMS)..9
 online violation options
 (IMS)..9
 routing codes
 (IMS)..9
 WRNDAYS field
 GSO PSWD record
 (ADMIN)..204
 WTO
 exit routine
 (SPG)..357
 WTO parameter
 system initialization
 (CICS)..98
 WTOEXIT
 sample
 (SPG)..323, 325
 WTOIDSC parameter
 system initialization
 (CICS)..98
 WTOIRTE parameter
 system initialization
 (CICS)..98

WTOIxxx parameters
 system initialization
 (CICS)..98
WTOSDSC parameter
 system initialization
 (CICS)..99
WTOSRTE parameter
 system initialization
 (CICS)..99
WTOSxxx parameters
 system initialization
 (CICS)..99
WTOV parameter
 system initialization
 (CICS)..99
WTOVDSC parameter
 system initialization
 (CICS)..99
WTOVRTE parameter
 system initialization
 (CICS)..99
WTOVxxx parameters
 system initialization
 (CICS)..99
WTP field
 Logonid record
 (ADMIN)..63
WYLBUR (INTERACT)
 (OPM)..59
WYLBUR (OBS)
 (OPM)..127
WYLBUR/SUPERWYLBUR
 ACF2 interface
 (OPM)..128

XBM field
 GSO OPTS record
 (ADMIN)..200

ZERO operand
 @CFDE macro
 (SPG)..25
ZONE field
 Logonid record
 (ADMIN)..58
 (CICS)..18
 (GIM)..34
 (IMS)..20
Zone records
 definition
 (IMS)..20
 examples
 (ADMIN)..162

fields
 (ADMIN)..163, 167
general information
 (CICS)..18
 (GIM)..34

