



NOTE: SEE NOTES ON SHT. 1


NOTE: SEE NOTES ON SHT 1







- NOTES:
- 1. ALL CAPS ARE 0.1μF, 50V UNLESS MARKED OTHERWISE.
  - 2. ALL RESISTORS ARE 22K, 5%, 1/4W UNLESS MARKED OTHERWISE.
  - 3. ZB2-8 IS PIN 8 OF AN IC AT P.C. BOARD LOCATION B2 SHOWN ON THIS SHEET.
  - 4. ZB8-2 IS PIN 2 OF AN IC AT P.C. BOARD LOCATION B8 SHOWN ON SHEET 3.
  - 5. RB1 IS RESISTOR #1 IN P.C. BOARD ROW 'B'.
  - 6. CA3 IS CAPACITOR #3 IN P.C. BOARD ROW 'A'.
  - 7. ZH6 IS AN IC AT P.C. BOARD LOCATION ROW 'H', COLUMN '6'. (HIGHEST IS 14).



TITLE  
ACE I200 LOGIC

REV.	DWG. NO.	DATE:	ENG.	CHKD. BY:	DRN. BY:	MFG. APPD.
A	LD1200-101	4-82	M. J. [Signature]	M. J. [Signature]	M. J. [Signature]	
SHEET 1 OF 3		SCALE:				

